

**NCDEQ Division of Energy, Mineral and Land Resources**

**Stormwater Discharge Monitoring Report (DMR) Form for NCG090000  
Paints, Varnishes, Lacquers, Enamels, and Allied Products**

[Click here for instructions](#)

Complete, sign, scan and submit the DMR via the [Stormwater NPDES Permit Data Monitoring Report \(DMR\) Upload form](#) within 30 days of receiving sampling results. Mail the original, signed hard copy of the DMR to the [appropriate DEMLR Regional Office](#).

Certificate of Coverage No. NCG09	Person Collecting Samples:
Facility Name:	Laboratory Name:
Facility County:	Laboratory Cert. No.:
Discharge during this period: <input type="checkbox"/> Yes <input type="checkbox"/> No (if no, skip to signature and date)	
Has your facility implemented mandatory Tier response actions <u>this sample period</u> for any benchmark exceedances? <input type="checkbox"/> Yes <input type="checkbox"/> No If so, which Tier (I, II, or III)?	
A copy of this DMR has been uploaded electronically via <a href="https://edocs.deq.nc.gov/Forms/SW-DMR">https://edocs.deq.nc.gov/Forms/SW-DMR</a> <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date Uploaded:	

**Analytical Monitoring Requirements for Outfalls with Industrial Activities – Benchmarks in (Red)**

Parameter Code	Parameter	Outfall	Outfall	Outfall	Outfall	Outfall
N/A	Receiving Stream Class					
N/A	Date Sample Collected MM/DD/YYYY					
46529	24-Hour Rainfall in inches					
CO530	TSS in mg/L (100 or 50*)					
00400	pH in standard units (6.0 – 9.0 FW, 6.8 – 8.5 SW)					
01027	Cadmium total (as cd) in mg/L (0.002 or 0.003**)					
01051	Lead, total recoverable (as Pb) in mg/L (0.075 FW, 0.22 SW)					
CO034	Chromium III, total recoverable (as Cr) in mg/L (0.905 FW, n/a SW)					
Additional parameters for outfalls in drainage areas that use >55 gallons per month of new hydraulic oil on average						
00552	Non-Polar Oil & Grease in mg/L (15)					
NCOIL	Estimated New Motor/Hydraulic Oil Usage in gal/month					

\* Outfalls to Outstanding Resource Waters (ORW), High Quality Waters (HQW), Trout Waters (Tr) and Primary Nursery Areas (PNA) have a benchmark TSS limit of 50 mg/L. All other water classifications have a benchmark of 100 mg/L

\*\* Outfalls to Trout Waters (Tr) have a benchmark Cadmium limit of 0.002 mg/L. All other water classification have a benchmark of 0.003 mg/L  
FW (Freshwater) SW (Saltwater)

Notes (optional):

"I certify by my signature below, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

\_\_\_\_\_  
Signature of Permittee or Delegated Authorized Individual

\_\_\_\_\_  
Date

\_\_\_\_\_  
Email Address

\_\_\_\_\_  
Phone Number