

52-42
Received
9/11/2017

State of North Carolina
Department of Environmental Quality
Division of Water Resources
Animal Feeding Operations Permit Application Form
(THIS FORM MAY BE PHOTOCOPIED FOR USE AS AN ORIGINAL)

NPDES General Permit - Existing Animal Waste Operations

1. GENERAL INFORMATION:

- 1.1 Facility name: Farm 3507 & 3508
- 1.2 Print Land Owner's name: Smithfield HP *Murphy-Brown, LLC*
- 1.3 Mailing address: PO Box 856
City, State: Warsaw, NC Zip: 28398
Telephone number (include area code): (910) 293 - 3434
- 1.4 Physical address: 649-A Burney Town Rd
City, State: Kinston, NC Zip: 28501
Telephone number (include area code): (_____) _____ - _____
- 1.5 County where facility is located: Jones
- 1.6 Owner's email address: _____
- 1.7 Facility location (directions from nearest major highway, using SR numbers for state roads): From Hargetts Store, take NC Hwy 41 north approx. 2.7 miles and turn left onto SR 1142; go 3.4 miles & turn right on SR1130; go .40 miles and turn left onto SR 1156. Go 1 mile to farm entrance on the left.
- 1.8 Farm Manager's name (if different from Land Owner): _____
- 1.9 Lessee's / Integrator's name (if applicable; circle which type is listed): Smithfield HP
- 1.10 Facility's original start-up date: 1991 Date(s) of facility expansion(s) (if applicable): _____

2. OPERATION INFORMATION:

- 2.1 Facility number: 52-3412
- 2.2 Operation Description:

Please enter the Design Capacity of the system. The "No. of Animals" should be the maximum number for which the waste management structures were designed.

<u>Type of Swine</u>	<u>No. of Animals</u>	<u>Type of Poultry</u>	<u>No. of Animals</u>	<u>Type of Cattle</u>	<u>No. of Animals</u>
<input type="checkbox"/> Wean to Feeder	_____	<input type="checkbox"/> Layer	_____	<input type="checkbox"/> Beef Brood Cow	_____
<input type="checkbox"/> Feeder to Finish	_____	<input type="checkbox"/> Non-Layer	_____	<input type="checkbox"/> Beef Feeder	_____
<input checked="" type="checkbox"/> Farrow to Wean (# sow)	<u>7854</u>	<input type="checkbox"/> Turkey	_____	<input type="checkbox"/> Beef Stocker Calf	_____
<input type="checkbox"/> Farrow to Feeder (# sow)	_____	<input type="checkbox"/> Turkey Poults	_____	<input type="checkbox"/> Dairy Calf	_____
<input type="checkbox"/> Farrow to Finish (# sow)	_____			<input type="checkbox"/> Dairy Heifer	_____
<input type="checkbox"/> Wean to Finish (# sow)	_____			<input type="checkbox"/> Dry Cow	_____
<input type="checkbox"/> Gilts	_____			<input type="checkbox"/> Milk Cow	_____
<input type="checkbox"/> Boar/Stud	_____				

Other Type of Livestock on the farm: _____ No. of Animals: _____

- 2.3 Acreage cleared and available for application (excluding all required buffers and areas not covered by the application system): 191.99 Required Acreage (as listed in the CAWMP): 179.68
- 2.4 Number of lagoons: 2 Total Capacity (cubic feet): 5,233,770 Required Capacity (cubic feet): 4,892,624
 Number of Storage Ponds: _____ Total Capacity (cubic feet): _____ Required Capacity (cubic feet): _____
- 2.5 Are subsurface drains present within 100' of any of the application fields? **YES** or **NO** (circle one)
- 2.6 Are subsurface drains present in the vicinity or under the waste management system? **YES** or **NO** (circle one)
- 2.7 Does this facility meet all applicable siting requirements? **YES** or **NO** (circle one)

3. REQUIRED ITEMS CHECKLIST:

Please indicate that you have included the following required items by signing your initials in the space provided next to each item.

- | | <u>Applicants Initials</u> |
|---|----------------------------|
| 3.1 One completed and signed original and one copy of the application for NPDES General Permit - Animal Waste Operations; | <u>Jh</u> |
| 3.2 Two copies of a general location map indicating the location of the animal waste facilities and field locations where animal waste is land applied and a county road map with the location of the facility indicated; | <u>Jh</u> |
| 3.3 Two copies of the entire Certified Animal Waste Management Plan (CAWMP). If the facility does not have a CAWMP, it must be completed prior to submittal of a permit application for animal waste operations. | <u>Jh</u> |

The CAWMP **must** include the following components. *Some of these components may not have been required at the time the facility was certified but must be added to the CAWMP for NPDES permitting purposes:*

- 3.3.1 The Waste Utilization Plan (WUP) must include the amount of Plant Available Nitrogen (PAN) and Phosphorus produced and utilized by the facility
- 3.3.2 The method by which waste is applied to the disposal fields (e.g. irrigation, injection, etc.)
- 3.3.3 A map of every field used for land application, with setbacks to surface waters or any conduits to surface waters (including field ditches), with the exception of grassed waterways that are designed and maintained according to NRCS standards.
- 3.3.4 The soil series present on every land application field
- 3.3.5 The crops grown on every land application field
- 3.3.6 The Realistic Yield Expectation (RYE) for every crop shown in the WUP
- 3.3.7 The PAN and Phosphorus applied to every land application field
- 3.3.8 The waste application windows for every crop utilized in the WUP
- 3.3.9 The required NRCS Standard specifications
- 3.3.10 A site schematic
- 3.3.11 Emergency Action Plan
- 3.3.12 Insect Control Checklist with chosen best management practices noted
- 3.3.13 Odor Control Checklist with chosen best management practices noted
- 3.3.14 Mortality Control Checklist with the selected method noted
- 3.3.15 Lagoon/storage pond capacity documentation (design, calculations, etc.); please be sure to include any site evaluations, wetland determinations, or hazard classifications that may be applicable to your facility
- 3.3.16 Operation and Maintenance Plan
- 3.3.17 Phosphorus Loss Assessment Tool (PLAT) Results, including the data sheets for each field.

If your CAWMP includes any components not shown on this list, please include the additional components with your submittal. (Composting, waste transfers, etc.)

4. APPLICANT'S CERTIFICATION:

I, Smithfield HP (Land Owner's name listed in question 1.2), attest that this application for Farm 3507 + 3508 (Facility name listed in question 1.1) has been reviewed by me and is accurate and complete to the best of my knowledge. I understand that if all required parts of this application are not completed and that if all required supporting information and attachments are not included, this application package will be returned to me as incomplete.

Signature [Signature] Date 9-1-2011

5. MANAGER'S CERTIFICATION: (complete only if different from the Land Owner)

I, _____ (Manager's name listed in question 1.6), attest that this application for _____ (Facility name listed in question 1.1) has been reviewed by me and is accurate and complete to the best of my knowledge. I understand that if all required parts of this application are not completed and that if all required supporting information and attachments are not included, this application package will be returned as incomplete.

Signature _____ Date _____

THE COMPLETED APPLICATION PACKAGE, INCLUDING ALL SUPPORTING INFORMATION AND MATERIALS, SHOULD BE SENT TO THE FOLLOWING ADDRESS:

**NORTH CAROLINA DIVISION OF WATER RESOURCES
WATER QUALITY REGIONAL OPERATIONS SECTION
ANIMAL FEEDING OPERATIONS PROGRAM
1636 MAIL SERVICE CENTER
RALEIGH, NORTH CAROLINA 27699-1636
TELEPHONE NUMBER: (919) 807-6464
FAX NUMBER: (919) 807-6496**

DIVISION OF WATER RESOURCES REGIONAL OFFICES (9/05)

Asheville Regional WQROS Supervisor 2090 U.S. Highway 70 Swannanoa, NC 28778 (828) 296-4500 Fax (828) 299-7043	Washington Regional WQROS Supervisor 943 Washington Square Mall Washington, NC 27889 (252) 946-6481 Fax (252) 975-3716	Raleigh Regional WQROS Supervisor 1628 Mail Service Center Raleigh, NC 27699-1628 (919) 791-4200 Fax (919) 571-4718
--	--	---

Avery	Macon	Beaufort	Jones	Chatham	Nash
Buncombe	Madison	Bertie	Lenoir	Durham	Northampton
Burke	McDowell	Camden	Martin	Edgecombe	Orange
Caldwell	Mitchell	Chowan	Pamlico	Franklin	Person
Cherokee	Polk	Craven	Pasquotank	Granville	Vance
Clay	Rutherford	Currituck	Perquimans	Halifax	Wake
Graham	Swain	Dare	Pitt	Johnston	Warren
Haywood	Transylvania	Gates	Tyrell	Lee	Wilson
Henderson	Yancey	Greene	Washington		
Jackson		Hertford	Wayne		
		Hyde			

Fayetteville Regional WQROS Supervisor 225 Green Street, Suite 714 Fayetteville, NC 28301-5094 (910) 433-3300 Fax (910) 486-0707	Mooresville Regional WQROS Supervisor 610 East Center Avenue Mooresville, NC 28115 (704) 663-1699 Fax (704) 663-6040	Wilmington Region WQROS Supervisor 127 Cardinal Drive Extension Wilmington, NC 28405-3845 (910) 796-7215 Fax (910) 350-2004
--	--	---

Anson	Moore	Alexander	Lincoln	Brunswick	New Hanover
Bladen	Richmond	Cabarrus	Mecklenburg	Carteret	Onslow
Cumberland	Robeson	Catawba	Rowan	Columbus	Pender
Harnett	Sampson	Cleveland	Stanly	Duplin	
Hoke	Scotland	Gaston	Union		
Montgomery		Iredell			

Winston-Salem Regional WQROS Supervisor
450 Hanes Mill Road, Suite 300
Winston-Salem, NC 27105
Phone (336) 776-9800
Fax (336) 776-9797

Alamance	Rockingham
Alleghany	Randolph
Ashe	Stokes
Caswell	Surry
Davidson	Watauga
Davie	Wilkes
Forsyth	Yadkin
Guilford	



North Carolina Department of Environment and Natural Resources

Pat McCrory
Governor

John E. Skvarla, III
Secretary

October 23, 2014

Murphy-Brown LLC
Farm # 3507 & 3508
PO Box 856
Warsaw, NC 28398-0856

Subject: Certificate of Coverage No. AWS520042
Farm # 3507 & 3508
Swine Waste Collection, Treatment,
Storage and Application System
Jones County

Existing COC

Dear Murphy-Brown LLC:

In accordance with your request, we are hereby forwarding to you this corrected Certificate of Coverage (COC) issued to Murphy-Brown LLC, authorizing the operation of the subject animal waste management system in accordance with General Permit AWG100000.

This approval shall consist of the operation of this system including, but not limited to, the management and land application of animal waste as specified in the facility's Certified Animal Waste Management Plan (CAWMP) for Farm # 3507 & 3508, located in Jones County, with a swine animal capacity of no greater than the following annual averages:

Wean to Finish:	Feeder to Finish:	Boar/Stud:
Wean to Feeder:	<u>Farrow to Wean: 7854</u>	Gilts:
Farrow to Finish:	Farrow to Feeder:	Other:

If this is a Farrow to Wean or Farrow to Feeder operation, there may be one boar for each 15 sows. Where boars are unnecessary, they may be replaced by an equivalent number of sows. Any of the sows may be replaced by gilts at a rate of 4 gilts for every 3 sows.

This COC shall be effective from the date of issuance until September 30, 2019, and shall hereby void Certificate of Coverage Number AWS520042 that was previously issued to this facility. Pursuant to this COC, you are authorized and required to operate the system in conformity with the conditions and limitations as specified in the General Permit, the facility's CAWMP, and this COC. An adequate system for collecting and maintaining the required monitoring data and operational information must be established for this facility. Any increase in waste production greater than the certified design capacity or increase in number of animals authorized by this COC (as provided above) will require a modification to the CAWMP and this COC and must be completed prior to actual increase in either wastewater flow or number of animals.

Please read this COC and the enclosed State General Permit carefully. Please pay careful attention to the record keeping and monitoring conditions in this permit. Record keeping forms are unchanged with this General Permit. Please continue to use the same record keeping forms.

1636 Mail Service Center, Raleigh, North Carolina 27699-1636
Phone: 919-807-6464 \ Internet: <http://www.ncdenr.gov/>

If your Waste Utilization Plan (WUP) has been developed based on site-specific information, careful evaluation of future samples is necessary. Should your records show that the current WUP is inaccurate you will need to have a new WUP developed.

The issuance of this COC does not excuse the Permittee from the obligation to comply with all applicable laws, rules, standards, and ordinances (local, state, and federal), nor does issuance of a COC to operate under this permit convey any property rights in either real or personal property.

Per NRCS standards a 100-foot separation shall be maintained between water supply wells and any lagoon, storage pond, or any wetted area of a spray field.

Please be advised that any violation of the terms and conditions specified in this COC, the General Permit or the CAWMP may result in the revocation of this COC, or penalties in accordance with NCGS 143-215.6A through 143-215.6C including civil penalties, criminal penalties, and injunctive relief.

If any parts, requirements, or limitations contained in this COC are unacceptable, you have the right to apply for an individual permit by contacting the Animal Feeding Operations Program for information on this process. Unless such a request is made within 30 days, this COC shall be final and binding.

In accordance with Condition II.22 of the General Permit, waste application shall cease within four (4) hours of the time that the National Weather Service issues a Hurricane Warning, Tropical Storm Warning, or a Flood Watch associated with a tropical system for the county in which the facility is located. You may find detailed watch/warning information for your county by calling the Newport/Morehead City, NC National Weather Service office at (252) 223-5737, or by visiting their website at: <http://www.weather.gov/mhx/>

This facility is located in a county covered by our Washington Regional Office. The Regional Office staff may be reached at 252-946-6481. If you need additional information concerning this COC or the General Permit, please contact the Animal Feeding Operations Program staff at (919) 807-6464.

Sincerely,



for Thomas A. Reeder
Director, Division of Water Resources

Enclosure (General Permit AWG100000)

cc: (Certificate of Coverage only for all ccs)
Wilmington Regional Office, Water Quality Regional Operations Section
Jones County Health Department
Jones County Soil and Water Conservation District
WQROS Central Files (Permit No. AWS520042)
AFO Notebooks
Murphy-Brown LLC

Animal Waste Management Plan Certification

(Please type or print all information that does not require a signature)

General Information:

Permit No: AWG100000

Name of Farm: 3507 & 3508

Facility No: 52--42

Owner(s) Name: Murphy-Brown, LLC

Phone No: (910) 293-3434

Mailing Address: P.O. Box 856 Warsaw, NC 28398

Farm Location:

County Farm is located in: Jones

Latitude and Longitude: 35 04' 04" / 77 33' 55" Integrator: Murphy-Brown, LLC

Please attach a copy of a county road map with location identified and describe below (Be specific: road names, directions, milepost, etc.): From Hargetts Store, take NC Hwy 41 north approx. 2.70 miles and turn left onto SR 1142; go 3.40 miles and turn right onto SR 1130; go 0.40 miles and turn left onto SR 1156 (Burney Town Rd.) and go 1.0 mile and 1.6 miles to farm entrances on the left.

Operation Description:

Type of Swine	No. of Animals	Type of Poultry	No. of Animals	Type of Dairy	No. of Animals
Wean to Feeder	_____	Layer	_____	Milking	_____
Feeder to Finish	_____	Non-Layer	_____	Dry	_____
Farrow to Wean	<u>7854</u>	Type of Beef	No. of Animals	Heifers	_____
Farrow to Feeder	_____	Brood	_____	Calves	_____
Farrow to Finish	_____	Feeders	_____		
Gilts	_____	Stockers	_____		
Boars	_____	Other Type of Livestock:	_____	Number of Animals:	_____

Acreage Available for Application: 201.67

Required Acreage: 201.67

Number of waste structures: 2

Total Capacity: 5,233,770

Cubic Feet (ft³)

Are subsurface drains present on the farm: **YES** or **NO** (please circle one)

If **YES**: are subsurface drains present in the area of the waste structures (please circle one or both as applicable)

Owner / Manager Agreement

I (we) verify that all the above information is correct and will be updated upon changing. I (we) understand the operation and maintenance procedures established in the approved animal waste management plan for the farm named above and will implement these procedures. I (we) know that any expansion to the existing design capacity of the waste treatment and storage system or construction of new facilities will require a permit application and a new certification to be submitted to the Division of Water Quality (DWQ) and permit approval received before the new animals are stocked. I (we) understand that there must be no discharge of animal waste from the storage system to surface waters of the state unless specifically allowed under a permit from DWQ and there must not be run-off from the application of animal waste. I (we) understand that run-off of pollutants from lounging and heavy use areas must be minimized using technical standards developed by the USDA-Natural Resources Conservation Service (NRCS). The approved plan will be filed at the farm and at the DWQ Regional Office and the office of the local Soil and Water Conservation District (SWCD). I (we) know that any modification must be approved by a technical specialist and submitted to the DWQ Regional Office and local SWCD and required approvals received from DWQ prior to implementation. A change in farm ownership requires a permit application to be sent to DWQ along with a new certification (if the approved plan is changed).

Name of Land Owner: Murphy-Brown, LLC

Signature: [Signature] Date: 7-21-11

Name of Manager (if different from owner): _____

Signature: _____ Date: _____

Technical Specialist Certification

I. As a technical specialist designated by the North Carolina Soil and Water Conservation Commission pursuant to 15A NCAC 6H .0104, I certify that the animal waste management system for the farm named above has an animal waste management plan that meets or exceeds standards and specifications of the Division of Water Quality as specified in 15A NCAC 2T .1300 (formerly 2H .0217) and the USDA-Natural Resources Conservation Service and/or the North Carolina Soil and Water Conservation Commission pursuant to 15A NCAC 2T .1300 (formerly 2H .0217) and 15A NCAC 6F .0101-.0105. The following elements are included in the plan as applicable. While each category designates a technical specialist who may sign each certification (SD, SI, WUP, RC, I), the technical specialist should only certify parts for which they are technically competent.

II. Certification of Design

A) Collection, Storage, Treatment System

Check the appropriate box

* **Existing facility without retrofit (SD or WUP)**

Storage volume is adequate for operation capacity; storage capability consistent with waste utilization requirements.

New, expanded or retrofitted facility (SD)

Animal waste storage and treatment structures, such as but not limited to collection systems, lagoons and ponds, have been designed to meet or exceed the minimum standards and specifications.

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC

Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398

Phone No. (910) 293-3434

Signature: M. Kevin Weston

Date: 7/20/2011

B) Land Application Site (WUP)

The plan provides for minimum separations (buffers); adequate amount of land for waste utilization; chosen crop is suitable for waste management; and the hydraulic and nutrient loading rates are appropriate for the site and receiving crop.

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC

Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398

Phone No. (910) 293-3434

Signature: M. Kevin Weston

Date: 7/20/2011

C) Runoff Controls from Exterior Lots

Check the appropriate box

X **Facility without exterior lots (SD or WUP or RC)**

This facility does not contain any exterior lots.

Facility with exterior lots (RC)

Methods to minimize the run off of pollutants from lounging and heavy use areas have been designed in accordance with technical standards developed by NRCS.

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC

Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398

Phone No. (910) 293-3434

Signature: M. Kevin Weston

Date: 7/20/2011

D). Application and Handling Equipment

Check the appropriate box

X Existing or expanding facility with existing waste application equipment (WUP or I)
Animal waste application equipment specified in the plan has been either field calibrated or evaluated in accordance with existing design charts and tables and is able to apply waste as necessary to accommodate the waste management plan; (existing application equipment can cover the area required by the plan at rates not to exceed either the specified hydraulic or nutrient loading rates, a schedule for timing of applications has been established; required buffers can be maintained and calibration and adjustment guidance are contained as part of the plan).

New, expanded, or existing facility without existing waste application equipment for spray irrigation. (I)
Animal waste application equipment specified in the plan has been designed to apply waste as necessary to accommodate the waste management plan; (proposed application equipment can cover the area required by the plan at rates not to exceed either the specified hydraulic or nutrient loading rates; a schedule for timing of applications has been established; required buffers can be maintained; calibration and adjustment guidance are contained as part of the plan).

New, expanded, or existing facility without existing waste application equipment for land spreading not using spray irrigation. (WUP or I)
Animal waste application equipment specified in the plan has been selected to apply waste as necessary to accommodate the waste management plan; (proposed application equipment can cover the area required by the plan at rates not to exceed either the specified hydraulic or nutrient loading rates; a schedule for timing of applications has been established; required buffers can be maintained; calibration and adjustment guidance are contained as part of the plan).

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398 Phone No. (910) 293-3434

Signature: *M. Kevin Weston* Date: 7/20/2011

E) Odor Control, Insect Control, Mortality Management and Emergency Action Plan (SD, SI, WUP, RC or I)

The waste management plan for this facility includes a Waste Management Odor Control Checklist, an Insect Control Checklist, a Mortality Management Checklist and an Emergency Action Plan. Sources of both odors and insects have been evaluated with respect to this site and Best Management Practices to Minimize Odors and Best Management Practices to Control Insects have been selected and included in the waste management plan. Both the Mortality Management Plan and the Emergency Action Plan are complete and can be implemented by this facility.

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398 Phone No. (910) 293-3434

Signature: *M. Kevin Weston* Date: 7/20/2011

F) Written Notice of New or Expanding Swine Farm

The following signature block is only to be used for new or expanding swine farms that begin construction after June 21, 1996. If the facility was built before June 21, 1996, when was it constructed or last expanded _____.

I (we) certify that I (we) have attempted to contact by certified mail all adjoining property owners and all property owners who own property located across a public road, street, or highway from this new or expanding swine farm. The notice was in compliance with the requirements of NCGS 106-805. A copy of the notice and a list of the property owners notified are attached.

Name of Land Owner: _____

Signature: _____ Date: _____

Name of Manager (if different from owner): _____

Signature: _____ Date: _____

III. Certification of Installation

A) Collection, Storage, Treatment Installation

New, expanded or retrofitted facility (SI)

Animal waste storage and treatment structures, such as but not limited to lagoons and ponds, have been installed in accordance with the approved plan to meet or exceed the minimum standards and specifications.

For existing facilities without retrofits, no certification is necessary.

Name of Technical Specialist (Please Print): _____

Affiliation _____ Date Work Completed: _____

Address (Agency): _____ Phone No.: _____

Signature: _____ Date: _____

B) Land Application Site (WUP)

The cropping system is in place on all land as specified in the animal waste management plan.

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398 Phone No. (910) 293-3434

Signature: M. Kevin Weston Date: 7/20/2011

C) Runoff Controls from Exterior Lots (RC)

Facility with exterior lots

Methods to minimize the run off of pollutants from lounging and heavy use areas have been installed as specified in the plan.

For facilities without exterior lots, no certification is necessary.

Name of Technical Specialist (Please Print): _____

Affiliation _____ Date Work Completed: _____

Address (Agency): _____ Phone No.: _____

Signature: _____ Date: _____

D) Application and Handling Equipment Installation (WUP or I)

Animal waste application and handling equipment specified in the plan is on site and ready for use; calibration and adjustment materials have been provided to the owners and are contained as part of the plan.

Animal waste application and handling equipment specified in the plan has not been installed but the owner has proposed leasing or third party application and has provided a signed contract; equipment specified in the contract agrees with the requirements of the plan; required buffers can be maintained; calibration and adjustment guidance have been provided to the owners and are contained as part of the plan.

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398 Phone No. (910) 293-3434

Signature: M. Kevin Weston Date: 7/20/2011

E) Odor Control, Insect Control and Mortality Management (SD, SI, WUP, RC or I)

Methods to control odors and insects as specified in the Plan have been installed and are operational. The mortality management system as specified in the Plan has also been installed and is operational.

Name of Technical Specialist (Please Print): M. Kevin Weston

Affiliation Murphy-Brown, LLC Date Work Completed: _____

Address (Agency): P.O. Box 856 Warsaw, NC 28398 Phone No. (910) 293-3434

Signature: *M. Kevin Weston* Date: 7/20/2011

Please return the completed form to the Division of Water Quality at the following address:

**Department of Environment and Natural Resources
Division of Water Quality
Animal Feeding Operations Unit
1636 Mail Service Center
Raleigh, NC 27699-1636**

Please also remember to submit a copy of this form along with the complete Animal Waste Management Plan to the DWQ Regional Office and the local Soil and Water Conservation District Office and to keep a copy in your files with your Animal Waste Management Plan.

NUTRIENT UTILIZATION PLAN

Grower(s):	Smithfield HP	
Farm Name:	Farm 3507 & 3508	Facility 52-42
County:	Jones	
Farm Capacity:		
Farrow to Wean	7854	
Farrow to Feeder		
Farrow to Finish		
Wean to Feeder		
Wean to Finish		
Feeder to Finish		
Storage Structure:	Anaerobic Lagoon	
Storage Period:	>180 days	
Application Method:	Irrigation	

The waste from your animal facility must be land applied at a specified rate to prevent pollution of surface water and/or groundwater. The plant nutrients in the animal waste should be used to reduce the amount of commercial fertilizer required for the crops in the fields where the waste is to be applied.

This waste utilization plan uses nitrogen as the limiting nutrient. Waste should be analyzed before each application cycle. Annual soil tests are strongly encouraged so that all plant nutrients can be balanced for realistic yields of the crop to be grown.

Several factors are important in implementing your waste utilization plan in order to maximize the fertilizer value of the waste and to ensure that it is applied in an environmentally safe manner:

1. Always apply waste based on the needs of the crop to be grown and the nutrient content of the waste. Do not apply more nitrogen than the crop can utilize.
2. Soil types are important as they have different infiltration rates, leaching potentials, cation exchange capacities, and available water holding capacities.
3. Normally waste shall be applied to land eroding at less than 5 tons per acre per year. Waste may be applied to land eroding at 5 or more tons per acre annually, but less than 10 tons per acre per year providing that adequate filter strips are established.
4. Do not apply waste on saturated soils, when it is raining, or when the surface is frozen. Either of these conditions may result in runoff to surface waters which is not allowed under DWQ regulations.
5. Wind conditions should also be considered to avoid drift and downwind odor problems.
6. To maximize the value of the nutrients for crop production and to reduce the potential for pollution, the waste should be applied to a growing crop or applied not more than 30 days prior to planting a crop or forages breaking dormancy. Injecting the waste or disking will conserve nutrients and reduce odor problems.

This plan is based on the waste application method shown above. If you choose to change methods in the future, you need to revise this plan. Nutrient levels for different application methods are not the same.

The estimated acres needed to apply the animal waste is based on typical nutrient content for this type of facility. In some cases you may want to have plant analysis made, which could allow additional waste to be applied. Provisions shall be made for the area receiving waste to be flexible so as to accommodate changing waste analysis content and crop type. Lime must be applied to maintain pH in the optimum range for specific crop production.

This waste utilization plan, if carried out, meets the requirements for compliance with 15A NCAC 2H .0217 adopted by the Environmental Management Commission.

AMOUNT OF WASTE PRODUCED PER YEAR (gallons, ft³, tons, etc.):

Capacity	Type	Waste Produced per Animal	Total
7854	Farrow to Wean	3203 gal/yr	25,156,362 gal/yr
	Farrow to Feeder	3861 gal/yr	
	Farrow to Finish	10478 gal/yr	
	Wean to Feeder	191 gal/yr	
	Wean to Finish	776 gal/yr	
	Feeder to Finish	927 gal/yr	
	Total		

AMOUNT OF PLANT AVAILABLE NITROGEN PRODUCED PER YEAR (lbs):

Capacity	Type	Nitrogen Produced per Animal	Total
7854	Farrow to Wean	3.8436 lbs/yr	30,188 lbs/yr
	Farrow to Feeder	6.9498 lbs/yr	
	Farrow to Finish	18.8604 lbs/yr	
	Wean to Feeder	0.3438 lbs/yr	
	Wean to Finish	1.3968 lbs/yr	
	Feeder to Finish	1.6686 lbs/yr	
Total			30,188 lbs/yr

Applying the above amount of waste is a big job. You should plan time and have appropriate equipment to apply the waste in a timely manner.

LAND UTILIZATION SUMMARY

The following table describes the nutrient balance and land utilization rate for this facility. Note that the Nitrogen Balance for Crops indicates the ratio of the amount of nitrogen produced on this facility to the amount of nitrogen that the crops under irrigation may uptake and utilize in the normal growing season.

Total Irrigated Acreage: 174.17
Total N Required 1st Year: 51492.583
Total N Required 2nd Year: 0

Average Annual Nitrogen Requirement of Crops: 51,492.58
Total Nitrogen Produced by Farm: 30,187.63
Nitrogen Balance for Crops: (21,304.95)

The following table describes the specifications of the hydrants and fields that contain the crops designated for utilization of the nitrogen produced on this facility. This chart describes the size, soil characteristics, and uptake rate for each crop in the specified crop rotation schedule for this facility.

Reception Area Specifications Nitrogen

Tract	Field Hyd	Irrigated Acreage	Soil Type	1st Crop Code	Time to Apply	1st Crop Yield	1st Crop lbs N/Unit	Lbs N/Ac Residual	Lbs N /Ac	Total lbs N Utilized	2nd Crop Code	Time to Apply	2nd Crop Yield	2nd Crop lbs N/Unit	Lbs N /Ac Residual	Lbs N /Ac	Total lbs N Utilized	Total Lbs N/Ac		
1425	7	3.27	NoB	BC	March-Sept	6.4	40.25		257.6	842.352	K	Sept-April	1	50		50	163.5	307.6	1005.852	
1425	8	3.82	NoB	BC	March-Sept	6.4	40.25		257.6	984.032	K	Sept-April	1	50		50	191	307.6	1175.032	
1425	11	2.75	GoA	BC	March-Sept	6.5	40.25		261.625	719.4688	K	Sept-April	1	50		50	137.5	311.625	856.9688	
1425	13	2.73	AuB	C	March-Sept	5.5	46		253	690.69	K	Sept-April	1	50		50	136.5	303	827.19	
1425	14	3.84	AuB	C	March-Sept	5.5	46		253	971.52	K	Sept-April	1	50		50	192	303	1163.52	
1425	16	62.57	AuB	BC	March-Sept	5.5	40.25		221.375	1385.143	K	Sept-April	1	50		50	3128.5	271.375	16979.93	
1425	20	1.43	NoB	C	March-Sept	6.4	46		294.4	420.982	K	Sept-April	1	50		50	71.5	344.4	492.492	
1425	21A	2.22	NoB	BC	March-Sept	6.4	40.25		257.6	571.872	K	Sept-April	1	50		50	111	307.6	682.872	
1425	21B	2.05	NoB	BC	March-Sept	6.4	40.25		257.6	528.08	K	Sept-April	1	50		50	102.5	307.6	630.58	
1425	22	4.86	NoB	BC	March-Sept	6.4	40.25		257.6	1251.998	K	Sept-April	1	50		50	243	307.6	1494.936	
1425	23	3.7	GoA	BC	March-Sept	6.5	40.25		261.625	968.0125	K	Sept-April	1	50		50	185	311.625	1153.013	
1425	25A	1.78	NoB	BC	March-Sept	6.4	40.25		257.6	458.528	K	Sept-April	1	50		50	89	307.6	547.528	
1425	25B	0.7	NoB	BC	March-Sept	6.4	40.25		257.6	180.32	K	Sept-April	1	50		50	35	307.6	215.32	
1425	26A	3.92	NoB	BC	March-Sept	6.4	40.25		257.6	1009.792	K	Sept-April	1	50		50	196	307.6	1205.792	
1425	26B	2.61	NoB	BC	March-Sept	6.4	40.25		257.6	672.336	K	Sept-April	1	50		50	130.5	307.6	802.836	
1425	27A	4.07	NoB	BC	March-Sept	6.4	40.25		257.6	1048.432	K	Sept-April	1	50		50	203.5	307.6	1251.932	
1425	27B	2.7	NoB	BC	March-Sept	6.4	40.25		257.6	695.52	K	Sept-April	1	50		50	135	307.6	830.52	
1425	28A	3.64	NoB	BC	March-Sept	6.4	40.25		257.6	937.664	K	Sept-April	1	50		50	182	307.6	1119.664	
1425	28B	3.93	NoB	BC	March-Sept	6.4	40.25		257.6	1012.368	K	Sept-April	1	50		50	196.5	307.6	1208.868	
1425	29A	2.01	NoB	BC	March-Sept	6.4	40.25		257.6	517.776	K	Sept-April	1	50		50	100.5	307.6	618.276	
1425	29B	5	NoB	BC	March-Sept	6.4	40.25		257.6	1288	K	Sept-April	1	50		50	250	307.6	1538	
1425	30	2.4	NoB	BC	March-Sept	6.4	40.25		257.6	618.24	K	Sept-April	1	50		50	120	307.6	738.24	
1425	31	1.89	NoB	BC	March-Sept	6.4	40.25		257.6	435.344	K	Sept-April	1	50		50	84.5	307.6	519.844	
1425	32	2.22	NoB	BC	March-Sept	6.4	40.25		257.6	571.872	K	Sept-April	1	50		50	111	307.6	662.872	
1425	36	24.19	GoA	BC	March-Sept	5.5	40.25		261.625	6328.709	K	Sept-April	1	50		50	1209.5	311.625	7538.209	
1425	sub7-8	0.87	NoB	BC	March-Sept	6.4	40.25		257.6	224.112	K	Sept-April	1	50		50	43.5	307.6	267.612	
1425	sub25-23	3.2	NoB	BC	March-Sept	6.4	40.25		257.6	824.32	K	Sept-April	1	50		50	160	307.6	984.32	
1425	sub25-27	1.92	NoB	BC	March-Sept	6.4	40.25		257.6	494.592	K	Sept-April	1	50		50	96	307.6	590.592	
1425	sub28-32	4.45	NoB	BC	March-Sept	6.4	40.25		257.6	1146.32	K	Sept-April	1	50		50	222.5	307.6	1368.82	
1425	sub36	7.37	GoA	BC	March-Sept	6.5	40.25		261.625	1928.176	K	Sept-April	1	50		50	368.5	311.625	2296.676	
1425	37	2.26	GoA	BC	March-Sept	6.5	40.25		261.625	591.2725	K	Sept-April	1	50		50	113	311.625	704.2725	
Totals:																	174.17	42784.08	8708.5	51492.58

This plan does not include commercial fertilizer. The farm should produce adequate plant available nitrogen to satisfy the requirements of the crops listed above.

The applicator is cautioned that P and K may be over applied while meeting the N requirements. In the future, regulations may require farmers in some parts of North Carolina to have a nutrient management plan that addresses all nutrients. This plan only addresses nitrogen.

In interplanted fields (i.e. small grain, etc, interseeded in bermuda), forage must be removed through grazing, hay, and/or silage. Where grazing, plants should be grazed when they reach a height of six to nine inches. Cattle should be removed when plants are grazed to a height of four inches. In fields where small grain, etc, is to be removed for hay or silage, care should be exercised not to let small grain reach maturity, especially late in the season (i.e. April or May). Shading may result if small grain gets too high and this will definitely interfere with stand of bermudagrass. This loss of stand will result in reduced yields and less nitrogen being utilized. Rather than cutting small grain for hay or silage just before heading as is the normal situation, you are encouraged to cut the small grain earlier. You may want to consider harvesting hay or silage two to three times during the season, depending on the time small grain is planted in the fall.

The ideal time to interplant small grain, etc, is late September or early October. Drilling is recommended over broadcasting. Bermudagrass should be grazed or cut to a height of about two inches before drilling for best results.

CROP CODE LEGEND

Crop Code	Crop	Lbs N utilized / unit yield
A	Barley	1.6 lbs N / bushel
B	Hybrid Bermudagrass - Grazed	50 lbs N / ton
C	Hybrid Bermudagrass - Hay	50 lbs N / ton
D	Corn - Grain	1.25 lbs N / bushel
E	Corn - Silage	12 lbs N / ton
F	Cotton	0.12 lbs N / lbs lint
G	Fescue - Grazed	50 lbs N / ton
H	Fescue - Hay	50 lbs N / ton
I	Oats	1.3 lbs N / bushel
J	Rye	2.4 lbs N / bushel
K	Small Grain - Grazed	50 lbs N / acre
L	Small Grain - Hay	50 lbs N / acre
M	Grain Sorghum	2.5 lbs N / cwt
N	Wheat	2.4 lbs N / bushel
O	Soybean	4.0 lbs N / bushel
P	Pine Trees	40 lbs N / acre / yr

Acres shown in the preceding table are considered to be the usable acres excluding required buffers, filter strips along ditches, odd areas unable to be irrigated, and perimeter areas not receiving full application rates due to equipment limitations. Actual total acres in the fields listed may, and most likely will be, more than the acres shown in the tables.

See attached map showing the fields to be used for the utilization of animal waste.

SLUDGE APPLICATION:

The following table describes the annual nitrogen accumulation rate per animal in the lagoon sludge

Farm Specifications	PAN/yr/animal	Farm Total/yr
7854 Farrow to Wean	0.84	6597.36
Farrow to Feeder	1	
Farrow to Finish	4.1	
Wean to Feeder	0.072	
Feeder to Finish	0.36	

The waste utilization plan must contain provisions for periodic land application of sludge at agronomic rates. The sludge will be nutrient rich and will require precautionary measures to prevent over application of nutrients or other elements. Your production facility will produce approximately 6597.36 pounds of plant available nitrogen per year will accumulate in the lagoon sludge based on the rates of accumulation listed above.

If you remove the sludge every 5 years, you will have approximately 32986.8 pounds of plant available nitrogen to utilize. Assuming you apply this PAN to hybrid bermuda grass hayland at the rate of 300 pounds of nitrogen per acre, you will need 109 acres of land. If you apply the sludge to corn at a rate of 125 pounds per acre, you will need 263.8944 acres of land. Please note that these are only estimates of the PAN produced and the land required to utilize that PAN. Actual values may only be determined by sampling the sludge for plant available nitrogen content prior to application. Actual utilization rates will vary with soil type, crop, and realistic yield expectations for the specific application fields designated for sludge application at time of removal.

APPLICATION OF WASTE BY IRRIGATION:

The irrigation application rate should not exceed the intake rate of the soil at the time of irrigation such that runoff or ponding occurs. This rate is limited by initial soil moisture content, soil structure, soil texture, water droplet size, and organic solids. The application amount should not exceed the available water holding capacity of the soil at the time of irrigation nor should the plant available nitrogen applied exceed the nitrogen needs of the crop.

If surface irrigation is the method of land application for this plan, it is the responsibility of the producer and irrigation designer to ensure that an irrigation system is installed to properly irrigate the acres shown in the preceding table. Failure to apply the recommended rates and amounts of nitrogen shown in the tables may make this plan invalid.

*This is the maximum application amount allowed for the soil assuming the amount of nitrogen allowed for the crop is not over applied. In many situations, the application amount shown cannot be applied because of the nitrogen limitation. The maximum application amount shown can be applied under optimum soil conditions.

Your facility is designed for >180 days of temporary storage and the temporary storage must be removed on the average of once every 6 months. In no instance should the volume of the waste stored in your structure be within the 25 year 24 hour storm storage or one foot of freeboard except in the event of the 25 year 24 hour storm.

It is the responsibility of the producer and waste applicator to ensure that the spreader equipment is operated properly to apply the correct rates to the acres shown in the tables. Failure to apply the recommended rates and amounts of nitrogen shown in the tables may make this plan invalid.

Call your technical specialist after you receive the waste analysis report for assistance in determining the amount of waste per acre and the proper application prior to applying the waste.

Application Rate Guide

The following is provided as a guide for establishing application rates and amounts.

Tract	Hydrant	Soil Type	Crop	Application Rate in/hr	Application Amount * inches
1425	7	NoB	BC	0.5	1
1425	8	NoB	BC	0.5	1
1425	11	GoA	BC	0.4	1
1425	13	AuB	C	0.6	1
1425	14	AuB	C	0.6	1
1425	16	AuB	BC	0.6	1
1425	20	NoB	C	0.5	1
1425	21A	NoB	BC	0.5	1
1425	21B	NoB	BC	0.5	1
1425	22	NoB	BC	0.5	1
1425	23	GoA	BC	0.4	1
1425	25A	NoB	BC	0.5	1
1425	25B	NoB	BC	0.5	1
1425	26A	NoB	BC	0.5	1
1425	26B	NoB	BC	0.5	1
1425	27B	NoB	BC	0.5	1
1425	28A	NoB	BC	0.5	1
1425	28B	NoB	BC	0.5	1
1425	29A	NoB	BC	0.5	1
1425	29B	NoB	BC	0.5	1
1425	30	NoB	BC	0.5	1
1425	29A	NoB	BC	0.5	1
1425	29B	NoB	BC	0.5	1
1425	30	NoB	BC	0.5	1
1425	31	NoB	BC	0.5	1
1425	32	NoB	BC	0.5	1
1425	36	GoA	BC	0.4	1
1425	sub7-8	NoB	BC	0.5	1
1425	sub22-23	NoB	BC	0.5	1
1425	sub25-27	NoB	BC	0.5	1
1425	sub28-32	NoB	BC	0.5	1
1425	sub36	GoA	BC	0.4	1
1425	37	GoA	BC	0.4	1

NUTRIENT UTILIZATION PLAN CERTIFICATION

Name of Farm: Farm 3507 & 3508 Facility 52-42
Owner: Smithfield HP
Manager:


Owner/Manager Agreement:

I/we understand and will follow and implement the specifications and the operation and maintenance procedures established in the approved animal waste nutrient management plan for the farm named above. I/we know that any expansion to the existing design capacity of the waste treatment and/or storage system, or construction of new facilities, will require a new nutrient management plan and a new certification to be submitted to DWQ before the new animals are stocked.

I/we understand that I must own or have access to equipment, primarily irrigation equipment, to land apply the animal waste described in this nutrient management plan. This equipment must be available at the appropriate pumping time such that no discharge occurs from the lagoon in the event of a 25 year 24 hour storm. I also certify that the waste will be applied on the land according to this plan at the appropriate times and at rates which produce no runoff.

This plan will be filed on site at the farm office and at the office of the local Soil and Water Conservation District and will be available for review by NCDWQ upon request.


Name of Facility Owner: Smithfield HP

Signature:  9-1-2017
Date

Name of Manager (if different from owner): _____

Signature: _____
Date

Name of Technical Specialist: Toni W. King
Affiliation: Murphy-Brown, LLC.
Address: 2822 Hwy 24 West, PO Drawer 856
Warsaw, NC 28398
Telephone: (910) 293-3434

Signature:  9-1-2017
Date

NUTRIENT UTILIZATION PLAN

REQUIRED SPECIFICATIONS

- 1 Animal waste shall not reach surface waters of the state by runoff, drift, manmade conveyances, direct application, or direct discharge during operation or land application. Any discharge of waste which reaches surface water is prohibited.

- 2 There must be documentation in the design folder that the producer either owns or has an agreement for use of adequate land on which to properly apply the waste. If the producer does not own adequate land to properly dispose of the waste, he/she shall provide evidence of an agreement with a landowner, who is within a reasonable proximity, allowing him/her the use of the land for waste application. It is the responsibility of the owner of the waste production facility to secure an update of the Nutrient Utilization Plan when there is a change in the operation, increase in the number of animals, method of application, relieving crop type, or available land.

- 3 Animal waste shall be applied to meet, but not exceed, the nitrogen needs for realistic crop yields based upon soil type, available moisture, historical data, climatic conditions, and level of management, unless there are regulations that restrict the rate of applications for other nutrients.

- 4 Animal waste shall be applied to land eroding less than 5 tons per acre per year. Waste may be applied to land eroding at more than 5 tons per acre per year but less than 10 tons per acre per year provided grass filter strips are installed where runoff leaves the field (See USDA, NRCS Field Office Technical Guide Standard 393 - Filter Strips).

- 5 Odors can be reduced by injecting the waste or disking after waste application. Waste should not be applied when there is danger of drift from the land application field.

- 6 When animal waste is to be applied on acres subject to flooding, waste will be soil incorporated on conventionally tilled cropland. When waste is applied to conservation tilled crops or grassland, the waste may be broadcast provided the application does not occur during a season prone to flooding (See "Weather and Climate in North Carolina" for guidance).

- 7 Liquid waste shall be applied at rates not to exceed the soil infiltration rate such that runoff does not occur offsite or to surface waters and in a method which does not cause drift from the site during application. No ponding should occur in order to control odor and flies.

- 8 Animal waste shall not be applied to saturated soils, during rainfall events, or when the

NUTRIENT UTILIZATION PLAN

REQUIRED SPECIFICATIONS

(continued)

- 9 Animal waste shall be applied on actively growing crops in such a manner that the crop is not covered with waste to a depth that would inhibit growth. The potential for salt damage from animal waste should also be considered.
- 10 Nutrients from waste shall not be applied in fall or winter for spring planted crops on soils with a high potential for leaching. Waste/nutrient loading rates on these soils should be held to a minimum and a suitable winter cover crop planted to take up released nutrients. Waste shall not be applied more than 30 days prior to planting of the crop or forages breaking dormancy.
- 11 Any new swine facility sited on or after October 1, 1995 shall comply with the following: The outer perimeter of the land area onto which waste is applied from a lagoon that is a component of a swine farm shall be at least 50 feet from any residential property boundary and canal. Animal waste, other than swine waste from facilities sited on or after October 1, 1995, shall not be applied closer than 25 feet to perennial waters.
- 12 Animal waste shall not be applied closer than 100 feet to wells.
- 13 Animal waste shall not be applied closer than 200 feet of dwellings other than those owned by the landowner.
- 14 Waste shall be applied in a manner not to reach other property and public right-of-ways.
- 15 Animal waste shall not be discharged into surface waters, drainageways, or wetlands by discharge or by over-spraying. Animal waste may be applied to prior converted cropland provided the fields have been approved as a land application site by a "technical specialist". Animal waste shall not be applied on grassed waterways that discharge directly into water courses, and on other grassed waterways, waste shall be applied at agronomic rates in a manner that causes no runoff or drift from the site.
- 16 Domestic and industrial waste from washdown facilities, showers, toilets, sinks, etc., shall not be discharged into the animal waste management system.

NUTRIENT UTILIZATION PLAN


REQUIRED SPECIFICATIONS

(continued)

- 17 A protective cover of appropriate vegetation will be established on all disturbed areas (lagoon embankments, berms, pipe runs, etc.). Areas shall be fenced, as necessary, to protect the vegetation. Vegetation such as trees, shrubs, and other woody species, etc., are limited to areas where considered appropriate. Lagoon areas should be kept mowed and accessible. Berms and structures should be inspected regularly for evidence of erosion, leakage, or discharge.
- 18 If animal production at the facility is to be suspended or terminated, the owner is responsible for obtaining and implementing a "closure plan" which will eliminate the possibility of an illegal discharge, pollution and erosion.
- 19 Waste handling structures, piping, pumps, reels, etc., should be inspected on a regular basis to prevent breakdowns, leaks and spills. A regular maintenance checklist should be kept on site.
- 20 Animal waste can be used in a rotation that includes vegetables and other crops for direct human consumption. However, if animal waste is used on crops for direct human consumption, it should only be applied pre-plant with no further applications of animal waste during the crop season.
- 21 Highly visible markers shall be installed to mark the top and bottom elevations of the temporary storage (pumping volume) of all waste treatment lagoons. Pumping shall be managed to maintain the liquid level between the markers. A marker will be required to mark the maximum storage volume for waste storage ponds.
- 22 Waste shall be tested within 60 days of utilization and soil shall be tested at least annually at crop sites where waste products are applied. Nitrogen shall be the rate-determining nutrient, unless other restrictions require waste to be applied based on other nutrients, resulting in a lower application rate than a nitrogen based rate. Zinc and copper levels in the soil shall be monitored and alternative crop sites shall be used when these metals approach excessive levels. pH shall be adjusted and maintained for optimum crop production. Soil and waste analysis records shall be kept for a minimum of five years. Poultry dry waste application records shall be maintained for a minimum of three years. Waste application records for all other waste shall be maintained for a minimum of five years.
- 23 Dead animals will be disposed of in a manner that meets North Carolina regulations.

Farms 3507 & 3508

AWS620042



Specifications:


- Traveler** -
 3" x 1200' hose w/ Nelson 150 Big Gun
 w/ 0.97" nozzle @ 60 PSI
 280' WD; 143 GPM
 200' & 240' Lane Spacings
- Center Pivots** -
 1200' w/ 100' end gun radius
 767.4' w/ 80.2' end gun radius
- Solid Sets** -
 7025 Senninger Sprinklers
 w/ #18 (9/32") nozzles
 @ 50 PSI; 135' WD; 15.3 GPM
 80' x 80' Spacing
 @ - Part Circle Sprinklers
 * - Full circle Sprinklers

Hyd/Pull/Zone	Acres
7	3.27
8	3.82
11	2.75
13	2.73
14	3.84
16	62.57
17	2.85
18	2.10
19	0.80
20	1.43
21A	2.22
21B	2.05
22	4.86
23	3.70
25A	1.78
25B	0.70
26A	3.92
26B	2.61
27A	4.07
27B	2.70
28A	3.64
28B	3.93
29A	2.01
29B	5.00
30	2.40
31	1.69
32	2.22
36	24.19
37	2.26
Total	162.11

GRAPHIC SCALE



(IN FEET)
 1 inch = 100ft.



Phosphorus Loss Assessment Tool Completion

Name of Facility: Farm 3507 + 3508 Facility Number: 52-42
 Owner(s) Name: Smithfield HP Phone No: 910-293-3434
 Mailing Address: P.O. Box 856 Warsaw, NC 28398

Check the appropriate box below, and sign at the bottom:

- No fields received a high or very high rating.
 Yes, the fields listed below received a high or very high rating:

Field Number	Size (Acres)	Rating (High or Very High)
17	2.85	High
18	2.1	High
19	.8	High
sub 11-16	6.56	High

] Not included in the Plan (optional only)

Please use as many additional attachment forms (PLAT-A-07-15-16) as needed for additional fields.

By completing the above section and any additional attachments and by signing this form, the facility owner and Technical Specialist acknowledge all application fields were evaluated within the last five (5) years using the Phosphorus Loss Assessment Tool. All necessary calculations were completed to conduct the Assessment. A copy will be kept on site with the Certified Animal Waste Management Plan. Any future modifications must be approved by a technical specialist and filed with the Soil and Water Conservation District prior to implementation. Waste plans with fields having a high or very high rating will have to be modified to address phosphorus loss by the next permit cycle beginning July 1, 2017.

Owner Name: Smithfield HP

Owner Signature: _____ Date: _____

Technical Specialist Name: Toni W. King

Technical Specialist Signature: Toni W. King Date: _____

Affiliation: Smithfield Phone No: 910-293-3434

Submit this form to:
 NC Division of Water Resources
 Water Quality Regional Operations Section
 Animal Feeding Operations Program
 1636 Mail Service Center
 Raleigh, NC 27699-1636

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 36
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.052 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 197
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 11
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 22 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 37 sub36
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
 Yearly Applied Amount: 4.84 ac in
 Lb P2O5: 53.4 lb
 Application Method: All other surface applications
Soil Loss: .079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 101
 WV_Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 3
LEACHATE P = 0
SOURCE P = 6

TOTAL P RATING = 9 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 7&8
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 115
WV Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 3
LEACHATE P = 0
SOURCE P = 6

TOTAL P RATING = 9 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Sub 7&8
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
 Yearly Applied Amount: 4.84 ac in
 Lb P2O5: 53.4 lb
 Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 109
 WV_Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 3
LEACHATE P = 0
SOURCE P = 6

TOTAL P RATING = 9 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 11,16
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.052 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 82
WV Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 5
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 16 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Sub 11-16
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
 Yearly Applied Amount: 4.84 ac in
 Lb P2O5: 53.4 lb
 Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 168
 WV_Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 9
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 20 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 13,14
Soil Series: AuB: Autryville loamy fine sand, 0 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.023 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 172
WV Factor (DATABASE) 1.4
Soil Test 28" - 32" 43
WV Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 4
LEACHATE P = 17
SOURCE P = 2

TOTAL P RATING = 23 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 16
Soil Series: AuB: Autryville loamy fine sand, 0 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.034 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 288
WV Factor (DATABASE) 1.4
Soil Test 28" - 32" 4
WV Factor (USER) 1.07
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 2
SOURCE P = 2

TOTAL P RATING = 10 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 16(2)
Soil Series: AuB: Autryville loamy fine sand, 0 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.034 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 288
WV_Factor (DATABASE) 1.4
Soil Test 28" - 32" 39
WV_Factor (USER) 1.19
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 18
SOURCE P = 2

TOTAL P RATING = 26 (MEDIUM)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 16(3)
Soil Series: AuB: Austryville loamy fine sand, 0 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.034 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 288
WV_Factor (DATABASE) 1.4
Soil Test 28" - 32" 5
WV_Factor (USER) 1.18
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 2
SOURCE P = 2

TOTAL P RATING = 10 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 17,18,19 sub11-16
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Hay) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.62 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.052 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 282
WV_Factor (USER) 1.11
Soil Test 28" - 32" 87
WV_Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 33
SOURCE P = 4
TOTAL P RATING = 43 (HIGH) ✓

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 20
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Hay) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.052 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 239
WV_Factor (DATABASE) 1.4
Soil Test 28" - 32" 28
WV_Factor (USER) 1.09
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 4
LEACHATE P = 14
SOURCE P = 4

TOTAL P RATING = 22 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 21a,21b
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Hay) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.052 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 276
WV Factor (DATABASE) 1.4
Soil Test 28" - 32" 15
WV Factor (USER) 1.28
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 5
LEACHATE P = 6
SOURCE P = 4

TOTAL P RATING = 15 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 22,23
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 197
WV_Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 10
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 21 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull Sub22,23
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 177
WV Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 9
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 20 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull Sub22,23 b
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 113
WV_Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 17 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 28-32
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.62 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 197
WV_Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 10
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 21 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull Sub28-32
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.62 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 177
WV Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 9
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 20 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 28-32
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 197
WV Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 10
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 21 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull Sub28-32
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 177
WV_Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 9
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 20 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull 25-27
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 113
WV Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 17 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: T1425
Field Number: Pull Sub25-27
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Hybrid Bermudagrass (Pasture) :
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 4.84 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.079 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 142
WV_Factor (DATABASE) 1.4
Hydrologic Condition: FAIR

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 7
LEACHATE P = 0
SOURCE P = 11

TOTAL P RATING = 18 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 1A
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .665 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 216
WV Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 2
SOLUBLE P = 15
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 24 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 1B
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.665 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 197
WV Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 2
SOLUBLE P = 14
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 23 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 2A
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.665 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 104
WV_Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 7
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 15 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 2B
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 149
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 11
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 19 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 2C
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 127
WV Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 9
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 17 (LOW)

PLAT Results For: Jones 9/1/2017 10:00:48 AM

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 2D
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 128
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 10
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 18 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 3A
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 116
WV Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 9
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 17 (LOW)

INPUTS

Calendar Year: 2015
 County: Jones
 Producer Identifier: 52-42
 Tract Number: 1420
 Field Number: Leased 3B
 Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
 Crop: Corn (Grain) : Conservation Tillage - minimum residue
 Fertilizers: Swine-Lagoon liquid
 Yearly Applied Amount: 2.06 ac in
 Lb P2O5: 53.4 lb
 Application Method: All other surface applications
 Soil Loss: 0.428 t/ac/yr
 Receiving Slope Distance 0-9 ft
 Soil Test 0" - 4" 130
 WV_Factor (DATABASE) 1.3
 Artificial Drainage System: NO
 Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P	=	1
SOLUBLE P	=	10
LEACHATE P	=	0
SOURCE P	=	7
<hr/>		
TOTAL P RATING	=	18 (LOW)

INPUTS

Calendar Year: 2015
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: Leased 3C
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 151
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 11
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 19 (LOW)

INPUTS

Calendar Year: 2015
 County: Jones
 Producer Identifier: 52-42
 Tract Number: 1420
 Field Number: Leased 3D
 Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
 Crop: Corn (Grain) : Conservation Tillage - minimum residue
 Fertilizers: Swine-Lagoon liquid
 Yearly Applied Amount: 2.06 ac in
 Lb P2O5: 53.4 lb
 Application Method: All other surface applications
 Soil Loss: 0.428 t/ac/yr
 Receiving Slope Distance 0-9 ft
 Soil Test 0" - 4" 95
 WV Factor (DATABASE) 1.3
 Artificial Drainage System: NO
 Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P	=	1
SOLUBLE P	=	7
LEACHATE P	=	0
SOURCE P	=	7
<hr/>		
TOTAL P RATING	=	15 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 4A
Soil Series: Ra: Rains fine sandy loam
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .250 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 61
WV Factor (DATABASE) 1.2
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 5
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 12 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 4B
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 50
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 4
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 11 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 5A
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .665 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 112
WV_Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 8
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 16 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 5B
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.665 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 150
WV Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 10
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 18 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 6A
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 55
WV Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 4
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 11 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED6B
Soil Series: Ly: Lynchburg fine sandy loam
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .250 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 42
WV_Factor (DATABASE) 1.25
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 13

TOTAL P RATING = 19 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 7B
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 46
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 3
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 10 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 7C
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 50
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 4
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 11 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 8
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 78
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 14 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 9
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.665 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 87
WV Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 14 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 10A
Soil Series: NoB: Norfolk loamy sand, 1 to 4 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .665 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 81
WV Factor (DATABASE) 1.4
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 14 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 10B
Soil Series: Ra: Rains fine sandy loam
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .250 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 74
WV_Factor (DATABASE) 1.2
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 13 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 11B
Soil Series: Ra: Rains fine sandy loam
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P205: 53.4 lb
Application Method: All other surface applications
Soil Loss: .250 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 65
WV Factor (DATABASE) 1.2
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 5
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 12 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 7A
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 84
WV_Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 14 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 10C
Soil Series: Ra: Rains fine sandy loam
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: 0.25 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 51
WV Factor (DATABASE) 1.2
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 4
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 11 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 12A
Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
Crop: Corn (Grain) ; Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .428 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 107
WV Factor (DATABASE) 1.3
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
SOLUBLE P = 8
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 16 (LOW)

INPUTS

Calendar Year:
County: Jones
Producer Identifier: 52-42
Tract Number: 1420
Field Number: LEASED 12B
Soil Series: Ra: Rains fine sandy loam
Crop: Corn (Grain) : Conservation Tillage - minimum residue
Fertilizers: Swine-Lagoon liquid
Yearly Applied Amount: 2.06 ac in
Lb P2O5: 53.4 lb
Application Method: All other surface applications
Soil Loss: .250 t/ac/yr
Receiving Slope Distance 0-9 ft
Soil Test 0" - 4" 78
WV_Factor (DATABASE) 1.2
Artificial Drainage System: NO
Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 0
SOLUBLE P = 6
LEACHATE P = 0
SOURCE P = 7

TOTAL P RATING = 13 (LOW)

INPUTS

Calendar Year:
 County: Jones
 Producer Identifier: 52-42
 Tract Number: 1420
 Field Number: LEASED 11A
 Soil Series: GoA: Goldsboro loamy sand, 0 to 2 percent slopes
 Crop: Corn (Grain) : Conservation Tillage - minimum residue
 Fertilizers: Swine-Lagoon liquid
 Yearly Applied Amount: 2.06 ac in
 Lb P2O5: 53.4 lb
 Application Method: All other surface applications
 Soil Loss: .428 t/ac/yr
 Receiving Slope Distance 0-9 ft
 Soil Test 0" - 4" 116
 WV_Factor (DATABASE) 1.3
 Artificial Drainage System: NO
 Hydrologic Condition: GOOD

OUTPUTS

PARTICULATE P = 1
 SOLUBLE P = 9
 LEACHATE P = 0
 SOURCE P = 7

 TOTAL P RATING = 17 (LOW)