



SPRING

**Percentage of 12 Shallow Mtn. Species/Life Stages
with < 80% of Unregulated Index B WUA Value**




SPRING

Percentage of 12 Shallow Mtn. Species/Life Stages with > 120% of Unregulated Index B WUA Value




SUMMER

Percentage of 12 Shallow Mtn. Species/Life Stages with < 80% of Unregulated Index B WUA Value




SUMMER

Percentage of 12 Shallow Mtn. Species/Life Stages with < 80% of Unregulated Index B WUA Value




SUMMER

Percentage of 12 Shallow Mtn. Species/Life Stages with > 120% of Unregulated Index B WUA Value




FALL

Percentage of 12 Shallow Mtn. Species/Life Stages with < 80% of Unregulated Index B WUA Value




FALL

Percentage of 12 Shallow Mtn. Species/Life Stages with < 80% of Unregulated Index B WUA Value




FALL

Percentage of 12 Shallow Mtn. Species/Life Stages with > 120% of Unregulated Index B WUA Value




WINTER

Percentage of 12 Shallow Mtn. Species/Life Stages with < 80% of Unregulated Index B WUA Value




WINTER

**Percentage of 12 Shallow Mtn. Species/Life Stages
with < 80% of Unregulated Index B WUA Value**




■ 25%-50% ■ 50%-75% ◆ MEAN

WINTER Percentage of 12 Shallow Mtn. Species/Life Stages with > 120% of Unregulated Index B WUA Value




**ANNUAL
AVERAGE**

**Percentage of 12 Shallow Mtn. Species/Life Stages
with < 80% of Unregulated Index B WUA Value**



**ANNUAL
AVERAGE**

**Percentage of 12 Shallow Mtn. Species/Life Stages
with > 120% of Unregulated Index B WUA Value**



Percentage < 80%

Percentage of 12 Shallow Mtn. Species/Life Stages

with < 80% of Unregulated Index B WUA Value

MEAN	Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%
Spring	31.7%	20.8%	6.7%	0.0%	37.5%	24.2%	19.2%	11.7%	3.3%	0.8%	2.5%	0.0%	0.0%	0.0%	0.0%
Summer	33.3%	27.5%	1.7%	1.7%	39.2%	22.5%	15.8%	4.2%	0.0%	0.0%	4.2%	2.5%	0.0%	0.0%	0.0%
Fall	31.7%	27.5%	5.0%	0.0%	38.3%	24.2%	19.2%	5.8%	2.5%	0.0%	2.5%	2.5%	0.0%	0.0%	0.0%
Winter	30.8%	16.7%	10.0%	0.0%	34.2%	24.2%	20.8%	17.5%	7.5%	3.3%	0.8%	0.0%	0.0%	0.0%	0.0%
Annual Avg	31.9%	23.1%	5.8%	0.4%	37.3%	23.8%	18.8%	9.8%	3.3%	1.0%	2.5%	1.3%	0.0%	0.0%	0.0%
Spring					37.5%	24.2%	19.2%	11.7%	3.3%	0.8%					
Spring											2.5%	0.0%	0.0%	0.0%	0.0%
Summer					39.2%	22.5%	15.8%	4.2%	0.0%	0.0%					
Summer											4.2%	2.5%	0.0%	0.0%	0.0%
Fall					38.3%	24.2%	19.2%	5.8%	2.5%	0.0%					
Fall											2.5%	2.5%	0.0%	0.0%	0.0%
Winter					34.2%	24.2%	20.8%	17.5%	7.5%	3.3%					
Winter											0.8%	0.0%	0.0%	0.0%	0.0%
Annual Avg					37.3%	23.8%	18.8%	9.8%	3.3%	1.0%					
Annual Avg											2.5%	1.3%	0.0%	0.0%	0.0%

Minimum release

minimum release = % MAF

% ambient flow-by

Tuckasegee R. (tr1A)															
Spring	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Summer	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Fall	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Winter	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	0.0%	0.0%	0.0%	0.0%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
E.F. Tuckasegee R. (peak)															
Spring	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Summer	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Fall	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Winter	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	0.0%	0.0%	0.0%	0.0%	18.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
W.F. Tuckasegee R. (peak)															
Spring	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Summer	0.0%	0.0%	0.0%	0.0%	25.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Fall	0.0%	0.0%	0.0%	0.0%	25.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Winter	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	0.0%	0.0%	0.0%	0.0%	22.9%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
W.F. Tuckasegee R. (bypass)															
Spring	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Summer	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Fall	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Winter	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Nantahala R. (lower)															
Spring	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Summer	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Fall	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Winter	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	0.0%	0.0%	0.0%	0.0%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Nantahala R. (bel Dicks Ck)															
Spring	50.0%	16.7%	16.7%	0.0%	25.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Summer	66.7%	41.7%	8.3%	8.3%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%
Fall	50.0%	41.7%	16.7%	0.0%	25.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Winter	41.7%	16.7%	16.7%	0.0%	25.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	52.1%	29.2%	14.6%	2.1%	22.9%	10.4%	0.0%	0.0%	0.0%	0.0%	2.1%	0.0%	0.0%	0.0%	0.0%
Whiteoak Ck.															
Spring	75.0%	25.0%	16.7%	0.0%	75.0%	50.0%	25.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Summer	75.0%	58.3%	0.0%	0.0%	75.0%	41.7%	16.7%	0.0%	0.0%	0.0%	8.3%	8.3%	0.0%	0.0%	0.0%
Fall	75.0%	58.3%	8.3%	0.0%	75.0%	50.0%	25.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Winter	75.0%	16.7%	25.0%	0.0%	75.0%	50.0%	41.7%	25.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	75.0%	39.6%	12.5%	0.0%	75.0%	47.9%	27.1%	16.7%	4.2%	0.0%	2.1%	0.0%	0.0%	0.0%	0.0%
Davidson R.															
Spring	66.7%	58.3%	8.3%	0.0%	75.0%	58.3%	58.3%	25.0%	8.3%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%
Summer	66.7%	58.3%	0.0%	0.0%	75.0%	58.3%	50.0%	16.7%	0.0%	0.0%	8.3%	8.3%	0.0%	0.0%	0.0%
Fall	66.7%	58.3%	8.3%	0.0%	75.0%	58.3%	16.7%	8.3%	0.0%	0.0%	8.3%	8.3%	0.0%	0.0%	0.0%
Winter	66.7%	50.0%	16.7%	0.0%	75.0%	58.3%	58.3%	50.0%	16.7%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	66.7%	56.3%	8.3%	0.0%	75.0%	58.3%	56.3%	27.1%	8.3%	2.1%	6.3%	4.2%	0.0%	0.0%	0.0%
N.F.Mills R.															
Spring	66.7%	58.3%	8.3%	0.0%	75.0%	58.3%	58.3%	25.0%	8.3%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%
Summer	66.7%	58.3%	0.0%	0.0%	75.0%	58.3%	50.0%	16.7%	0.0%	0.0%	8.3%	8.3%	0.0%	0.0%	0.0%
Fall	66.7%	58.3%	8.3%	0.0%	75.0%	58.3%	58.3%	16.7%	8.3%	0.0%	8.3%	8.3%	0.0%	0.0%	0.0%
Winter	66.7%	50.0%	16.7%	0.0%	75.0%	58.3%	58.3%	50.0%	16.7%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%
Annual Avg	66.7%	56.3%	8.3%	0.0%	75.0%	58.3%	56.3%	27.1%	8.3%	2.1%	6.3%	4.2%	0.0%	0.0%	0.0%
Jonathan Ck.															
Spring	58.3%	50.0%	16.7%	0.0%	66.7%	58.3%	50.0%	41.7%	16.7%	8.3%	8.3%	0.0%	0.0%	0.0%	0.0%
Summer	58.3%	58.3%	8.3%	8.3%	66.7%	58.3%	41.7%	8.3%	0.0%	0.0%	8.3%	8.3%	0.0%	0.0%	0.0%
Fall	58.3%	58.3%	8.3%	0.0%	66.7%	58.3%	50.0%	8.3%	8.3%	0.0%	8.3%	8.3%	0.0%	0.0%	0.0%
Winter	58.3%	33.3%	25.0%	0.0%	58.3%	58.3%	50.0%	50.0%	16.7%	8.3%	8.3%	0.0%	0.0%	0.0%	0.0%
Annual Avg	58.3%	50.0%	14.6%	2.1%	64.6%	58.3%	47.9%	27.1%	12.5%	6.3%	8.3%	4.2%	0.0%	0.0%	0.0%

Percentage >120%

Percentage of 12 Shallow Mtn. Species/Life Stages

with > 120% of Unregulated Index B WUA Value

MEAN	Percentage >120%				Percentage of 12 Shallow Mtn. Species/Life Stages											
	Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%	
Spring	53.3%	49.2%	29.2%	0.8%	47.5%	53.3%	54.2%	48.3%	40.0%	23.3%	33.3%	20.8%	11.7%	5.0%	1.7%	
Summer	36.7%	35.8%	0.0%	0.8%	32.5%	42.5%	37.5%	22.5%	0.8%	0.0%	19.2%	12.5%	5.8%	4.2%	0.0%	
Fall	48.3%	44.2%	24.2%	0.8%	42.5%	48.3%	47.5%	41.7%	31.7%	10.0%	31.7%	20.8%	9.2%	4.2%	0.8%	
Winter	58.3%	60.0%	54.2%	7.5%	52.5%	59.2%	61.7%	63.3%	64.2%	60.8%	37.5%	30.0%	19.2%	9.2%	0.8%	
Annual Avg	49.2%	47.3%	26.9%	2.5%	43.7%	50.8%	50.2%	44.0%	34.2%	23.5%	30.4%	21.0%	11.5%	5.6%	0.8%	
Spring					47.5%	53.3%	54.2%	48.3%	40.0%	23.3%						
Spring											33.3%	20.8%	11.7%	5.0%	1.7%	
Summer					32.5%	42.5%	37.5%	22.5%	0.8%	0.0%						
Summer											19.2%	12.5%	5.8%	4.2%	0.0%	
Fall					42.5%	48.3%	47.5%	41.7%	31.7%	10.0%						
Fall											31.7%	20.8%	9.2%	4.2%	0.8%	
Winter					52.5%	59.2%	61.7%	63.3%	64.2%	60.8%						
Winter											37.5%	30.0%	19.2%	9.2%	0.8%	
Annual Avg					43.7%	50.8%	50.2%	44.0%	34.2%	23.5%						
Annual Avg											30.4%	21.0%	11.5%	5.6%	0.8%	

Minimum release

minimum release = % MAF

% ambient flow-by

	Ann. 7Q10	Mon. 7Q10	Sep. Med.	Mon. Med.	10%	20%	30%	40%	50%	60%	70%	75%	80%	85%	90%	
Tuckasegee River (tr1A)																
Spring	100.00%	100.00%	100.00%	0.00%	91.67%	100.00%	100.00%	100.00%	100.00%	91.67%	100.00%	100.00%	83.33%	33.33%	8.33%	
Summer	91.67%	91.67%	0.00%	0.00%	75.00%	91.67%	91.67%	91.67%	0.00%	0.00%	83.33%	66.67%	25.00%	25.00%	0.00%	
Fall	100.00%	100.00%	100.00%	0.00%	83.33%	91.67%	100.00%	100.00%	100.00%	33.33%	91.67%	91.67%	58.33%	25.00%	8.33%	
Winter	100.00%	100.00%	100.00%	0.00%	91.67%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	91.67%	66.67%	8.33%	
Annual Avg	97.92%	97.92%	75.00%	0.00%	85.42%	95.83%	97.92%	97.92%	75.00%	56.25%	93.75%	89.58%	64.58%	37.50%	6.25%	
E.F. Tuckasegee River (peak)																
Spring	83.33%	91.7%	83.3%	0.0%	75.0%	83.3%	83.3%	91.7%	83.3%	41.7%	75.0%	33.3%	8.3%	8.3%	8.3%	
Summer	66.67%	66.7%	0.0%	8.3%	41.7%	75.0%	66.7%	8.3%	0.0%	0.0%	33.3%	25.0%	8.3%	8.3%	0.0%	
Fall	83.33%	83.3%	50.0%	0.0%	66.7%	83.3%	83.3%	83.3%	58.3%	8.3%	75.0%	25.0%	8.3%	8.3%	0.0%	
Winter	100.00%	91.7%	100.0%	0.0%	83.3%	83.3%	100.0%	100.0%	100.0%	100.0%	75.0%	66.7%	50.0%	8.3%	0.0%	
Annual Avg	83.33%	83.3%	58.3%	2.1%	66.7%	81.3%	83.3%	70.8%	60.4%	37.5%	64.6%	37.5%	18.8%	8.3%	2.1%	
W.F. Tuckasegee River (peak)																
Spring	83.3%	83.3%	0.0%	0.0%	66.7%	83.3%	83.3%	75.0%	66.7%	16.7%	66.7%	41.7%	8.3%	8.3%	0.0%	
Summer	66.7%	66.0%	0.0%	0.0%	50.0%	75.0%	66.7%	41.7%	0.0%	0.0%	33.3%	16.7%	8.3%	8.3%	0.0%	
Fall	83.3%	75.0%	0.0%	0.0%	66.7%	83.3%	83.3%	83.3%	66.7%	25.0%	66.7%	50.0%	25.0%	8.3%	0.0%	
Winter	83.3%	83.3%	25.0%	25.0%	75.0%	83.3%	83.3%	91.7%	91.7%	83.3%	66.7%	50.0%	25.0%	8.3%	0.0%	
Annual Avg	79.2%	77.1%	6.3%	6.3%	64.6%	81.3%	79.2%	72.9%	56.3%	31.3%	58.3%	39.6%	16.7%	8.3%	0.0%	
W.F. Tuckasegee River (bypass)																
Spring	100.0%	83.3%	75.0%	0.0%	75.0%	91.7%	100.0%	75.0%	66.7%	8.3%	50.0%	8.3%	8.3%	0.0%	0.0%	
Summer	75.0%	75.0%	0.0%	0.0%	66.7%	83.3%	75.0%	25.0%	0.0%	0.0%	8.3%	8.3%	8.3%	0.0%	0.0%	
Fall	100.0%	75.0%	75.0%	0.0%	75.0%	91.7%	100.0%	83.3%	75.0%	16.7%	66.7%	25.0%	0.0%	0.0%	0.0%	
Winter	100.0%	100.0%	100.0%	16.7%	83.3%	100.0%	100.0%	100.0%	100.0%	100.0%	66.7%	41.7%	8.3%	0.0%	0.0%	
Annual Avg	93.8%	83.3%	62.5%	4.2%	75.0%	91.7%	93.8%	70.8%	60.4%	31.3%	47.9%	20.8%	6.3%	0.0%	0.0%	
Nantahala River (lower)																
Spring	83.3%	41.7%	0.0%	0.0%	75.0%	83.3%	83.3%	83.3%	75.0%	58.3%	41.7%	25.0%	8.3%	0.0%	0.0%	
Summer	41.7%	25.0%	0.0%	0.0%	50.0%	75.0%	75.0%	58.3%	8.3%	0.0%	33.3%	8.3%	8.3%	0.0%	0.0%	
Fall	41.7%	41.7%	0.0%	0.0%	50.0%	75.0%	75.0%	58.3%	8.3%	0.0%	16.7%	16.7%	0.0%	0.0%	0.0%	
Winter	91.7%	100.0%	91.7%	0.0%	83.3%	91.7%	91.7%	91.7%	91.7%	100.0%	58.3%	33.3%	16.7%	8.3%	0.0%	
Annual Avg	64.6%	52.1%	22.9%	0.0%	64.6%	81.3%	81.3%	72.9%	45.8%	39.6%	37.5%	20.8%	8.3%	2.1%	0.0%	
Nantahala River (bel Dicks Ck)																
Spring	25.0%	33.3%	16.7%	8.3%	33.3%	16.7%	25.0%	8.3%	8.3%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	
Summer	8.3%	8.3%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Fall	25.0%	25.0%	16.7%	8.3%	33.3%	16.7%	16.7%	8.3%	8.3%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	
Winter	25.0%	41.7%	41.7%	33.3%	33.3%	41.7%	58.3%	66.7%	75.0%	66.7%	8.3%	8.3%	0.0%	0.0%	0.0%	
Annual Avg	20.8%	27.1%	18.8%	12.5%	27.1%	18.8%	25.0%	20.8%	22.9%	25.0%	2.1%	2.1%	0.0%	0.0%	0.0%	
Whiteoak Creek																
Spring	16.7%	16.7%	8.3%	0.0%	16.7%	25.0%	25.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Summer	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Fall	16.7%	16.7%	0.0%	0.0%	16.7%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Winter	25.0%	25.0%	25.0%	0.0%	25.0%	25.0%	25.0%	25.0%	25.0%	16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	
Annual Avg	14.6%	14.6%	8.3%	0.0%	14.6%	16.7%	12.5%	8.3%	6.2%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%	
Davidson River																
Spring	16.7%	8.3%	0.0%	0.0%	16.7%	16.7%	8.3%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Summer	8.3%	8.3%	0.0%	0.0%	16.7%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Fall	16.7%	8.3%	0.0%	0.0%	16.7%	8.3%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Winter	16.7%	16.7%	16.7%	0.0%	16.7%	16.7%	16.7%	16.7%	16.7%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	
Annual Avg	14.6%	10.4%	4.2%	0.0%	16.7%	12.5%	8.3%	6.2%	4.2%	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%	
N.F.Mills River																
Spring	16.7%	8.3%	0.0%	0.0%	16.7%	16.7%	8.3%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Summer	8.3%	8.3%	0.0%	0.0%	16.7%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Fall	16.7%	8.3%	0.0%	0.0%	16.7%	8.3%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Winter	16.7%	16.7%	16.7%	0.0%	16.7%	16.7%	16.7%	16.7%	16.7%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	
Annual Avg	14.6%	10.4%	4.2%	0.0%	16.7%	12.5%	8.3%	6.2%	4.2%	2.1%	0.0%	0.0%	0.0%	0.0%	0.0%	
Jonathan Creek																
Spring	8.3%	25.0%	8.3%	0.0%	8.3%	16.7%	25.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Summer	0.0%	8.3%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Fall	0.0%	8.3%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Winter	25.0%	25.0%	25.0%	0.0%	16.7%	33.3%	25.0%	25.0%	25.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Annual Avg	8.3%	16.7%	8.3%	0.0%	6.2%	16.7%	12.5%	12.5%	6.2%	6.2%	0.0%	0.0%	0.0%	0.0%	0.0%	