

Coal Ash Facility	Property Address	Public or Private	Well Owner ID	Notes	15A NCAC 02B .002 Groundwater Standard																																								
					Aluminum (ug/L)	Antimony (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Beryllium (ug/L)	Boron (ug/L)	Cadmium (ug/L)	Calcium (ug/L)	Chromium (ug/L)	Cobalt (ug/L)	Copper (mg/L)	Iron (ug/L)	Hexavalent Chromium (ug/L)	Lead (ug/L)	Magnesium (ug/L)	Manganese (ug/L)	Mercury (ug/L)	Molybdenum (ug/L)	Nickel (ug/L)	Potassium (ug/L)	Selenium (ug/L)	Sodium (ug/L)	Strontium (ug/L)	Thallium (ug/L)	Vanadium (ug/L)	Zinc (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Alkalinity (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Total Dissolved Solids (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	pH (usu)	Temperature (°C)	Specific Conductance (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mv)		
Allen Steam Station	2072 South Point Road Belmont, NC 28012	Private	AL1	Filter prior to sample port.	< 50	< 1	< 5	26	< 1	< 100	< 0.1	15000	< 1	< 1	0.01	65	< 10	< 2	2800	< 5	< 0.2	< 5	< 5	2100	< 5	6700	< 5	6200	130	< 0.1	5	0.155	4.63	< 1	47	47	< 0	98	< 1	< 1	6.6	18.1	128	6.9	207
Allen Steam Station	2360 South Point Road Belmont, NC 28012	Private	AL2		21.9	< 0.5	0.64	22.2	< 0.2	6.6	< 0.08	16500	1.5	< 0.5	< 0.001	< 50	1	0.12	4320	0.92	< 0.2	1.2	< 0.5	2170	0.66	8210	142	< 0.1	9.9	0.0077	2.6	3	60.7	60.7	< 5	114	< 2.5	< 1	7	17.2	158.6	5.3	168.8		
Allen Steam Station	2320 South Point Road Belmont, NC 28012	Private	AL3		68	0.2 J	< 1	17	< 1	49 J	< 1	4600	1.1	0.099 J	1.1 J	100	< 10	0.46 J	1700	5.2	< 0.2	0.36 J	0.33 J	1300	< 1	5700	74	< 1	6.8	0.033	2	0.15 J	26	26	< 5	70	< 3.1	0.9 J	6.3	16.2	55	10.3	221		
Allen Steam Station	2330 South Point Road Belmont, NC 28012	Private	AL5		45 J	< 1	< 5	20	< 1	< 100	< 0.1	7900	3	< 1	0.014	75	4 J	11	2700	< 5	< 0.2	2 J	< 1	1500	< 5	5900	110	< 0.1	14	0.041	2.44	1.11	36.3	36.3	< 0	88	1.4	< 1	6.8	17.5	91	4.8	183		
Allen Steam Station	101 Mitchell Street Belmont, NC 28012	Private	AL6		< 50	< 3	< 10	30.5	< 1	< 100	< 1	7180	< 10	< 5	< 0.01	< 50	< 20	< 5	2310	< 10	< 0.2	< 10	< 10	1360	< 10	6410	90.2	< 1	4.49 J	< 0.01	2.85	< 10	31.7	31.7	< 1	81	< 5	< 1	6.99	14.5	111	6.95	NA		
Allen Steam Station	101 Mitchell Street Belmont, NC 28012	Private	AL68		< 10	< 0.5	< 0.5	30	< 0.2	< 5	< 0.08	6790	3.5	< 0.5	0.0011	60.8	3.2	< 0.1	2290	< 0.5	< 0.2	< 0.5	< 0.5	1410	< 0.5	6100	94	< 0.1	6.4	< 0.005	3	2.1 M	26.8 M	26.8	< 5	86	< 2.5	< 1	6.5	18.6	74.6	6.8	302.6		
Allen Steam Station	97 Mitchell Street Belmont, NC 28012	Private	AL7		< 10	< 0.5	< 0.5	18.8	< 0.2	< 5	< 0.08	14400	1.2	< 0.5	0.0011	< 50	0.97	0.11	5460	< 0.5	< 0.2	< 0.5	< 0.5	1790	< 0.5	8340	180	< 0.1	10.9	0.0176	3.7	< 2	58.7	58.7	< 5	119	< 2.5	< 1	6.9	16.9	141.8	8.1	155		
Allen Steam Station	2343 South Point Road Belmont, NC 28012	Private	AL8		< 50	0.08 J	< 1	53	< 1	97 J	< 1	13000	3	< 1	0.04	< 50	< 10	1.7	4700	< 5	< 0.2	0.4 J	0.55 J	1600	< 1	9100	240	< 1	8.1	0.016	4.66	< 1	51	NA	< 5	130	< 3.1	0.27 J	6.1	17.8	133	7.3	NA		
Allen Steam Station	2347 South Point Road Belmont, NC 28012	Private	AL9		< 50	< 1	< 5	54	< 1	< 100	< 0.1	21000	6	< 1	0.086	< 50	5 J	< 2	6000	< 5	< 0.2	< 5	< 5	1400	< 5	11000	300	< 0.1	7	0.172	8.06	1.22	65.7	65.7	< 0	165	< 1	< 1	6.2	18.7	203	6	259		
Allen Steam Station	2369 South Point Road Belmont, NC 28012	Private	AL11		< 50	< 3	< 10	33.4	< 1	< 100	< 1	10500	2.28 J	< 5	0.00416 J	< 50	< 20	2.98 J	2910	< 10	< 0.2	< 10	< 10	1550	< 10	8360	135	< 1	4.35 J	0.00499 J	4.28	< 10	45.4	45.4	< 1	104	< 5	< 1	6.68	19.3	157	6.52	NA		
Allen Steam Station	2369 South Point Road Belmont, NC 28012	Private	AL11R		< 10	< 0.5	< 0.5	34.1	< 0.2	< 5	< 0.08	10200	2.6	< 0.5	0.0035	< 50	1.6	0.84	2660	< 0.5	< 0.2	< 0.5	0.64	1570	< 0.5	8070	153	< 0.1	5.2	0.0064	3.7	2.2	37.7	37.7	< 5	118	< 2.5	< 1	6.5	17.6	96.3	7.9	202.6		
Allen Steam Station	2401 South Point Road Belmont, NC 28012	Private	AL12		< 10	< 0.5	< 0.5	58.2	< 0.2	< 5	< 0.08	21200	1.7	< 0.5	0.0314	< 50	1.5	0.65	3620	0.8	< 0.2	< 0.5	< 0.5	1930	< 0.5	8690	286	< 0.1	2.4	0.0255	8.4	4.5	49.5	49.5	< 5	146	< 2.5	< 1	6.1	19.1	177.4	6.1	258.6		
Allen Steam Station	2411 South Point Road Belmont, NC 28012	Private	AL14	Unable to collect samples from the well head due to pressure tank at well. Samples were collected from the spigot on the back of the house.	< 50	< 1	< 5	96	< 1	< 100	< 0.1	31000	4	< 1	0.03	< 50	5 J	< 2	7900	< 5	< 0.2	< 5	< 5	1900	< 5	10000	360	< 0.1	2	0.021	22.3	6.92	61.7	61.7	< 0	214	< 1	< 1	5.9	19.2	276	5.8	213		
Allen Steam Station	2417 South Point Road Belmont, NC 28012	Private	AL15	Per lab, no tap @ well head and no treatment devices.	< 50	< 3	< 10	49.2	< 1	< 100	< 1	19600	< 10	< 5	0.0276	14.5 J	< 20	< 5	6080	< 10	< 0.2	< 10	< 10	1570	< 10	9300	222	< 1	3.68 J	< 0.01	7.6	< 10	72.8	72.8	< 1	138	< 5	< 1	6.69	15.7	252	5.82	NA		
Allen Steam Station	2417 South Point Road Belmont, NC 28012	Private	AL15R		< 10	< 0.5	< 0.5	50.4	< 0.2	10.9	< 0.08	19200	2	< 0.5	0.0512	< 50	1.8	0.25	6230	1.8	< 0.2	< 0.5	< 0.5	1570	< 0.5	9540	227	< 0.1	4.8	0.0715	7.7	4.6	58.5	58.5	< 5	156	< 2.5	< 1	6.3	19	182.6	7.1	162.8		
Allen Steam Station	114 Warren Drive Belmont, NC 28012	Private	AL16	Unable to collect samples from the well head. Samples were collected from the spigot on front of house.	89	< 1	< 5	16	< 1	< 100	< 0.1	11000	2	< 1	0.006	510	< 10	< 2	2600	9	< 0.2	< 5	< 5	1000	< 5	8000	150	< 0.1	3	0.784	3.86	< 1	53.9	53.9	< 0	96	1.9	11	6.3	20.1	114	5	145		
Allen Steam Station	310 Mitchell Street Belmont, NC 28012	Private	AL17	Per lab, no well head tap. Sample taken from outside tap. No treatment.	< 50	< 3	< 10	31.4	< 1	< 100	< 1	13500	< 10	< 5	0.0162	57.7	< 20	< 5	3860	1.37 J	< 0.2	< 10	< 10	1180	< 10	9650	160	< 1	5.58	0.0173	3.8	< 10	56.9	56.9	< 1	106	< 5	< 1	6.45	15.5	176	5.87	NA		
Allen Steam Station	310 Mitchell Street Belmont, NC 28012	Private	AL17R		14.3	< 0.5	< 0.5	30	< 0.2	< 5	< 0.08	13100	1.4	< 0.5	0.0171	59.3	1.1	0.8	3700	1.7	< 0.2	< 0.5	< 0.5	1200	< 0.5	9360	168	< 0.1	7.8	0.0152	4.3	2.1	46.4	46.4	< 5	130	< 2.5	< 1	6.5	17.3	131	6.4	359.7		
Allen Steam Station	318 Mitchell Street Belmont, NC 28012	Private	AL19	Per lab, no tap @ well head. Outside spigot closest to well. No treatment.	< 50	< 3	< 10	51	< 1	< 100	< 1	16600	< 10	< 5	0.033	19.4 J	< 20	< 5	5180	< 10	< 0.2	< 10	< 10	2000	< 10	9830	228	< 1	3.84 J	0.0112	8.08	< 10	55.9	55.9	< 1	155	< 5	< 1	6.76	15.3	242	5.48	NA		
Allen Steam Station	131 South Point Drive Belmont, NC 28012	Private	AL20		< 50	< 3	< 10	21.7	< 1	< 100	< 1	13400	< 10	< 5	< 0.01	< 50	< 20	< 5	4390	< 10	< 0.2	< 10	< 10	1430	< 10	7950	165	< 1	10.3	< 0.01	4.28	< 10	65.7	65.7	< 1	84	< 5	< 1	7.11	13.8	174	6.12	NA		
Allen Steam Station	131 South Point Drive Belmont, NC 28012	Private	AL20R		< 10	< 0.5	< 0.5	20	< 0.2	< 5	< 0.08	12900	1.6	< 0.5	0.0023	< 50	1.4	0.18	4300	< 0.5	< 0.2	< 0.5	< 0.5	1570	< 0.5	8020	160	< 0.1	12	< 0.005	3.1	2.1	47.6	47.6	< 5	134	< 2.5	< 1	6.8	17.4	128.3	6.7	162.1		
Allen Steam Station	135 South Point Drive Belmont, NC 28012	Private	AL21		< 50	< 3	< 10	23.2	< 1	< 100	< 1	13800	< 10	< 5	< 0.01	< 50	< 20	< 5	5190	< 10	< 0.2	< 10	< 10	1740	< 10	7910	152	< 1	11.7	0.0575 J	2.38	< 10	70.1	70.1	< 1	84	< 5	< 1	7.24	13.6	191	6.91	NA		
Allen Steam Station	135 South Point Drive Belmont, NC 28012	Private	AL21R		< 10	< 0.5	< 0.5	22.5	< 0.2	< 5	< 0.08	13200	0.92	< 0.5	< 0.001	< 50	0.74	< 0.1	4920	< 0.5	< 0.2	< 0.5	< 0.5	1850	< 0.5	7890	158	< 0.1	12.6	< 0.005	2.5	2.2	63.3	63.3	< 5	119	< 2.8	< 1	6.9	16.6	142.5	4.4	291.4		
Allen Steam Station	127 South Point Drive Belmont, NC 28012	Private	AL22		12.4	< 0.5	< 0.5	1.2	< 0.2	< 5	< 0.08	21700	0.58	< 0.5	< 0.001	< 50	0.39 M	0.15	4750	< 0.5	< 0.2	2.2	< 0.5	2140	< 0.5	6690	109	< 0.1	8.9	< 0.005	3.8	3.2 M	74.1	74.1	< 5	133	< 5	< 1	7.4	8	167.5	3.9	132.6		
Allen Steam Station	122 South Point Drive Belmont, NC 28012	Private	AL23		19 J	< 1	< 1	15	< 0.40	< 45	< 0.1	10000	< 50	0.79 J	0.018 B	310	< 20	0.13	3800	1.4 J	0.95 B J	0.57 J	1.5 J	2000	< 10	6400	100	< 0.50	13	0.054 J	2.2	0.64 J	44	44	< 10	57	0.50	< 10	6.99	14.1	79	5.52	34		
Allen Steam Station	122 South Point Drive Belmont, NC 28012	Private	AL23R		22.5	< 0.5	< 0.5	14.8	< 0.2	< 5	< 0.08	10800	1.5	< 0.5	0.0016	< 50	1.1	< 0.1	3820																										



Coal Ash Facility	Property Address	Public or Private	Well Owner ID	Notes	15A NCAC 02L .0022 Groundwater Standard																																								
					Aluminum (ug/L)	Antimony (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Beryllium (ug/L)	Boron (ug/L)	Cadmium (ug/L)	Calcium (ug/L)	Chromium (ug/L)	Cobalt (ug/L)	Copper (mg/L)	Iron (ug/L)	Hexavalent Chromium (ug/L)	Lead (ug/L)	Magnesium (ug/L)	Manganese (ug/L)	Mercury (ug/L)	Molybdenum (ug/L)	Nickel (ug/L)	Potassium (ug/L)	Selenium (ug/L)	Sodium (ug/L)	Strontium (ug/L)	Thallium (ug/L)	Vanadium (ug/L)	Zinc (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Alkalinity (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Total Dissolved Solids (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	pH (su)	Temperature (°C)	Specific Conductance (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)		
	148 Ledbetter Road Arden, NC 28704	Private	AS9	Unable to collect samples from the well head due to well head being buried. Samples were collected from the spigot on exterior wall of basement. A water filter was present in basement per resident. DWR Split samples but only tested for nitrate and bacteria.	< 50	< 1	< 5	16	< 1	< 100	< 0.1	15000	< 1	< 1	0.012	< 50	< 10	< 2	2800	< 5	< 0.2	< 5	< 5	2000	< 5	6400	84	< 0.1	< 0.3	0.019	2.17	4.68	58.8	58.8	< 0	81	< 1	< 1	6.2	16.2	128	4.1	248		
Asheville Plant	218 Summer Drive Arden, NC 28704	Private	AS11		< 50	0.23 J	< 1	5.6	< 1	76 J	< 1	97000	< 10	< 1	0.0014 J	< 50	< 10	0.29 J	1000	4.9 J	< 0.2	8.4	< 2	1600	< 1	72000	210	< 1	< 5	0.018	56	340	13	13	< 5	560	< 3.1	0.29 J	8.6	15.3	713	2	243		
Belews Creek Steam Station	1413 Middleton Loop Rd Walnut Cove, NC 27052	Private	BC2	Well #1 - high turbidity	< 50	< 1	< 5	12	< 1	< 100	< 0.1	11000	< 1	< 1	0.058	8500	< 10	2	3000	14	< 0.2	2 J	< 5	1600	< 5	7400	55	< 0.1	0.4	0.048	1.39	9.92	46.1	46.1	< 0	105	5.2	35	7.1	19.6	102	7	122		
Belews Creek Steam Station	1413 Middleton Loop Rd Walnut Cove, NC 27052	Private	BC2	Well #2 - Unable to collect samples from the well head due to no sample port at well. Samples were collected from the spigot on exterior of well house.	< 50	< 1	< 5	< 10	< 1	< 100	< 0.1	12000	< 1	< 1	< 0.005	1700	< 10	< 2	3900	30	< 0.2	< 5	< 5	1800	< 5	5800	46 J	< 0.1	< 0.3	0.019	1.48	9.07	48.2	48.2	< 0	111	< 1	2.8	6.9	19.2	111	< 0.1	-6.6		
Belews Creek Steam Station	1245 Middleton Loop Walnut Cove, NC 27052	Private	BC4	Well A	< 50	< 0.5	0.17 J	6.88	< 0.5	< 50	< 0.15	11600	0.99 J	0.03 J	0.00362	< 25	< 5	0.48 J	3760	< 2	< 0.2	2.98	0.29 J	1280	0.35 J	7490	43	< 0.5	2	0.0266	1	5	52 **	NA	NA	112	< 2.5	< 1	6.93	10.9	130	7.45	NA		
Belews Creek Steam Station	1245 Middleton Loop Walnut Cove, NC 27052	Private	BC4	Well B - high turbidity	< 50	< 0.5	< 2	1.42	< 0.5	< 50	< 0.15	9950	1.61 J	< 1	0.00019 J	1890	< 5	0.10 J	2050	10.6	< 0.2	0.58 J	0.34 J	1540	< 2	5600	37	< 0.5	0.58	0.00315 J	< 0.1	14	37 **	NA	NA	80	< 2.5	19.3	6.85	13.3	123	4.92	NA		
Belews Creek Steam Station	2832 Pine Hall Road Belews Creek, NC 27009	Private	BC6		< 50	< 1	< 5	< 10	< 1	< 100	< 0.1	12000	< 1	< 1	< 0.005	290	< 10	< 2	2400	40	< 0.2	< 5	< 5	2000	< 5	9700	69	< 0.1	< 0.3	0.009	11.3	9.25	32.8	32.8	< 0	101	< 1	3.6	6.1	19.2	125	5.4	255		
Belews Creek Steam Station	2461 Middleton Loop Walnut Cove, NC 27052	Private	BC7		< 50	< 1	< 5	< 10	< 1	< 100	< 0.1	30000	< 1	< 1	< 0.005	< 50	< 10	< 2	2600	7	< 0.2	< 5	< 5	720	< 5	6500	99	< 0.1	< 0.3	< 0.005	1.56	9.07	84	84	< 0	124	< 1	< 1	8	19.7	171	< 0.1	89.6		
Belews Creek Steam Station	3857 Pine Hall Road Walnut Cove, NC 27052	Private	BC8		< 10 J	0.76	0.6 J	5.75	< 0.11 J	22 J	< 0.06 J	4230	0.91 J	0.11 J	0.0228	15.2 J	< 5	0.82	1590	1.8 J	< 0.2	1.14 J	0.38 J	1050	0.22 J	7380	49	< 0.06 J	23.5	0.0147	13.7	< 5	28 **	NA	NA	66	3	< 1	5.38	20.1	90	7.31	NA		
Belews Creek Steam Station	2241 Middleton Loop Walnut Cove, NC 27052	Private	BC9	Per lab, sample taken after pressure tank with no treatment.	< 50	< 3	< 10	< 10	< 1	< 100	< 1	18000	< 10	< 5	0.00915 J	140	< 20	2.28 J	4600	32.8	< 0.2	< 10	< 10	1830	< 10	7720	74.5	< 1	< 5	0.00529 J	4.75	< 10	58	58	< 1	92	< 5	2.96	7.16	13.7	186	4.03	NA		
Buck Steam Station	750 Dukeville Road Salisbury, NC 28146	Private	B2		9.3 J	< 5.0	2.2 J	22 J	< 2.0	< 130	< 0.10	19000	< 25	0.25 J	0.006	1200	< 20	< 5.0	7800 B	22 B, J	< 0.1	0.24 J	2.7 J	2800 B	< 5.0	10000	110	< 2.5	14 J	0.1 B	4.1	0.84 J	57	57	< 10	110	0.8 J	2	6.36	14.7	129	6.35	240		
Buck Steam Station	715 Dukeville Road Salisbury, NC 28146	Private	B3	high turbidity	< 10	< 0.5	< 0.5	11.3	< 0.2	< 5	0.099	10900	< 0.5	< 0.5	0.0288	5720	0.038	9	5460	80.5	< 0.2	< 0.5	0.79																						
Buck Steam Station	820 Leonard Road Salisbury, NC 28146	Private	B5	B5 and B7 share same well.																																									
Buck Steam Station	635 Dukeville Road Salisbury, NC 28146	Private	B6		< 10	< 0.5	< 0.5	5.3	< 0.2	< 5	< 0.08	8980	< 0.5	< 0.5	0.0303	< 50	0.045	0.59	1930	1.5	< 0.2	< 0.5	< 0.5	5380	< 0.5	16300	53.4	< 0.1	2.1	0.0139	5.7	2.4	44.3	44.3	< 5	132	< 2.5	< 1	6.4	17.6	140.3	7.6	312.3		
Buck Steam Station	770 Leonard Road Salisbury, NC 28146	Private	B7	B5 and B7 share same well.	< 10	< 0.5	< 0.5	32.3	< 0.2	< 5	< 0.08	16500	5.7	< 0.5	0.0077	< 50	4.6	0.68	7120	< 0.5	< 0.2	0.67	0.58	2340	< 0.5	9300	131	< 0.1	8.1	0.0187	8.4	2.9	59.5	59.5	< 5	148	< 2.5	< 1	6.4	16.7	185.3	4.1	196.2		
Buck Steam Station	260 Leonard Road Salisbury, NC 28146	Private	B10		< 10	< 0.5	< 0.5	28.4	< 0.2	< 5	< 0.08	11600	5.1	< 0.5	0.0027	< 50	3.6	0.14	6690	< 0.5	< 0.2	0.58	< 0.5	1530	< 0.5	7520	86.6	< 0.1	2.8	0.0179	4.1	2.8	95.8 M1	89.9	6	168	< 2.5	< 1	6.6	16.3	144.7	2	145.4		
Buck Steam Station	2550 James Street Salisbury, NC 28146	Private	B11	Per lab, No tap @ well head and no treatment devices.	< 50	< 3	< 10	8.5 J	< 1	< 100	< 1	7160	< 10	< 5	0.00417 J	2190	< 20	< 5	3530	11.4	< 0.2	< 10	< 10	892	< 10	5740	77.2	< 1	< 5	0.0232	3.8	< 10	38.5	38.5	< 1	84	< 5	1.71	6.62	15	114	5.01	NA		
Buck Steam Station	2560 James Street Salisbury, NC 28146	Private	B12	Unable to collect samples from the well head (inaccessible). Samples were collected from the spigot on side of home. A water filter was present between the well head and spigot per resident.	< 50	< 1	< 5	23	< 1	< 100	< 0.1	8500	< 1	< 1	0.016	< 50	< 10	< 2	3400	9	< 0.2	< 5	< 5	1100	< 5	6600	110	< 0.1	2	0.014	2.07	< 1	43	43	< 0	93	< 1	< 1	6.1	17.9	85.9	4.9	202		
Buck Steam Station	630 Leonard Road Salisbury, NC 28146	Private	B14		30.2	< 0.5	< 0.5	29.5	< 0.2	< 5	< 0.08	4700	2.5	< 0.5	0.013	454	1.8	1.4	2320	35.7	< 0.2	< 0.5	< 0.5	1150	< 0.5	3790	43.1	< 0.1	1.5	0.0588	2	< 2	21.8	21.8	< 5	38	< 5	3.5	6.2	17.1	63.7	3.4	285.1		
Buck Steam Station	545 Dukeville Road Salisbury, NC 28146	Private	B15	Unable to collect samples from the well head due to no sample port at well. Samples were collected from the spigot on exterior of well house.	< 50	< 1	< 5	14	< 1	< 100	< 0.1	6600	< 1	< 1	0.009	< 50	< 10	< 2	2900	< 5	< 0.2	< 5	< 5	960	< 5	5100	74	< 0.1	3	0.007	2.78	1.14	30.8	30.8	< 0	84	< 1	< 1	6.3	17.9	70.4	5.4	270		



Coal Ash Facility	Property Address	Public or Private	Well Owner ID	Notes	15A NCAC 02B .002 Groundwater Standard																				Total Dissolved Solids (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	pH (usu)	Temperature (°C)	Specific Conductance (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mv)												
					Aluminum (ug/L)	Antimony (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Beryllium (ug/L)	Boron (ug/L)	Cadmium (ug/L)	Calcium (ug/L)	Chromium (ug/L)	Cobalt (ug/L)	Copper (mg/L)	Iron (ug/L)	Hexavalent Chromium (ug/L)	Lead (ug/L)	Magnesium (ug/L)	Manganese (ug/L)	Mercury (ug/L)	Molybdenum (ug/L)	Nickel (ug/L)	Potassium (ug/L)									Selenium (ug/L)	Sodium (ug/L)	Strontium (ug/L)	Thallium (ug/L)	Vanadium (ug/L)	Zinc (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Alkalinity (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	
Cliffside Steam Station	2938 Fox Place Mooresboro, NC 28114	Private	C8	Supply well for C8	< 10	< 0.5	< 0.5	32.5	< 0.2	< 5	< 0.08	8560	0.86	0.72	0.0093	57.3	0.74	0.43	4670	11	< 0.2	< 0.5	1.4	1780	< 0.5	3150	16	< 0.1	< 1	0.008	4.3	< 2	35.5	35.5	< 5	59	< 2.5	< 1	6.2	16	105.9	7.5	211.8	
Cliffside Steam Station	2938 Fox Place Mooresboro, NC 28114	Private	C8	Spring Sample high turbidity. Spring was located in the middle of a cow pasture.	1470	< 0.5	< 0.5	33.2	< 0.2	6.5	< 0.08	2690	2.2	1.6	0.0026	160.5	< 0.03	2.2	1950	16.8	< 0.2	< 0.5	1.7	950	< 0.5	2710	14.9	< 0.1	3	0.0096	5.6	5.9	38.5	< 5	< 5	45	164	34.5	5.6	19.9	53	7.4	344.6	
Cliffside Steam Station	2964 Riverfront Road Mooresboro, NC 28114	Private	C9	Well A	< 10	< 0.5	< 0.5	8.2	< 0.2	6.2	< 0.08	1980	< 0.5	< 0.5	0.0029	< 50	0.1	0.3	739	2.3	< 0.2	< 0.5	0.63	1140	< 0.5	2240	14.1	< 0.1	< 1	< 0.005	2.2	2.6	7.3	7.3	< 5	32	< 2.5	< 1	5.7	14.7	33.5	6.4	248	
Cliffside Steam Station	2964 Riverfront Road Mooresboro, NC 28114	Private	C9	Well B	< 10	< 0.5	< 0.5	8.2	< 0.2	10.2	< 0.08	13400	< 0.5	< 0.5	< 0.001	749	< 0.03	0.53	1720	32.4	< 0.2	< 0.5	2.720	< 0.5	8050	48.9	< 0.1	< 1	< 0.005	1.9	6.2	48	48	< 5	97	< 2.5	< 1	7.1	15.8	134.3	0.1	-93.1		
Cliffside Steam Station	2801 Riverfront Drive Mooresboro, NC 28114	Private	C10		11.1	< 1	1.6	4.3 J	< 0.4	< 25	< 0.1	18000	< 0.5	0.31 J	0.0015 B	650	< 20	< 1	2300	42 B	< 0.1	0.21 J	2.4 J	2500	< 1	5200 B	39	< 0.5	< 5	0.0028 J	2.3	8.1	52	52	< 10	54	0.5 J	< 1	8	15.6	124	9.14	19	
Cliffside Steam Station	2801 Riverfront Drive Mooresboro, NC 28114	Private	C10R		< 10	< 0.5	1.3	4.3	< 0.2	< 5	< 0.08	16700	2.3	< 0.5	0.002	220	< 0.6	< 0.1	1750	49.6	< 0.2	< 0.5	1.6	2100	< 0.5	4720	38.2	< 0.1	< 1	0.0101	2.3	7.6	46.9	46.9	< 5	79	< 2.5	2.2	7	17.1	132.1	1.7	36.7	
Cliffside Steam Station	Fox Place Mooresboro, NC 28114 (Parcel 277)	Private	C11	well used to supply animals	518	< 0.5	< 0.5	55.5	< 0.2	13.2	< 0.08	22500	< 0.5	< 0.5	0.0031	176	0.096	0.31	2990	3	< 0.2	< 0.5	1.920	< 0.5	5290	39.3	< 0.1	< 1	0.113	5.6	10.2	56.6	< 5	< 5	101	< 2.5	4.2	6.6	16	168.8	7.8	152.8		
Cliffside Steam Station	2502 Prospect Church Road Mooresboro, NC 28114	Private	C15		79	0.12 J	1	130 B	< 0.4	20 J	< 0.1	56000	< 5	3.1 J	0.0027 B	2200	< 20	0.8 J	7600	230 B	0.064 B, J	1.9 J	9.3	14000	< 1	9200 B	140	< 0.5	< 5	0.0075 J	14	11	180	180	< 10	190	4	2.3	8.01	13.9	428	3.65	13	
Cliffside Steam Station	2900 McCraw Road Mooresboro, NC 28114	Private	C16	Sample taken from bored well.	300	0.19 J	0.44 J	55 B	< 0.4	7.1 J	< 0.1	6100	< 5	0.17 J	0.0019 B	380	< 20	0.75 J	2100	4.3 B, J	< 0.1	0.084 J	1.1 J	3500	< 1	3400 B	30	< 0.5	< 5	0.016	5.4	2.6	11	11	< 10	38	1	4.9	6.63	16.1	81	7.33	160	
Cliffside Steam Station	3007 McCraw Road Mooresboro, NC 28114	Private	C17	Sample taken from bored well.	110	< 1	1.1	48 B	< 0.4	12 J	< 0.1	71000	< 5	1.7 J	0.0063 B	3200	< 20	6.1	8200	630 B	0.049 J, J	0.081 J	6.6	3700	< 1	34000 B	31	< 0.5	< 5	0.0074 J	61	1.2	210	210	< 10	330	8.1	11	7.57	15	587	2.88	140	
Cliffside Steam Station	5508 US 221A Highway Mooresboro, NC 28114	Private	C19		83	< 1	0.86 J	36 B	< 0.4	7.1 J	< 0.1	6200	< 5	0.12 J	0.014 B	240	< 20	0.15 J	1900	4.7 B, J	0.056 B, J	0.071 J	0.95 J	3100	< 1	2000 B	33	< 0.5	< 5	0.015	4.6	2.5	12	< 10	25	2.1	2.4	7.68	14	69	8.44	72		
Cliffside Steam Station	2902 Fox Place Mooresboro, NC 28114	Private	C23		46	< 0.5	< 0.5	25.3	< 0.2	< 5	< 0.08	11600	1.5	< 0.5	0.005	110	0.83	0.23	5100	3.1 J	< 0.2	< 0.5	0.8	1120	< 0.5	1810	15.7	< 0.1	< 1	< 0.005	2.7	< 2	43.8	43.8	< 5	44	< 2.5	1.1	6.9	18.4	113.7	8.1	267.7	
Cliffside Steam Station	3011 Wood Road Mooresboro, NC 28114	Private	C24	Well 1 (3011-1 Wood Road)	11.4	< 0.5	< 0.5	48.8	< 0.2	< 5	< 0.08	23400	0.88	< 0.5	0.0012	< 50	0.63	0.18	1760	2.7	< 0.2	< 0.5	0.83	2920	< 0.5	3710	58.2	< 0.1	< 1	< 0.005	4.6	2.9	55.4 M1	55.4	< 5	90	< 2.5	< 1	6.7	17.1	168.8	6.2	190.8	
Cliffside Steam Station	3011 Wood Road Mooresboro, NC 28114	Private	C24	3011 Wood Road	48.8	< 0.5	< 0.5	159	0.22	< 5	< 0.08	22000	0.91	1.9	< 0.001	< 50	< 0.6	< 0.1	5300	40.3	< 0.2	< 0.5	4.7	3220	< 0.5	2880	71.4	0.12	< 1	0.0284	5.7	2.2	49.6	49.6	< 5	106	< 2.5	< 1	6.4	17.2	194.7	7.1	193.5	
Cliffside Steam Station	2400 Prospect Church Road Mooresboro, NC	Private	C25		< 10	< 0.5	< 0.5	5.4	< 0.2	< 5	< 0.08	4040	14.1	< 0.5	0.0024	540	< 0.6	0.93	973	3.6	< 0.2	0.93	6.4	1530	< 0.5	5040	28	< 0.1	< 1	0.0164	1.4	5.6	16.3	16.3	< 5	53	< 2.5	3.9	6.5	16.3	62.2	4.4	242	
Cliffside Steam Station	2813 Chesterfield Road Mooresboro, NC 28114	Private	C26		38.3	< 0.5	< 0.5	4.9	< 0.2	5.6	< 0.08	5300	0.81	< 0.5	0.0044	188	< 0.6	0.23	727	27.7	< 0.2	< 0.5	0.5	1720	< 0.5	5110	26	< 0.1	< 1	0.0096	4.1	3.5	17.3	17.3	< 5	41	< 2.5	< 1	6.1	18.3	64	8.2	234.1	
Cliffside Steam Station	2813 Chesterfield Road Mooresboro, NC 28114	Private	C26		7.6 J	0.29 J	< 1	13	< 1	< 500	0.84 J	5200	< 10	< 1	0.0013 J	28 J	< 10	0.89 J	1400	0.68 J	< 0.2	0.11 J	< 2	1300	< 1	16000	28	< 1	< 5	0.34	7.2	31	17	17	17	58	< 5	58	< 10	63	13	684		
HF Lee Plant	1965 Old Smithfield Road Goldsboro, NC 27530	Private	L3	Well East A	530	< 1	< 0.0469	85.9	< 0.0156	13.8	< 0.0156	16600	0.75	1.8	0.00525	191	NA	< 0.0469	2380	34.1	< 0.2 H	< 0.0156	2600	< 0.156	18800	82.8	< 1	< 5	0.0419	30.2	3.6	NA	9.48	< 10	124	10.7	1.8	5.6	14	197	11.1	262		
HF Lee Plant	2008 Old Smithfield Road Goldsboro, NC 27530	Private	L8	Well West B	32.5	< 0.5	< 0.5	89.9	< 0.2	27.8	< 0.08	28400	< 0.5	< 0.5	0.0218	52.2	0.075	0.96	2290	11.4	< 0.2	< 0.5	1.1	4480	< 0.5	6890	91.2	< 0.1	< 1	0.0084	17.6	11.6	38.2	38.2	< 5	152	< 2.5	< 1	6.5	15.4	221.6	2.9	204.6	
HF Lee Plant	2036 Rosewood Road Goldsboro, NC 27530	Private	L9		57.2	< 0.5	< 0.5	213	< 0.2	23.1	0.18	15400	< 0.5	1.5	0.0254	< 50	< 0.03	8.3	4460	63.6	< 0.2	< 0.5	1.4	9810	0.82	5400	68.8	0.11	< 1	0.0507	11.5	12.9	5	< 5	153	< 2.5	1.9	5.3	14.8	201.8	6.21	274		
HF Lee Plant	1988 Old Smithfield Road Goldsboro, NC 27530	Private	L10		1450	< 1	< 1	179	0.25	22.6	< 0.0156	19600	0.625	2.1	0.000375	28.6	NA	2	6760	25.5	< 0.2 H	< 0.0156	2600	< 0.156	17600	101	< 1	< 5	0.00238	15.2	6.1	NA	< 0	< 0	192	< 1	5	15	235	8.6	367			
HF Lee Plant	2076 Old Smithfield Road Goldsboro, NC 27530	Private	L12		313	< 0.5	< 0.5	144	0.24	8.7	< 0.08	4660	< 0.5	1.8	0.0023	< 50	< 0.03	2.4	1940	17.7	< 0.2	< 0.5	0.99	1950	< 0.5	2450	29.3	< 0.1	< 1	0.0472	8.9	5.2	< 5	< 5	< 5	98	< 2.5	2.4	5	13.5	75.2	4.9	308.1	
Cliffside Steam Station	2233 Rosewood Road Goldsboro, NC 27530	Public	L16	Pre-filtration sample. High turbidity.	< 100	< 1	< 1	88	< 0.25	130	< 1	47600	< 1	1.2	< 0.01	1450	NA	< 3	7490	40.3	< 0.2	< 1	< 1	4740	< 10	47800	249	< 1	< 5	0.07	41.6	38	NA	138	0	248	2	12	7	19	4.5	10.8	14	
HF Lee Plant	2080 Old Smithfield Road Goldsboro, NC 27530	Private	L18		673	< 1	< 5	268	< 1	23	< 2	7710	< 5	2	0.014	42	< 0.1	6	2680	35	< 0.2	< 5	< 5	5980	< 5	3280	40	< 0.2	< 0.3	0.01	4.48	10.8	< 1	< 1	< 1	< 1	86.5	< 2.5	< 1	4.49	17.2	58	8.41	NA
HF Lee Plant	2066 Old Smithfield Road Goldsboro, NC 27530	Private	L19		819	< 1	< 5	368	< 1	10	< 2	14100	< 5	7	0.003	60	< 0.1	6	6720	55	< 0.2	< 5	< 5	6640	< 5	2750	84	0.2	< 0.3	0.02	19	19.7	< 1	< 1	< 1	127	< 2.5	< 1	4.34	14.8	89.6	7.42	NA	
HF Lee Plant	2124 Old Smithfield Road Goldsboro, NC	Private	L25		128	< 0.5	< 0.5	34.7	< 0.2	13.3	< 0.08	20700	< 0.5	< 0.5	0.0152	64.4	0.033	0.51	618	1.3	< 0.2	< 0.5																						

Coal Ash Facility	Property Address	Public or Private	Well Owner ID	Notes	15A NCAC 02L .002 Groundwater Standard																																						
					Aluminum (ug/L)	Antimony (ug/L)	Arsenic (ug/L)	Barium (ug/L)	Beryllium (ug/L)	Boron (ug/L)	Cadmium (ug/L)	Calcium (ug/L)	Chromium (ug/L)	Cobalt (ug/L)	Copper (mg/L)	Iron (ug/L)	Hexavalent Chromium (ug/L)	Lead (ug/L)	Magnesium (ug/L)	Manganese (ug/L)	Mercury (ug/L)	Molybdenum (ug/L)	Nickel (ug/L)	Potassium (ug/L)	Selenium (ug/L)	Sodium (ug/L)	Strontium (ug/L)	Thallium (ug/L)	Vanadium (ug/L)	Zinc (mg/L)	Chloride (mg/L)	Sulfate (mg/L)	Alkalinity (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Total Dissolved Solids (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	pH (su)	Temperature (°C)	Specific Conductance (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mv)
Roxboro Steam Station	7391 Semora Road Semora, NC 27343	Public	RO10	Well 1 - Pre treatment	< 100 D3	< 5 D3	< 5 D3	300	< 2 D3	< 50 D3	< 0.8 D3	145000	< 5 D3	< 5 D3	< 0.01 D3	< 500 D3	0.062	< 1 D3	61200	1010	< 0.2	< 5 D3	< 5 D3	6460	< 5 D3	59800	936	< 1 D3	< 10 D3	< 0.05 D3	335	17.3	259	259	< 5	999	< 2.5	1.5	6.48	21.8	184.2	3.8	205.3
Roxboro Steam Station	7391 Semora Road Semora, NC 27343	Public	RO10	Well 2 - Pre treatment	155	< 5 D3	< 5 D3	119	< 2 D3	< 50 D3	< 0.8 D3	66600	< 5 D3	< 5 D3	< 0.01 D3	1280	< 0.03	1.7	21900	358	< 0.2	< 5 D3	< 5 D3	4270	< 5 D3	25500	263	< 1 D3	< 10 D3	< 0.05 D3	30.3	27	214	214	< 5	369	7.8	6.2	6.65	19.2	631	0.61	219.2
Roxboro Steam Station	7391 Semora Road Semora, NC 27343	Public	RO10R	Well 1 - Pre treatment	< 10	< 5	< 5	200	< 3	< 100	< 1	150000	< 10	< 10	< 0.05	200	NA	< 5	50000	360	< 0.5	< 10	< 10	6800	< 5	44000	705	< 2	< 10	< 0.05	230	26	268	NA	NA	NA	NA	NA	7.2	NA	NA	NA	NA
Roxboro Steam Station	7391 Semora Road Semora, NC 27343	Public	RO10R	Well 2 - Pre treatment	< 10	< 5	< 5	100	< 3	< 100	< 1	83000	< 10	< 10	< 0.05	140	NA	< 5	26000	920	< 0.5	< 10	< 10	4390	< 5	32000	331	< 2	< 10	< 0.05	37	36	271	NA	NA	NA	NA	NA	7.1	NA	NA	NA	NA
Roxboro Steam Station	7391 Semora Road Semora, NC 27343	Public	RO10R	Post Treatment System (Well 1 and 2 Combined)	< 10	< 5	< 5	< 100	< 3	< 100	< 1	< 1000	< 10	< 10	< 0.05	< 100	NA	< 5	< 1000	< 30	< 0.5	< 10	< 10	< 1000	< 5	370000	< 50	< 2	< 10	< 0.05	230	24	376	NA	NA	NA	NA	NA	7.1	NA	NA	NA	NA
Sutton Plant	4600 421 Highway N Wilmington, NC	Public	S1	Invista OH-2-DW	253	< 1	< 5	37	< 1	15	< 2	3720	< 5	< 1	0.003	58	< 0.1	< 3	602	25	< 0.2	< 5	< 5	716	< 5	2900	16	< 0.2	0.3	0.015	4.87	9.67	2.59	2.59	< 1	32	< 2.5	< 1	5.58	18.8	53	6.24	NA
Sutton Plant	4600 421 Highway N Wilmington, NC	Public	S1	Invista OH-2-DW3	142	< 1	< 5	48	< 1	24	< 2	4280	< 5	< 1	< 0.003	70	< 0.1	4	1038	23	< 0.2	< 5	< 5	993	< 5	4510	25	< 0.2	< 0.3	0.011	8.02	10.1	1.99	1.99	< 1	37.5	< 2.5	< 1	6.75	16.6	62.5	9.22	NA
Sutton Plant	230 Sutton Lake Road Wilmington, NC	Public	S2	Pump House Well	110	< 1	0.567 J	46	< 1	690	< 1	19900	< 1	2	0.003	24	< 0.02	< 1	3140	295	< 0.4	0.641 J	< 100	3280	< 10	18300	365	< 1	0.256 J	0.00914 J	25	69	4	4	< 1	159	< 2.5	0.5	5.44	21.9	263	5.8	NA
Sutton Plant	230 Sutton Lake Road Wilmington, NC	Private	S2	Combined Production Wells	45	< 1	0.575 J	47	< 1	160	< 1	60700	0.176 J	2	0.004	635	< 0.02	< 1	5460	278	< 0.4	0.758 J	< 100	9980	1	24100	287	< 1	0.386 J	0.015	25	160	36	36	< 1	326	< 2.5	5.3	6.02	18.7	506	6.6	NA
Sutton Plant	235 Sutton Lake Road Wilmington, NC	Private	S3		42	< 1	0.446 J	400	< 1	600	< 1	21400	0.254 J	2	0.001	189	< 0.02	0.661 J	3430	274	< 0.4	< 1	2.21 J	4110	< 10	20200	302	< 1	0.197 J	0.00769 J	20	76	3	3	< 1	185	< 3.1	0.5	6.38	20.4	291	5.09	NA
Sutton Plant	221 Sutton Lake Road Wilmington, NC	Private	S4		41	< 1	0.204 J	< 400	< 2	180	0.0998 J	20000	< 1	0.105 J	0.218	318	< 0.02	5	1610	23	< 0.4	< 1	< 100	2350	< 10	10400	93	< 1	0.352 J	< 1	13	41	18	18	< 2	125	< 2.5	1.3	5.56	17.2	194	5	NA
Sutton Plant	331 Metro Circle Wilmington, NC	Private	S6		280	< 1	< 5	72	< 1	12	< 2	2630	< 5	< 1	< 0.003	< 20	< 0.1	< 3	628	28	< 0.2	< 5	< 5	1050	< 5	1780	20	< 0.2	< 0.3	0.01	2.95	8.91	< 1	< 1	< 1	25.5	< 2.5	< 1	5.11	19.3	46.7	6.61	NA
Sutton Plant	212 TRANSCOM Court Wilmington, NC	Private	S7		157	< 1	< 5	32	< 1	21	< 2	11600	< 5	< 1	< 0.003	< 20	< 0.1	< 3	1450	18	< 0.2	< 5	< 5	1400	< 5	2900	27	< 0.2	< 0.3	0.007	4.41	11.9	9.95	9.95	< 1	63	< 2.5	< 1	5.58	18.6	96	4.52	NA
Sutton Plant	3881 421 Highway N Wilmington, NC 28401	Public	S8	Lab sample #2485. Pre-filtration system.	21	< 1	2	24	< 1	20	< 1	4170	< 1	3	0.005	1940	< 0.02	0.791 J	480	74	< 0.4	< 1	< 100	540	0.16426 J	2820	16	< 1	0.271 J	0.016	< 5	< 15	7	7	< 1	30	< 2.5	0.6	5.9	21.8	54	5.8	NA
Sutton Plant	3881 421 Highway N Wilmington, NC 28401	Public	S8	Lab sample #4055. Pre-filtration system.	70	< 1	0.293 J	45	< 1	250	< 1	9500	< 1	4	0.008	120	< 0.02	0.52 J	2190	142	< 0.4	< 1	< 100	1790	0.59408 J	11800	133	< 1	0.236 J	0.015	19	33	1	1	< 1	85	< 2.5	0.2	5.21	18.7	156	4.1	NA
Sutton Plant	3881 421 Highway N Wilmington, NC 28401	Public	S8R	Well 1. Pre-filtration	39	< 1	< 5	16	< 1	17	< 2	3840	< 5	3	< 0.003	1950	< 0.02	< 3	443	68	< 0.2	< 5	< 5	536	< 5	2130	14	< 0.2	< 0.3	0.006	3.39	5.84	8.96	8.96	< 1	21.3	< 2.5	< 1	5.89	22.2	54.5	5.73	NA
Sutton Plant	3881 421 Highway N Wilmington, NC 28401	Public	S8R	Well 1. Post-filtration	18	< 1	< 5	17	< 1	19	< 2	3730	< 5	3	< 0.003	2070	< 0.02	< 3	435	68	< 0.2	< 5	< 5	553	< 5	2090	14	< 0.2	< 0.3	0.005	3.31	5.33	7.96	7.96	< 1	24	< 2.5	< 1	5.75	28.3	60.6	6.98	NA
Sutton Plant	3881 421 Highway N Wilmington, NC 28401	Public	S8R	Well 2. Pre-filtration	68	< 1	< 5	45	< 1	210	< 2	10100	< 5	4	< 0.003	94	< 0.2	< 3	2500	159	< 0.2	< 5	< 5	2130	< 5	11500	141	< 0.2	< 0.3	0.008	18.2	34.6	8.96	10.45	< 1	77.3	< 2.5	< 1	5.29	22.1	155.7	7.85	NA
Sutton Plant	3857 421 Highway N Wilmington, NC	Public	S12	Sample taken pre-filtration system.	109	< 1	< 5	53	< 1	34	< 2	27400	< 5	< 1	< 0.003	258	< 0.1	< 3	1800	66	< 0.2	< 5	< 5	1200	< 5	3080	70	< 0.2	< 0.3	< 0.005	5.29	28.9	42.8	42.8	< 1	104	< 2.5	< 1	6.85	16.6	178	8.45	NA
Sutton Plant	218 Roymac Drive Wilmington, NC	Private	S17		129	< 1	< 1	42	< 0.25	62	< 1	10300	< 1	< 1	0.033	33	NA	< 3	1340	69	< 0.2	< 1	< 1	1410	< 10	6350	45	< 1	< 5	< 0.01	15.2	23	NA	1.23	0	75	< 1	0.34	5.1	17.1	92	9.6	227
Sutton Plant	136 Roymac Drive Wilmington, NC 28401	Public	S18		24	< 1	< 5	20	< 1	26	< 2	12700	< 5	< 1	< 0.003	30	< 0.02	< 3	724	18	< 0.2	< 5	< 5	1220	< 5	3030	29	< 0.2	1.2	< 0.005	4.05	16.1	15.9	15.9	< 1	59.5	< 2.5	< 1	6.27	24	99.9	6.6	NA
Weatherspoon Plant	1500 Old Whiteville Road Lumberton NC 28358	Private	W2		209	< 1	< 5	27	< 1	7	< 2	15800	< 5	< 1	0.009	27	< 0.1	< 3	2340	15	< 0.2	< 5	< 5	3000	< 5	4200	61	< 0.2	< 0.3	0.035	23.8	2.99	1.99	1.99	< 1	109	< 2.5	< 1	5.26	15.3	153	8.38	NA
Weatherspoon Plant	1990 Old Whiteville Road Lumberton, NC 28358	Private	W6		< 5	< 2	< 5	15	< 1	7	< 2	44500	< 5	< 5	< 0.003	124	< 0.1	< 3	626	< 5	< 0.2	9	< 5	621	< 5	3970	263	< 0.2	0.5	0.016	10.1	28.1	87.6	87.2	< 1	163	< 2.5	< 1	7.68	19.2	237	8.61	NA