

| Coal Ash Facility | Property Address | Public or Private | Well Owner ID | Initial Sample or Resample | Notes | 15A NCAC 021 .0202 Groundwater Standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | HRE Recommendation | | | | | | | | | | | |
|---------------------|---|-------------------|---------------|----------------------------|---|---|----------------|-----------------|---------------|---------------|-------------|----------------------------|-------------|------------------|------------------|----------------|-------------------|---------------|------------------|-----------------|---------------|------------------|-----------------|-----------------|-------------|-----------------|----------------|-------------------|--------------------|------------------|-------------------------------|-------------------------------|-----------------|--------------------|------------------|---------------------------------|-------------------------|------------------------------------|--------|------|------|-------|------|-------------------------|----------------------------|
| | | | | | | EPA/MSL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | L denotes secondary standard | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | DHHS Screening Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aluminum (ug/L) | Antimony (ug/L) | Arsenic (ug/L) | Barium (ug/L) | Beryllium (ug/L) | Boron (ug/L) | Cadmium (ug/L) | Calcium (ug/L) | Chromium (ug/L) | Cobalt (ug/L) | Copper (mg/L) | Iron (ug/L) | Hexavalent Chromium (ug/L) | Lead (ug/L) | Magnesium (ug/L) | Manganese (ug/L) | Mercury (ug/L) | Molybdenum (ug/L) | Nickel (ug/L) | Potassium (ug/L) | Selenium (ug/L) | Sodium (ug/L) | Strontium (ug/L) | Thallium (ug/L) | Vanadium (ug/L) | Zinc (mg/L) | Chloride (mg/L) | Sulfate (mg/L) | Alkalinity (mg/L) | Bicarbonate (mg/L) | Carbonate (mg/L) | Total Dissolved Solids (mg/L) | Total Suspended Solids (mg/L) | Turbidity (NTU) | pH (su) | Temperature (°C) | Specific Conductance (umhos/cm) | Dissolved Oxygen (mg/L) | Oxidation-Reduction Potential (mv) | | | | | | | |
| Allen Steam Station | 2072 South Point Road Belmont, NC 28012 | Private | AL1 | Initial | Filter prior to sample port. | <.50 | <.1 | <.5 | 26 | <.1 | <100 | <.01 | 15000 | <.1 | <.1 | 0.01 | 65 | <.10 | <.2 | 2800 | <.5 | <.02 | <.5 | <.5 | 2100 | <.5 | 6700 | 130 | <.01 | 5 | 0.155 | 4.63 | <.1 | 47 | 47 | <.0 | 98 | <.1 | <.1 | 6.6 | 18.1 | 128 | 6.9 | 207 | Do Not Drink - No Resample |
| Allen Steam Station | 2360 South Point Road Belmont, NC 28012 | Private | AL2 | Initial | | 21.9 | <.05 | 0.64 | 22.2 | <.02 | 6.6 | <.08 | 16500 | 1.5 | <.05 | <.0001 | <.50 | 1 | 0.12 | 4320 | 0.92 | <.02 | 1.2 | <.05 | 2170 | 0.66 | 8210 | 142 | <.01 | 9.9 | 0.0077 | 2.6 | 3 | 60.7 | 60.7 | <.5 | 114 | <.25 | <.1 | 7 | 17.2 | 158.6 | 5.3 | 168.8 | Do Not Drink - No Resample |
| Allen Steam Station | 2320 South Point Road Belmont, NC 28012 | Private | AL3 | Initial | | 68 | 0.2 J | <.1 | 17 | <.1 | 49 J | <.1 | 4600 | 1.1 | 0.099 J | 1.1 J | 100 | <.10 | 0.46 J | 1700 | 5.2 | <.02 | 0.36 J | 0.33 J | 1300 | <.1 | 5700 | 74 | <.1 | 6.8 | 0.033 | 2 | 0.15 J | 26 | 26 | <.5 | 70 | <.3 | 0.9 J | 6.3 | 16.2 | 55 | 10.3 | 221 | Do Not Drink - Resample |
| Allen Steam Station | 2330 South Point Road Belmont, NC 28012 | Private | AL5 | Initial | | 45 J | <.1 | <.5 | 20 | <.1 | <100 | <.1 | 7500 | 3 | <.1 | 0.014 | 75 | 4 J | 11 | 2700 | <.5 | <.02 | 2 J | <.5 | 1500 | <.5 | 5900 | 110 | <.01 | 14 | 0.041 | 2.44 | 1.11 | 36.3 | 36.3 | <.0 | 88 | 1.4 | <.1 | 6.8 | 17.5 | 91 | 4.8 | 183 | Do Not Drink - No Resample |
| Allen Steam Station | 101 Mitchell Street Belmont, NC 28012 | Private | AL6 | Initial | | <.50 | <.3 | <.10 | 30.5 | <.1 | <100 | <.1 | 7180 | <.10 | <.5 | <.001 | <.50 | <.20 | <.5 | 2310 | <.10 | <.02 | <.10 | <.10 | 1360 | <.10 | 6410 | 90.2 | <.1 | 4.49 J | <.001 | 2.85 | <.10 | 31.7 | 31.7 | <.1 | 81 | <.5 | <.1 | 6.99 | 14.5 | 111 | 6.95 | NA | Do Not Drink - Resample |
| Allen Steam Station | 97 Mitchell Street Belmont, NC 28012 | Private | AL7 | Initial | | <.10 | <.05 | <.05 | 18.8 | <.02 | <.5 | <.08 | 14400 | 1.2 | <.05 | 0.0011 | <.50 | 0.97 | 0.11 | 5460 | <.05 | <.02 | <.05 | <.05 | 1790 | <.05 | 8340 | 180 | <.01 | 10.9 | 0.176 | 3.7 | <.2 | 58.7 | 58.7 | <.5 | 119 | <.5 | <.1 | 6.9 | 16.9 | 141.8 | 8.1 | 155 | Do Not Drink - No Resample |
| Allen Steam Station | 2543 South Point Road Belmont, NC 28012 | Private | AL8 | Initial | | <.50 | 0.08 J | <.1 | 53 | <.1 | 97 J | <.1 | 13000 | 3 | <.1 | 0.04 | <.50 | <.10 | 1.7 | 4700 | <.5 | <.02 | 0.4 J | 0.55 J | 1600 | <.1 | 9100 | 240 | <.1 | 8.1 | 0.016 | 4.6 | <.1 | 51 | NA | <.5 | 130 | <.3 | 0.27 J | 6.1 | 17.8 | 133 | 7.3 | NA | Do Not Drink - Resample |
| Allen Steam Station | 2347 South Point Road Belmont, NC 28012 | Private | AL9 | Initial | | <.50 | <.1 | <.5 | 54 | <.1 | <100 | <.1 | 21000 | 6 | <.1 | 0.006 | <.50 | 5 J | <.2 | 6600 | <.5 | <.02 | <.5 | <.5 | 1400 | <.5 | 11000 | 300 | <.01 | 7 | 0.172 | 8.06 | 1.22 | 65.7 | 65.7 | <.0 | 165 | <.1 | <.1 | 6.2 | 18.7 | 205 | 6 | 259 | Do Not Drink - No Resample |
| Allen Steam Station | 2369 South Point Road Belmont, NC 28012 | Private | AL11 | Initial | | <.50 | <.3 | <.10 | 33.4 | <.1 | <100 | <.1 | 10500 | 2.28 J | <.5 | 0.00416 J | <.50 | <.20 | 2.98 J | 2910 | <.10 | <.02 | <.10 | <.10 | 1550 | <.10 | 8360 | 135 | <.1 | 4.35 J | 0.00499 J | 4.28 | <.10 | 45.4 | 45.4 | <.1 | 104 | <.5 | <.1 | 6.68 | 19.3 | 157 | 6.52 | NA | Do Not Drink - Resample |
| Allen Steam Station | 2401 South Point Road Belmont, NC 28012 | Private | AL12 | Initial | | <.10 | <.05 | <.05 | 58.2 | <.02 | <.5 | <.08 | 21200 | 1.7 | <.05 | 0.0314 | <.50 | 1.5 | 0.65 | 3620 | 0.8 | <.02 | <.05 | <.05 | 1930 | <.05 | 8690 | 286 | <.01 | 2.4 | 0.0255 | 8.4 | 4.5 | 49.5 | 49.5 | <.5 | 146 | <.25 | <.1 | 6.1 | 19.1 | 177.4 | 6.1 | 258.6 | Do Not Drink - No Resample |
| Allen Steam Station | 2411 South Point Road Belmont, NC 28012 | Private | AL14 | Initial | Unable to collect samples from the well head due to pressure tank at well. Samples were collected from the spigot on the back of the house. | <.50 | <.1 | <.5 | 96 | <.1 | <100 | <.01 | 31000 | 4 | <.1 | 0.03 | <.50 | 5 J | <.2 | 7900 | <.5 | <.02 | <.5 | <.5 | 1900 | <.5 | 10000 | 360 | <.01 | 2 | 0.021 | 22.3 | 6.92 | 61.7 | 61.7 | <.0 | 214 | <.1 | <.1 | 5.9 | 19.2 | 276 | 5.8 | 213 | Do Not Drink - No Resample |
| Allen Steam Station | 2417 South Point Road Belmont, NC 28012 | Private | AL15 | Initial | Per lab, no tap @ well head and no treatment devices. | <.50 | <.3 | <.10 | 49.2 | <.1 | <100 | <.1 | 19600 | <.10 | <.5 | 0.0276 | 14.5 J | <.20 | <.5 | 6080 | <.10 | <.02 | <.10 | <.10 | 1570 | <.10 | 9300 | 222 | <.1 | 3.68 J | <.001 | 7.6 | <.10 | 72.8 | 72.8 | <.1 | 138 | <.5 | <.1 | 6.69 | 15.7 | 252 | 5.82 | NA | Do Not Drink - Resample |
| Allen Steam Station | 114 Warren Drive Belmont, NC 28012 | Private | AL16 | Initial | Unable to collect samples from the well head. Samples were collected from the spigot on front of house. | 89 | <.1 | <.5 | 16 | <.1 | <100 | <.01 | 11000 | 2 | <.1 | 0.006 | 510 | <.10 | <.2 | 2600 | 9 | <.02 | <.5 | <.5 | 1000 | <.5 | 8000 | 150 | <.01 | 3 | 0.784 | 3.86 | <.1 | 53.9 | 53.9 | <.0 | 96 | 1.9 | 11 | 6.3 | 20.1 | 114 | 5 | 145 | Do Not Drink - Resample |
| Allen Steam Station | 310 Mitchell Street Belmont, NC 28012 | Private | AL17 | Initial | Per lab, no well head tap. Sample taken from outside tap. No treatment. | <.50 | <.3 | <.10 | 31.4 | <.1 | <100 | <.1 | 13500 | <.10 | <.5 | 0.0162 | 57.7 | <.20 | <.5 | 3860 | 1.37 J | <.02 | <.10 | <.10 | 1180 | <.10 | 9650 | 160 | <.1 | 5.58 | 0.0173 | 3.8 | <.10 | 56.9 | 56.9 | <.1 | 106 | <.5 | <.1 | 6.45 | 15.5 | 176 | 5.87 | NA | Do Not Drink - Resample |
| Allen Steam Station | 318 Mitchell Street Belmont, NC 28012 | Private | AL19 | Initial | Per lab, no tap @ well head. Outside spigot closest to well. No treatment. | <.50 | <.3 | <.10 | 51 | <.1 | <100 | <.1 | 16600 | <.10 | <.5 | 0.033 | 19.4 J | <.20 | <.5 | 5180 | <.10 | <.02 | <.10 | <.10 | 2000 | <.10 | 9830 | 228 | <.1 | 3.84 J | 0.0112 | 8.08 | <.10 | 55.9 | 55.9 | <.1 | 155 | <.5 | <.1 | 6.76 | 15.3 | 242 | 5.48 | NA | Do Not Drink - Resample |
| Allen Steam Station | 131 South Point Drive Belmont, NC 28012 | Private | AL20 | Initial | | <.50 | <.3 | <.10 | 21.7 | <.1 | <100 | <.1 | 13400 | <.10 | <.5 | <.001 | <.50 | <.20 | <.5 | 4390 | <.10 | <.02 | <.10 | <.10 | 1430 | <.10 | 7950 | 165 | <.1 | 10.3 | <.001 | 4.28 | <.10 | 65.7 | 65.7 | <.1 | 84 | <.5 | <.1 | 7.11 | 13.8 | 174 | 6.12 | NA | Do Not Drink - Resample |
| Allen Steam Station | 135 South Point Drive Belmont, NC 28012 | Private | AL21 | Initial | | <.50 | <.3 | <.10 | 23.2 | <.1 | <100 | <.1 | 13800 | <.10 | <.5 | <.001 | <.50 | <.20 | <.5 | 5190 | <.10 | <.02 | <.10 | <.10 | 1740 | <.10 | 7910 | 152 | <.1 | 11.7 | 0.0575 J | 2.38 | <.10 | 70.1 | 70.1 | <.1 | 84 | <.5 | <.1 | 7.24 | 13.6 | 191 | 6.91 | NA | Do Not Drink - Resample |
| Allen Steam Station | 127 South Point Drive Belmont, NC 28012 | Private | AL22 | Initial | | 12.4 | <.05 | <.05 | 1.2 | <.02 | <.5 | <.08 | 21700 | 0.58 | <.05 | <.0001 | <.50 | 0.39 M1 | 0.15 | 4750 | <.05 | <.02 | 2.2 | <.05 | 2140 | <.05 | 6690 | 109 | <.01 | 8.9 | <.0005 | 3.8 | 3.2 M1 | 74.1 | 74.1 | <.5 | 133 | <.5 | <.1 | 7.4 | 8 | 167.5 | 3.9 | 132.6 | Do Not Drink - No Resample |
| Allen Steam Station | 122 South Point Drive Belmont, NC 28012 | Private | AL23 | Initial | | 19 J | <.1 | <.1 | 15 | <.040 | <.25 | <.01 | 10000 | <.50 | 0.79 J | 0.018 B | 310 | <.20 | 0.13 J | 3800 | 1.4 J | 0.055 B | 1.5 J | 2000 | <.10 | 6400 | 100 | <.05 | 13 | 0.054 J | 2.2 | 0.64 J | 44 | 44 | <.10 | 57 | 0.50 J | <.10 | 6.99 | 14.1 | 79 | 5.52 | 94 | Do Not Drink - Resample | |
| Allen Steam Station | 116 South Point Drive Belmont, NC 28012 | Private | AL24 | Initial | | <.50 | <.1 | <.5 | <.10 | <.1 | <100 | <.01 | 11000 | <.1 | <.1 | <.0005 | <.50 | <.10 | <.2 | 3200 | <.5 | <.02 | 2 J | <.5 | 1800 | <.5 | 5700 | 82 | <.01 | 1.2 | 0.011 | 2.11 | 1.86 | 49 | 49 | <.0 | 99 | <.1 | <.1 | 7.3 | 20.1 | 116 | 4.9 | 197 | Do Not Drink - No Resample |
| Allen Steam Station | 110 South Point Drive Belmont, NC 28012 | Private | AL25 | Initial | | <.50 | 0.081 J | <.1 | 73 | <.1 | <500 | <.1 | 15000 | 1.4 | <.1 | 0.059 | <.50 | <.10 | 3200 | 0.63 J | <.02 | 0.14 J | 0.24 J | 2400 | <.1 | 9800 | 230 | <.1 | 4.3 J | 0.028 B | 4.2 | <.1 | 60 | 60 | <.5 | 140 | <.3 | 0.15 J | 6.2 | 15.7 | 162 | 8.6 | 215 | Do Not Drink - Resample | |
| Allen Steam Station | 305 Mitchell Street Belmont, NC 28012 | Private | AL26 | Initial | Per lab, outside spigot and no treatment devices. | <.50 | <.3 | <.10 | 42 | <.1 | <100 | <.1 | 16200 | <.10 | <.5 | 0.00768 J | 15.6 J | <.20 | <.5 | 4970 | <.10 | <.02 | <.10 | <.10 | 1930 | <.10 | 8670 | 178 | <.1 | 6.08 | 0.0117 | 7.6 | <.10 | 54.8 | 54.8 | <.1 | 102 | <.5 | <.1 | 7.05 | 14.7 | 217 | 6.74 | NA | Do Not Drink - Resample |
| Allen Steam Station | 301 Mitchell Street Belmont, NC 28012 | Private | AL27 | Initial | | <.50 | <.1 | <.5 | 50 | <.1 | <100 | <.01 | 17000 | 2 | <.1 | 0.006 | <.50 | <.10 | <.2 | 5300 | <.5 | <.02 | <.5 | <.5 | 1600 | <.5 | 9400 | 230 | <.01 | 4 | 0.083 | 8.29 | <.1 | 52.9 | 52.9 | <.0 | 144 | <.1 | <.1 | 6.5 | 21 | 180 | 5.8 | 207 | Do Not Drink - Resample |
| Allen Steam Station | 109 Mitchell Street Belmont, NC 28012 | Private | AL28 | Initial | | <.10 | <.04 J | 0.18 J | 14.8 | <.011 J | <.20 J | <.006 J | 6590 | 2.05 | <.003 J | 0.0259 | <.25 | 2.05 J | 3.79 | 2660 | <.084 J | <.001 J | 0.95 J | 0.2 J | 1550 | <.016 J | 5580 | 75 | <.006 J | 13 | 0.0212 J | 2 | <.5 | 34 ** | NA | NA | 152 | <.25 | <.1 | 7.03 | 14.8 | 105 | 7.91 | NA | Do Not Drink - No Resample |
| Allen Steam Station | 103 Mitchell Street Belmont, NC 28012 | Private | AL29 | Initial | | <.50 | 0.072 J | <.1 | 19 | <.1 | <500 | <.1 | 4900 | 2.3 | <.1 | 0.0045 J | <.50 | <.10 | 0.72 J | 1800 | 0.64 J | <.02 | 0.32 J | 0.55 J | 1800 | <.1 | 6300 | 72 | <.1 | 8.3 | 0.048 BH, B | 2.5 | <.1 | 29 | 29 | <.5 | 92 | <.3 | 0.2 J | 6.4 | 15 | 69 | 9.2 | 149 | Do Not Drink - Resample |
| Allen Steam Station | 111 South Point Drive Belmont, NC 28012 | Private | AL30 | Initial | Per lab, sample taken at kitchen sink tap. No well head access. No treatment before kitchen tap. | <.50 | <.3 | <.10 | 55.5 | <.1 | <100 | <.1 | 15200 | 2.41 J | <.5 | 0.0703 | <.50 | <.20 | <.5 | 3720 | <.10 | <.02 | <.10 | <.10 | 1710 | <.10 | 8760 | 210 | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---------|------|---------|-----------------------------|------------|---------|---------|------|---------|-------|---------|-------|--------|---------|-----------|--------|--------|--------|---------|----------|-----------|---------|--------|------|---------|--------|--------|---------|------|-------------|------|--------|---------|------|------|-----|--------|--------|------|------|-------|-------|-------|-------|----------------------------|----------------------------|
| Allen Steam Station | 113 Wildlife Road Belmont, NC 28012 | Private | AL58 | Initial | | 12 J | 0.10 J | 0.59 J | 33 B | <0.40 | <25 | <.01 | 21000 | <5 | 0.22 J | 0.53 B, J | 690 | <20 | 0.47 J | 7000 | 3.2 B, J | 0.58 B, J | 0.49 J | 2.0 J | 3100 | <.1 | 9200 B | 200 | <0.50 | 10 | 0.069 J | 7.8 | 2.8 | 76 | 76 | <10 | 120 | 1.1 | 1.8 | 6.66 | 15.9 | 186 | 5.01 | 95 | | Do Not Drink - Resample | |
| Allen Steam Station | 135 Midwood Lane Belmont, NC 28012 | Private | AL59 | Initial | | <10 | <0.5 | <0.5 | 31 | <.02 | <.5 | <.008 | 12000 | 2.5 | <.05 | 0.0017 | <50 | 2.3 | 0.18 | 4620 | 0.78 | <.02 | <.05 | <.05 | 1690 | <.05 | 7950 | 167 | 0.24 | 19.1 | 1.38 | 14.6 | 3 | <.2 | 53.8 | 53.8 | <.5 | 107 D6 | <2.5 | <.1 | 6.6 | 18 | 130.9 | 4.8 | 164.4 | | Do Not Drink - No Resample |
| Allen Steam Station | 133 Midwood Lane Belmont, NC 28012 | Private | AL60 | Initial | | <10 | <0.5 | <0.5 | 64.9 | <.02 | <.5 | <.008 | 25300 | 5.8 | <.05 | 0.014 | 56.9 | 5.3 | 0.12 | 9310 | 8.6 | <.02 | <.05 | 0.96 | 2550 | <.05 | 12100 | 317 | <.01 | 9 | 1.38 | 14.6 | 3 | <.2 | 53.8 | 53.8 | <.5 | 107 D6 | <2.5 | <.1 | 6.6 | 18 | 130.9 | 4.8 | 164.4 | | Do Not Drink - No Resample |
| Allen Steam Station | 129 Midwood Lane Belmont, NC 28012 | Private | AL62 | Initial | | 22.2 J | <0.4 J | 0.12 J | 25.3 | <.011 J | <20 J | <.006 J | 16300 | 2.84 | <.003 | 0.00202 | <15 J | 2.26 J | 0.13 J | 5870 | <.084 J | <.001 J | 0.45 J | 0.42 J | 1810 | <.016 J | 8640 | 205 | <.006 J | 11.2 | 0.06634 | 7 | <.5 | 65 ** | NA | NA | 108 | <2.5 | <.1 | 6.63 | 15.5 | 193 | 7.41 | NA | | Do Not Drink - No Resample | |
| Allen Steam Station | 127 Midwood Lane Belmont, NC 28012 | Private | AL63 | Initial | | 14.8 J | <.05 | <.008 J | 43.8 | <.011 J | <20 J | <.006 J | 21400 | 3.31 | 0.05 J | 0.00707 | 435 | 1.94 J | 0.59 | 7050 | 2.74 | <.001 J | 0.27 J | 0.81 | 2310 | 0.25 J | 8980 | 274 | <.006 J | 7.02 | 0.0434 | 15 | 6 | 62 ** | NA | NA | 204 | 5 | 8.7 | 6.04 | 11.2 | 244 | 7.1 | NA | | Do Not Drink - No Resample | |
| Allen Steam Station | 125 Midwood Lane Belmont, NC 28012 | Private | AL64 | Initial | | <10 | <0.5 | <0.5 | 68.1 | <.02 | <.5 | <.008 | 33700 | 4.4 | <.05 | 0.165 | <50 | 4.3 | 0.53 | 9020 | 1.6 | <.02 | <.05 | 2.6 | 2180 | <.05 | 9530 | 424 | <.01 | 2.8 | 0.0289 | 37.9 | <.2 | 42.9 | 42.9 | <.5 | 233 | <2.5 | <.1 | 6.1 | 17 | 329.8 | 4 | 223.5 | | Do Not Drink - No Resample | |
| Allen Steam Station | 123 Midwood Lane Belmont, NC 28012 | Private | AL65 | Initial | | 30.7 | <.05 | <.05 | 8.9 | <.02 | <.5 | <.008 | 23800 | <.05 | <.05 | 0.0082 | <50 | 0.25 | 0.9 | 6350 | <.05 | <.02 | 1.1 | <.05 | 3260 | 0.52 | 9000 | 180 | <.01 | 6 | 0.0075 | 10.7 | 3.2 | 70.3 | 70.3 | <.5 | 165 | <.5 | <.1 | 6.6 | 17.3 | 232.7 | 3.5 | 200.4 | | Do Not Drink - No Resample | |
| Allen Steam Station | 121 Midwood Lane Belmont, NC 28012 | Private | AL66 | Initial | | <10 | <0.5 | <0.5 | 47.6 | <.02 | <.5 | <.008 | 18300 | <.05 | <.05 | 0.0388 | <50 | 0.38 | <.01 | 5890 | 3.9 | <.02 | <.05 | 1.2 | 1660 | <.05 | 11000 | 306 | <.01 | 5.3 | 0.0928 | 8.8 | <.2 | 48.8 | 48.8 | <.5 | 160 | <2.5 | <.1 | 6.4 | 17.9 | 189 | 3.2 | 261.2 | | Do Not Drink - No Resample | |
| Allen Steam Station | 134 Midwood Lane Belmont, NC 28012 | Private | AL67 | Initial | | 26 J | 0.12 J | 0.31 J | 12 | <.1 | 47 J | <.1 | 19000 | 0.72 J | <.1 | 0.02 | 47 J | <.10 | 2 | 5300 | 2.1 J | <.02 | 1 J | 0.72 J | 3000 | <.1 | 8600 | 150 | <.1 | 12 | 0.038 BH, B | 4.1 | 0.59 J | 94 | 94 | <.5 | 150 | 2.1 J | 0.25 J | 6.7 | 16 | 164 | 6.2 | 161 | | Do Not Drink - Resample | |
| Allen Steam Station | 130 Midwood Lane Belmont, NC 28012 | Private | AL69 | Initial | | <10 MI, R1 | <.05 | <.05 | 40 | <.02 | <.5 | <.008 | 16000 | 1.8 | <.05 | 0.0748 | 75.8 | 1.2 | 0.32 | 5280 MI | 1.9 | <.02 | <.05 | <.05 | 1720 | <.05 | 8420 | 219 MI | <.01 | 8.4 | 0.0446 | 3.8 | <.2 | 55.3 | 55.3 | <.5 | 141 | <2.5 | <.1 | 6.5 | 17.3 | 153.5 | 4.9 | 202.3 | | Do Not Drink - No Resample | |
| Allen Steam Station | 128 Midwood Lane Belmont, NC 28012 | Private | AL70 | Initial | | <.50 | <.3 | <.10 | 42.9 | <.1 | <.100 | <.1 | 22300 | 1.80 J | <.5 | 0.00652 J | 33.4 J | <.20 | 2.45 J | 8960 | <.10 | <.02 | <.10 | <.10 | 2160 | <.10 | 9650 | 240 | <.1 | 8.09 | <.01 | 8.08 | <.10 | 87.6 | 87.6 | <.1 | 158 | <.5 | <.1 | 6.73 | 17.7 | 295 | 5.17 | NA | | Do Not Drink - Resample | |
| Allen Steam Station | 126 Midwood Lane Belmont, NC 28012 | Private | AL71 | Initial | | <.10 | <.05 | <.05 | 35.8 | <.02 | <.5 | <.008 | 23800 | 1.5 | <.05 | 0.0739 | <.50 | 1 | 0.29 | 8430 | <.05 | <.02 | <.05 | <.05 | 2120 | <.05 | 9570 | 256 | <.01 | 9.2 | 0.013 | 9.5 | <.2 | 73.6 | 73.6 | <.5 | 149 | <2.5 | <.1 | 6.5 | 18 | 212.6 | 3.3 | 271 | | Do Not Drink - No Resample | |
| Allen Steam Station | 124 Midwood Lane Belmont, NC 28012 | Private | AL72 | Initial | | <.10 | <.05 | <.05 | 30 | <.02 | <.5 | <.008 | 23300 | 2.5 | <.05 | 0.0032 | <.50 | 1.1 | 1.4 | 7650 | 7.7 | <.02 | <.05 | <.05 | 1820 | <.05 | 9640 | 265 | <.01 | 5.1 | 0.0623 | 9 | <.2 | 69.9 | 69.9 | <.5 | 132 | <2.5 | <.1 | 6.5 | 18.4 | 200.3 | 2.8 | 169.8 | | Do Not Drink - No Resample | |
| Allen Steam Station | 122 Midwood Lane Belmont, NC 28012 | Private | AL73 | Initial | | <.10 | <.04 J | 0.12 J | 35.3 | <.011 J | <20 J | <.006 J | 14500 | 3.11 | <.003 | 0.026 | 55 | <.5 | 0.65 | 4810 | <.084 J | <.001 J | 0.12 J | 0.75 | 1510 | <.016 J | 8890 | 188 | <.006 J | 9.6 | 0.00709 | 4 | <.5 | 69 ** | NA | NA | 61 | <2.5 | <.1 | 6.63 | 14.4 | 167 | 6.99 | NA | | Do Not Drink - Resample | |
| Allen Steam Station | 120 Midwood Lane Belmont, NC 28012 | Private | AL74 | Initial | | <.10 | <.05 | <.05 | 51.1 | <.02 | <.5 | <.008 | 21000 | 2.1 | <.05 | 0.126 | <.50 | 2 | 0.34 | 6540 | 2.2 | <.02 | <.05 | <.05 | 2080 | <.05 | 10100 | 293 | <.01 | 5.8 | 0.0124 | 10.9 | <.2 | 69.8 MI | 69.8 | <.5 | 168 | <2.5 | <.1 | 6.3 | 18.3 | 176.3 | 4 | 178.4 | | Do Not Drink - No Resample | |
| Allen Steam Station | 119 Idlewood Lane Belmont, NC 28012 | Private | AL75 | Initial | | <.50 | 0.095 J | <.1 | 12 | <.1 | <.500 | <.1 | 6600 | 1.2 | <.1 | 0.048 | <.50 | <.10 | 1.4 | 3500 | 1 J | <.02 | 0.17 J | 0.26 J | 1500 | <.1 | 6600 | 86 | <.1 | 14 | 0.038 BH, B | 2.1 | <.1 | 43 | 43 | <.5 | 110 | <3.3 | 0.31 J | 6.4 | 14.2 | 91 | 7.4 | 179 | | Do Not Drink - Resample | |
| Allen Steam Station | 118 Idlewood Lane Belmont, NC 28012 | Private | AL76 | Initial | | <.10 J | <.04 J | 0.13 J | 11.9 | <.011 J | <20 J | <.006 J | 7120 | 2.62 | <.003 J | 0.00732 | <.25 | 2.62 J | 0.13 J | 2760 | 1.5 J | <.01 J | <.012 J | 0.45 J | 1120 | <.016 J | 6820 | 109 | <.006 J | 8.34 | 0.0266 | 2 | <.5 | 35 ** | NA | NA | 87 | <2.5 | <.1 | 6.41 | 16.1 | 110 | 7.87 | NA | | Do Not Drink - No Resample | |
| Allen Steam Station | 117 Idlewood Lane Belmont, NC 28012 | Private | AL77 | Initial | | 101 | <.05 | <.05 | 49 | <.02 | <.5 | <.008 | 15100 | 1 | <.05 | 0.104 | <.50 | 0.7 | 0.24 | 4980 | 0.54 | <.02 | <.05 | <.05 | 2160 | <.05 | 9940 | 238 | <.01 | 8.6 | 0.0543 | 7.7 | 2.5 | 44.1 | 44.1 | <.5 | 157 | <2.5 | <.1 | 6.4 | 18.5 | 175.4 | 5.6 | 264.2 | | Do Not Drink - No Resample | |
| Allen Steam Station | 116 Idlewood Lane Belmont, NC 28012 | Private | AL78 | Initial | | <.10 | <.05 | <.05 | 26 | <.02 | <.5 | <.008 | 6290 | <.05 | <.05 | 0.247 | <.50 | 0.1 | 0.19 | 1590 | 1 | <.02 | <.05 | <.05 | 1060 | <.05 | 5320 | 86.1 | <.01 | 2.1 | 0.126 | 2.9 | <.2 | 19 | 19 | <.5 | 70 | <2.5 | <.1 | 6.1 | 17.7 | 75.8 | 7.2 | 231.2 | | Do Not Drink - No Resample | |
| Allen Steam Station | 115 Idlewood Lane Belmont, NC 28012 | Private | AL79 | Initial | | <.10 | <.05 | <.05 | 24.8 | <.02 | <.5 | <.008 | 11700 | 0.6 | <.05 | 0.0395 | 54.9 | 0.33 | 0.29 | 3230 | 0.71 | <.02 | <.05 | <.05 | 2240 | <.05 | 8320 | 157 | <.01 | 4.4 | 0.0203 | 6.5 | 2.1 | 40.9 | 40.9 | <.5 | 104 | <2.5 | <.1 | 6.3 | 17.8 | 128.3 | 5.8 | 183.4 | | Do Not Drink - No Resample | |
| Allen Steam Station | 2509 South Point Road Belmont, NC 28012 | Private | AL82 | Initial | | <.10 | <.05 | <.05 | 69.5 | <.02 | <.5 | <.008 | 24300 | 1.4 | <.05 | 0.182 | <.50 | 0.81 | 0.23 | 7600 | 1.7 | <.02 | <.05 | 0.71 | 2400 | <.05 | 12300 | 392 | <.01 | 4.7 | 0.0199 | 14.3 | 2.1 | 47.8 | 47.8 | <.5 | 223 | <2.5 | <.1 | 6.3 | 22.3 | 254 | 5.4 | 273.3 | | Do Not Drink - No Resample | |
| Allen Steam Station | 2505 South Point Road Belmont, NC 28012 | Private | AL83 | Initial | | <.10 | <.05 | <.05 | 42.1 | <.02 | <.5 | <.008 | 21300 | 3.5 | <.05 | 0.104 | <.50 | 3.5 | 0.24 | 8060 | 1.5 | <.02 | <.05 | 1.3 | 1760 | <.05 | 10800 | 289 | <.01 | 9 | 0.0299 | 15.3 | 3.9 | 49.5 | 49.5 | <.5 | 228 | <2.5 | <.1 | 6.2 | 19.4 | 223.7 | 5.6 | 200.4 | | Do Not Drink - No Resample | |
| Allen Steam Station | 2501 South Point Road Belmont, NC 28012 | Private | AL84 | Initial | | <.10 | <.05 | <.05 | 23.5 | <.02 | <.5 | <.008 | 13600 | 0.55 | <.05 | 0.016 | 59.8 | 0.59 | 0.22 | 6030 | 15.7 | <.02 | <.05 | <.05 | 1880 | <.05 | 9050 | 185 | <.01 | 8.2 | 0.0794 | 6.6 | <.2 | 46.7 | 46.7 | <.5 | 134 | <2.5 | <.1 | 6.8 | 17 | 179.1 | 5.2 | 180.6 | | Do Not Drink - No Resample | |
| Allen Steam Station | 185 Reese Wilson Road Belmont, NC 28012 | Private | AL85 | Initial | | <.10 | <.05 | <.05 | 13 | <.02 | <.5 | <.008 | 4720 | 2.6 | <.05 | 0.0046 | <.50 | 2.5 | <.01 | 1420 | <.05 | <.02 | <.05 | <.05 | 978 | <.05 | 4900 | 69.2 | <.01 | 9.6 | 0.0098 | 1.4 | <.2 | 19.6 | 19.6 | <.5 | 67 | <2.5 | <.1 | 6.7 | 18.3 | 61.5 | 8.7 | 219.8 | | Do Not Drink - No Resample | |
| Allen Steam Station | 105 Reese Wilson Road Extension Belmont, NC 28012 | Private | AL89 | Initial | This well also serves AL86. | <.50 | 0.14 J | 0.31 J | 26 | <.1 | 67 J | <.1 | 7600 | 2.9 | <.1 | 0.0021 | <.50 | <.10 | 1.1 | 2500 | 0.72 J | <.02 | 0.39 J | 0.44 J | 1500 | <.1 | 6400 | 120 | 0.1 J | 11 | 0.037 BH, B | 1.9 | <.1 | 43 | 43 | <.5 | 140 | <3.3 | 0.29 J | 6.5 | 14.9 | 83 | 9.6 | 173 | | Do Not Drink - Resample | |
| Allen Steam Station | 112 Reese Wilson Road Extension Belmont, NC 28012 | Private | AL90 | Initial | | <.50 | <.1 | <.5 | 54 | <.1 | <.100 | <.01 | 11000 | 3 | <.1 | 0.046 | 2100 | <.10 | 7 | 2700 | 6 | <.02 | <.5 | <.5 | 1700 | <.5 | 7300 | 160 | <.01 | 10 | 0.031 | 4.54 | <.1 | 39.2 | 39.2 | <.0 | 96 | 5.1 | 13 | 6 | 19.3 | 107 | 7.6 | 205 | | Do Not Drink - Resample | |
| Allen Steam Station | 210 Reese Wilson Road Belmont, NC 28012 | Private | AL91 | Initial | | <.10 | <.05 | <.05 | 8.1 | <.02 | <.5 | <.008 | 11300 | 2.1 | <.05 | 0.0015 | 67.6 | 1.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|--|---------|-----|---------|--|-------|------|--------|--------|---------|------|---------|-------|--------|--------|-----------|--------|-------|--------|--------|---------|------|--------|--------|--------|--------|-------|------|---------|--------|-----------|------|--------|---------|------|-----|-------|-------|------|------|------|-------|------|-------|----------------------------|
| | 1413 Middleton Loop Rd Walnut Cove, NC 27052 | Private | BC2 | Initial | Well #2 - Unable to collect samples from the well head due to no sample port at well. Samples were collected from the spigot on exterior of well house. | <50 | <1 | <5 | <10 | <1 | <100 | <0.1 | 12000 | <1 | <1 | <0.005 | 1700 | <10 | <2 | 3900 | 30 | <0.2 | <5 | <5 | 1800 | <5 | 5800 | 46 J | <0.1 | <0.3 | 0.019 | 1.48 | 9.07 | 48.2 | 48.2 | <0 | 111 | <1 | 2.8 | 6.9 | 19.2 | 111 | <0.1 | -6.6 | Do Not Drink - No Resample |
| Belews Creek Steam Station | 1245 Middleton Loop Walnut Cove, NC 27052 | Private | BC4 | Initial | Well A | <50 | <0.5 | 0.17 J | 6.88 | <0.5 | <50 | <0.15 | 11600 | 0.99 J | 0.03 J | 0.00362 | <25 | <5 | 0.48 J | 3760 | <2 | <0.2 | 2.98 | 0.29 J | 1280 | 0.35 J | 7490 | 43 | <0.5 | 2 | 0.0266 | 1 | 5 | 52 ** | NA | NA | 112 | <2.5 | <1 | 6.93 | 10.9 | 130 | 7.45 | NA | Do Not Drink - Resample |
| Belews Creek Steam Station | 1245 Middleton Loop Walnut Cove, NC 27052 | Private | BC4 | Initial | Well B - high turbidity | <50 | <0.5 | <2 | 1.42 | <0.5 | <50 | <0.15 | 9950 | 1.61 J | <1 | 0.00019 J | 1890 | <5 | 0.10 J | 2050 | 10.6 | <0.2 | 0.58 J | 0.34 J | 1540 | <2 | 5600 | 37 | <0.5 | 0.58 | 0.00315 J | <0.1 | 14 | 37 ** | NA | NA | 80 | <2.5 | 19.3 | 6.85 | 13.3 | 123 | 4.92 | NA | Do Not Drink - Resample |
| Belews Creek Steam Station | 2832 Pine Hall Road Belews Creek, NC 27009 | Private | BC6 | Initial | | <50 | <1 | <5 | <10 | <1 | <100 | <0.1 | 12000 | <1 | <1 | <0.005 | 290 | <10 | <2 | 2400 | 40 | <0.2 | <5 | <5 | 2000 | <5 | 9700 | 69 | <0.1 | <0.3 | 0.009 | 11.3 | 9.25 | 32.8 | 32.8 | <0 | 101 | <1 | 3.6 | 6.1 | 19.2 | 125 | 5.4 | 255 | Well is good - OK to drink |
| Belews Creek Steam Station | 2461 Middleton Loop Walnut Cove, NC 27052 | Private | BC7 | Initial | | <50 | <1 | <5 | <10 | <1 | <100 | <0.1 | 30000 | <1 | <1 | <0.005 | <50 | <10 | <2 | 2600 | 7 | <0.2 | <5 | <5 | 720 | <5 | 6500 | 99 | <0.1 | <0.3 | <0.005 | 1.56 | 9.07 | 84 | 84 | <0 | 124 | <1 | <1 | 8 | 19.7 | 171 | <0.1 | 89.6 | Well is good - OK to drink |
| Belews Creek Steam Station | 3857 Pine Hall Road Walnut Cove, NC 27052 | Private | BC8 | Initial | | <10 J | 0.76 | 0.6 J | 5.75 | <0.11 J | 22 J | <0.06 J | 4230 | 0.91 J | 0.11 J | 0.0228 | 15.2 J | <5 | 0.82 | 1590 | 1.8 J | <0.2 | 1.14 J | 0.38 J | 1050 | 0.22 J | 7380 | 49 | <0.06 J | 23.5 | 0.0147 | 13.7 | <5 | 28 ** | NA | NA | 66 | 3 | <1 | 5.38 | 20.1 | 90 | 7.31 | NA | Do Not Drink - Resample |
| Belews Creek Steam Station | 2241 Middleton Loop Walnut Cove, NC 27052 | Private | BC9 | Initial | Per lab, sample taken after pressure tank with no treatment. | <50 | <3 | <10 | <10 | <1 | <100 | <1 | 18000 | <10 | <5 | 0.00915 J | 140 | <20 | 2.28 J | 4600 | 32.8 | <0.2 | <10 | <10 | 1830 | <10 | 7720 | 74.5 | <1 | <5 | 0.00529 J | 4.75 | <10 | 58 | 58 | <1 | 92 | <5 | 2.96 | 7.16 | 13.7 | 186 | 4.03 | NA | Incomplete - Resample |
| Buck Steam Station | 750 Dukeville Road Salisbury, NC 28146 | Private | B2 | Initial | | 9.3 J | <5.0 | 2.2 J | 22 J | <2.0 | <130 | <0.10 | 19000 | <25 | 0.25 J | 0.006 | 1200 | <20 | <5.0 | 7800 B | 22 B, J | <0.1 | 0.24 J | 2.7 J | 2800 B | <5.0 | 10000 | 110 | <2.5 | 14 J | 0.1 B | 4.1 | 0.84 J | 57 | 57 | <10 | 110 | 0.8 J | 2 | 6.36 | 14.7 | 129 | 6.35 | 240 | Do Not Drink - Resample |
| Buck Steam Station | 715 Dukeville Road Salisbury, NC 28146 | Private | B3 | Initial | high turbidity | <10 | <0.5 | <0.5 | 11.3 | <0.2 | <5 | 0.099 | 10900 | <0.5 | <0.5 | 0.0288 | 5720 | 0.038 | 9 | 5460 | 80.5 | <0.2 | <0.5 | 0.79 | 989 | <0.5 | 6900 | 124 | <0.1 | 2.8 | 0.243 | 4.9 | <2 | 42.2 | 42.2 | <5 | 107 | <5 | 33.8 | 6.5 | 16 | 134.5 | 0.4 | 131.7 | Do Not Drink - No Resample |
| Buck Steam Station | 665 Dukeville Road Salisbury, NC 28146 | Private | B4 | Initial | | <10 | <0.5 | <0.5 | 20.7 | <0.2 | <5 | <0.08 | 10500 | 0.56 | <0.5 | 0.0026 | <50 | <0.6 | 0.69 | 3980 | 7.4 | <0.2 | <0.5 | <0.5 | 1420 | <0.5 | 6360 | 97.1 | <0.1 | 1.7 | 2.09 | 7.6 | 2.1 | 38.2 | 38.2 | <5 | 95 D6 | <2.5 | <1 | 6.3 | 17.4 | 137.4 | 4.1 | 161.1 | Do Not Drink - Resample |
| Buck Steam Station | 635 Dukeville Road Salisbury, NC 28146 | Private | B6 | Initial | | <10 | <0.5 | <0.5 | 5.3 | <0.2 | <5 | <0.08 | 8980 | <0.5 | <0.5 | 0.0303 | <50 | 0.045 | 0.59 | 1930 | 1.5 | <0.2 | <0.5 | <0.5 | 5380 | <0.5 | 16300 | 53.4 | <0.1 | 2.1 | 0.0139 | 5.7 | 2.4 | 44.3 | 44.3 | <5 | 132 | <2.5 | <1 | 6.4 | 17.6 | 140.3 | 7.6 | 312.3 | Do Not Drink - No Resample |
| Buck Steam Station | 770 Leonard Road Salisbury, NC 28146 | Private | B7 | Initial | B5 and B7 share same well. | <10 | <0.5 | <0.5 | 32.3 | <0.2 | <5 | <0.08 | 16500 | 5.7 | <0.5 | 0.0077 | <50 | 4.6 | 0.68 | 7120 | <0.5 | <0.2 | 0.67 | 0.58 | 2340 | <0.5 | 9300 | 131 | <0.1 | 8.1 | 0.0187 | 8.4 | 2.9 | 59.5 | 59.5 | <5 | 148 | <2.5 | <1 | 6.4 | 16.7 | 185.3 | 4.1 | 196.2 | Do Not Drink - No Resample |
| Buck Steam Station | 260 Leonard Road Salisbury, NC 28146 | Private | B10 | Initial | | <10 | <0.5 | <0.5 | 28.4 | <0.2 | <5 | <0.08 | 11600 | 5.1 | <0.5 | 0.0027 | <50 | 3.6 | 0.14 | 6690 | <0.5 | <0.2 | 0.58 | <0.5 | 1530 | <0.5 | 7520 | 86.6 | <0.1 | 2.8 | 0.0179 | 4.1 | 2.8 | 95.8 M1 | 89.9 | 6 | 168 | <2.5 | <1 | 6.6 | 16.3 | 144.7 | 2 | 145.4 | Do Not Drink - No Resample |
| Buck Steam Station | 2550 James Street Salisbury, NC 28146 | Private | B11 | Initial | Per lab, No tap @ well head and no treatment devices. | <50 | <3 | <10 | 8.53 J | <1 | <100 | <1 | 7160 | <10 | <5 | 0.00417 J | 2190 | <20 | <5 | 3530 | 11.4 | <0.2 | <10 | <10 | 892 | <10 | 5740 | 77.2 | <1 | <5 | 0.0232 | 3.8 | <10 | 38.5 | 38.5 | <1 | 84 | <5 | 1.71 | 6.62 | 15 | 114 | 5.01 | NA | Do Not Drink - Resample |
| Buck Steam Station | 2560 James Street Salisbury, NC 28146 | Private | B12 | Initial | Unable to collect samples from the well head (inaccessible). Samples were collected from the spigot on side of home. A water filter was present between the well head and spigot per customer. | <50 | <1 | <5 | 23 | <1 | <100 | <0.1 | 8500 | <1 | <1 | 0.016 | <50 | <10 | <2 | 3400 | 9 | <0.2 | <5 | <5 | 1100 | <5 | 6600 | 110 | <0.1 | 2 | 0.014 | 2.07 | <1 | 43 | 43 | <0 | 93 | <1 | <1 | 6.1 | 17.9 | 85.9 | 4.9 | 202 | Do Not Drink - No Resample |
| Buck Steam Station | 2670 James Street Salisbury, NC 28146 | Private | B13 | Initial | | 34.8 | <0.5 | <0.5 | 39.3 | <0.2 | 5.8 | <0.08 | 18000 | 0.53 | <0.5 | 0.0012 | 65 | <0.6 | 0.11 | 5140 | 3.6 | <0.2 | 1.7 | 0.83 | 2980 | <0.5 | 11900 | 161 | <0.1 | 2.5 | 0.01 | 10.3 | 4.2 | 65.1 | 65.1 | <5 | 161 | 2.8 | <1 | 6.7 | 18.8 | 181.2 | 1.8 | 183.5 | Do Not Drink - Resample |
| Buck Steam Station | 630 Leonard Road Salisbury, NC 28146 | Private | B14 | Initial | 630 Leonard Road | 30.2 | <0.5 | <0.5 | 29.5 | <0.2 | <5 | <0.08 | 4700 | 2.5 | <0.5 | 0.013 | 454 | 1.8 | 1.4 | 2320 | 35.7 | <0.2 | <0.5 | <0.5 | 1150 | <0.5 | 3790 | 43.1 | <0.1 | 1.5 | 0.0588 | 2 | <2 | 21.8 | 21.8 | <5 | 38 | <5 | 3.5 | 6.2 | 17.1 | 63.7 | 3.4 | 285.1 | Do Not Drink - No Resample |
| Buck Steam Station | 545 Dukeville Road Salisbury, NC 28146 | Private | B15 | Initial | Unable to collect samples from the well head due to no sample port at well. Samples were collected from the spigot on exterior of well house. | <50 | <1 | <5 | 14 | <1 | <100 | <0.1 | 6600 | <1 | <1 | 0.009 | <50 | <10 | <2 | 2900 | <5 | <0.2 | <5 | <5 | 960 | <5 | 5100 | 74 | <0.1 | 3 | 0.007 | 2.78 | 1.14 | 30.8 | 30.8 | <0 | 84 | <1 | <1 | 6.3 | 17.9 | 70.4 | 5.4 | 270 | Do Not Drink - No Resample |
| Buck Steam Station | 940 Leonard Road Salisbury, NC 28146 | Private | B16 | Initial | | 25 J | <1 | <5 | <10 | <1 | <100 | <0.1 | 12000 | <1 | <1 | <0.005 | <50 | <10 | <2 | 3700 | 6 | <0.2 | 3 J | <5 | 1300 | <5 | 17000 | 67 | <0.1 | 4 | 1.37 | 2.22 | 12.5 | 65.5 | 57.4 | 8.2 | 139 | <1 | <1 | 9.4 | 18.6 | 159 | 0.5 | 76.2 | Do Not Drink - No Resample |
| Buck Steam Station | 880 Leonard Road Salisbury, NC 28146 | Private | B17 | Initial | B9 and B17 share well. Per lab, No tap @ well head and no treatment devices. | <50 | <3 | <10 | 73.2 | <1 | <100 | <1 | 10800 | <10 | <5 | 0.015 | 98.3 | <20 | <5 | 2920 | 7.3 J | <0.2 | <10 | <10 | 1440 | <10 | 11500 | 101 | <1 | <5 | 0.384 | 12.4 | <10 | 28.5 | 28.5 | <1 | 121 | <5 | <1 | 6.35 | 9.9 | 190 | 5.89 | NA | Incomplete - Resample |
| Buck Steam Station | 680 Leonard Road Salisbury, NC 28146 | Private | B18 | Initial | | 49.1 | <0.5 | <0.5 | 50.8 | <0.2 | <5 | <0.08 | 10300 | 3.5 | <0.5 | 0.0041 | 94.8 | 2.5 | 0.55 | 4340 | 2.3 | <0.2 | <0.5 | <0.5 | 1620 | <0.5 | 7000 | 120 | <0.1 | 6.6 | 0.0076 | 3.1 | 2.3 | 42.6 | 42.6 | <5 | 99 | <2.5 | <1 | 6.3 | 17.7 | 122.3 | 3.8 | 310.5 | Do Not Drink - No Resample |
| Buck Steam Station | 710 Dukeville Road Salisbury, NC 28146 | Private | B19 | Initial | | <50 | <3 | <10 | 14.7 | <1 | <100 | <1 | 12200 | <10 | <5 | 0.00559 J | <50 | <20 | <5 | 5460 | <10 | <0.2 | <10 | <10 | 1220 | <10 | 7890 | 108 | <1 | 3.19 J | 0.186 | 8.55 | <10 | 46.4 | 46.4 | <1 | 120 | <5 | <1 | 6.92 | 13.4 | 189 | 6.84 | NA | Do Not Drink - Resample |
| Buck Steam Station | 1020 Leonard Road Salisbury, NC 28146 | Private | B21 | Initial | | <50 | <1 | <5 | 26 | <1 | <100 | 0.6 | 7900 | 1 | <1 | 0.007 | <50 | <10 | 11 | 2500 | <5 | <0.2 | <5 | <5 | 1500 | <5 | 8000 | 85 | <0.1 | 4 | 0.17 | 3.49 | <1 | 36.9 | 36.9 | <0 | 109 | <1 | <1 | 6.6 | 19.1 | 91 | 5.1 | 187 | Do Not Drink - Resample |
| Buck Steam Station | 1160 Leonard Road Salisbury, NC 28146 | Private | B22 | Initial | | <10 | <0.5 | <0.5 | 13 | <0.2 | <5 | 0.14 | 7050 | 0.88 | <0.5 | 0.0072 | <50 | 0.68 | 0.5 | 2690 | 1.3 | <0.2 | 0.59 | <0.5 | 1200 | <0.5 | 6490 | 63.6 | <0.1 | 8.8 | 0.159 | 2 | <2 | 31 | 31 | <5 | 96 | <2.5 | <1 | 6.5 | 16.4 | 85.1 | 4.8 | 26.9 | Do Not Drink - No Resample |
| Buck Steam Station | 590 Dukeville Road Salisbury, NC 28146 | Private | B24 | Initial | | <10 | <0.5 | <0.5 | 11.9 | <0.2 | <5 | <0.08 | 6760 | 1 | <0.5 | 0.0147 | <50 | 0.74 | 0.39 | 2990 | 4.1 | <0.2 | <0.5 | <0.5 | 1150 | <0.5 | 5510 | 64.4 | <0.1 | 4.3 | 0.0274 | 2.5 | <2 | 27.7 | 27.7 | <5 | 107 | <2.5 | <1 | 6.4 | 16.6 | 82.7 | 5.2 | 218 | Do Not Drink - No Resample |
| Buck Steam Station | 610 Dukeville Road Salisbury, NC 28146 | Private | B25 | Initial | | <10 | <0.5 | <0.5 | 12.9 | <0.2 | <5 | <0.08 | 6490 | 1.5 | <0.5 | 0.0087 | <50 | 1.1 | 0.26 | 2890 | 0.63 | <0.2 | <0.5 | <0.5 | 1020 | <0.5 | 5280 | 69.2 | <0.1 | 6.6 | 0.0512 | 2 | <2 | 29 | 29 | <5 | 109 | <5 | <1 | 6.4 | 16.5 | 78.5 | 6 | 225.8 | Do Not Drink - No Resample |
| Buck Steam Station | 2625 James Street Salisbury, NC 28146 | Private | B26 | Initial | Per lab, well head tap was inoperable. Collected sample from outside tap before any treatment. | <50 | <3 | <10 | 81.3 | <1 | <100 | <1 | 12600 | <1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|---------|-----|---------|-------------------------------|-------|---------|-------|------|------|------|--------|---------|------|--------|--------|------|---------|--------|---------|------------|------------|---------|--------|--------|-------|---------|-------|--------|---------|------------|--------|--------|---------|------|--------|------|------|------|-------|------|-------|-------------------------|----------------------------|-------------------------|----------------------------|-------------------------|
| Buck Steam Station | 310 Dukeville Road Salisbury, NC 28146 | Private | B55 | Initial | | 120 J | <5.0 | <5.0 | 27 | <2.0 | <130 | <0.50 | 21000 | <25 | 0.33 J | 0.19 | 1100 | <20 | <5.0 | 5900 B | 19 B, J | <0.1 | 1.2 J | 4.4 J | 2300 B | <5.0 | 6900 | 100 | <2.5 | 14 J | 0.049 B, J | 7.3 | 0.85 J | 61 | 61 | <10 | 82 | 1.6 | 1 | 6.15 | 10.6 | 131 | 7.71 | 190 | | Do Not Drink - Resample | |
| Buck Steam Station | 280 Leonard Road Salisbury, NC 28146 | Private | B56 | Initial | | <10 | <0.5 | <0.5 | 84.7 | <0.2 | <5 | <0.08 | 6610 | <0.5 | <0.5 | <0.001 | 170 | <0.03 | 2 | 3490 | 29.6 | <0.2 | 0.59 | <0.5 | 4180 | <0.5 | 6320 | 49.5 | <0.1 | <1 | 1.18 | 1.9 | 4.8 | 39 | 39 | <5 | 70 | <2.5 | 1.6 | 6.9 | 17 | 103.3 | 1 | 52.9 | | Do Not Drink - No Resample | |
| Buck Steam Station | 225 Grant Road Salisbury, NC 28146 | Private | B57 | Initial | | <200 | <1.0 | <1.0 | 7.3 | <0.2 | <130 | <0.10 | 8400 | <25 | <0.06 | 430 | <20 | 3.7 | 2600 B | 15 B, J | 0.017 B, J | <0.50 | 2.0 J | 1200 B | <10 | 10000 | 84 | <0.5 | 15 J | 0.077 B | 5.1 | 0.46 J | 27 | 27 | <10 | 73 | <1.0 | <1.0 | 6.19 | 14 | 90 | 7.7 | 220 | | Do Not Drink - Resample | | |
| Buck Steam Station | 235 Leonard Road Salisbury, NC 28146 | Private | B58 | Initial | Well #2 | 71 J | 0.21 J | 1.7 J | 41 | <2.0 | 28 J | 0.44 B | 63000 | <25 | 1.4 J | 0.008 | 2900 | <20 | 8.4 | 9300 B | 23 B, J | 0.047 B, J | 0.064 J | 6.6 J | 1200 B | <5.0 | 8600 | 160 | <0.5 | 12 J | 0.54 B | 6.2 | 2.2 | 160 | 150 | <10 | 230 | 3.2 | 2 | 7.4 | 14 | 298 | 6.41 | 160 | | Do Not Drink - No Resample | |
| Buck Steam Station | 175 Leonard Road Salisbury, NC 28146 | Private | B59 | Initial | | 13.7 | <0.5 | <0.5 | 4.9 | <0.2 | <5 | <0.08 | 14400 | <25 | <0.05 | 0.0011 | <50 | 22.3 M6 | <0.1 | 8910 | <0.5 | <0.2 | 0.5 | <0.5 | 4590 | 94.1 | <0.5 | 14.3 | 0.0246 | 3.1 | 2.2 | 69.2 | 69.2 | <5 | 140 | <2.5 | <1 | 7 | 17.2 | 161.9 | 5.2 | 304 | | Do Not Drink - No Resample | | | |
| Buck Steam Station | 315 Leonard Road Salisbury, NC 28146 | Private | B60 | Initial | | <200 | <5.0 | 1.8 J | 47 | <2.0 | <130 | <0.50 | 11000 | <25 | <25 | 0.0051 | 490 | <20 | <5.0 | 6300 B | 11 B, J | 0.034 B, J | 1.0 J | <25 | 1700 B | <5.0 | 9900 | 63 | <2.5 | 15 J | 0.028 B, J | 2.1 | 1.2 | 45 | 45 | <10 | 98 | <1.0 | <1.0 | 6.51 | 15.5 | 103 | 5.84 | 210 | | Do Not Drink - Resample | |
| Buck Steam Station | 185 Dukeville Road Salisbury, NC 28146 | Private | B62 | Initial | | <10 | <0.5 | <0.5 | 12.6 | <0.2 | <5 | <0.08 | 5770 | <0.5 | <0.5 | 0.0472 | <50 | 0.065 | 0.74 | 2850 | 2.9 | <0.2 | <0.5 | <0.5 | 1090 | <0.5 | 5390 | 55.5 | <0.1 | 4.6 | 0.488 | 2.3 | 2.3 | 26.6 | 26.6 | <5 | 59 | <2.5 | <1 | 6.6 | 15 | 77.6 | 5.7 | 155.6 | | Do Not Drink - No Resample | |
| Buck Steam Station | 325 Leonard Road Salisbury, NC 28146 | Public | B63 | Initial | | <50 | 0.053 J | <10 | 11 | <1 | <500 | 0.26 J | 6100 | <7.5 | <1 | 0.0425 | <50 | <0.1 | 3.7 | 3800 | 1.5 J | <0.2 | 0.11 J | 1.8 J | 760 | <1 | 5.6 | 0.047 | 4.6 | <1 | 35 | 35 | <5 | 110 | <0.1 | 0.63 J | 6.7 | 13.2 | 74 | 11 | 191 | | Do Not Drink - Resample | | | | |
| Buck Steam Station | 2380 Long Ferry Road Salisbury, NC 28146 | Private | B64 | Initial | | <10 | <0.5 | <0.5 | 5.5 | <0.2 | 7.7 | 0.43 | 5370 | 1.1 | <0.5 | 0.0054 | <50 | 0.81 | 0.26 | 2420 | 7 | <0.2 | <0.5 | <0.5 | 786 | <0.5 | 4500 | 48.5 | <0.1 | 5.7 | 0.581 | 1.6 | <2 | 27.4 | 27.4 | <5 | 46 | <2.5 | <1 | 6.6 | 20.2 | 64.7 | 6.3 | 217.7 | | Do Not Drink - No Resample | |
| Buck Steam Station | 270 Leonard Road Salisbury, NC 28146 | Private | B65 | Initial | | <10 | <0.5 | <0.5 | 5.6 | <0.2 | <5 | <0.08 | 26100 | <0.5 | <0.5 | <0.001 | <50 | 0.03 | 0.14 | 4940 | 18.9 | <0.2 | 5 | <0.5 | 2920 | <0.5 | 8590 | 124 | <0.1 | <1 | 0.106 | 5.2 | 4.4 | 82.5 | 82.5 | <5 | 191 | <2.5 | <1 | 7.9 | 16.9 | 207 | 0.3 | -6 | | Well is good - OK to drink | |
| Buck Steam Station | 210 Dukeville Rd, Salisbury, NC 28146 | Private | B66 | Initial | Road Well #1 - high turbidity | 18.1 | <0.5 | <0.5 | 12.2 | <0.2 | <5 | <0.08 | 9770 | 1.9 | <0.5 | 0.0232 | 2700 | 1 | 0.82 | 4200 | 18 | <0.2 | <0.5 | 0.58 | 1520 | <0.5 | 5050 | 73.5 | <0.1 | 2.6 | 0.193 | 4.8 | <2 | 40.8 | 40.8 | <5 | 113 | 5.6 | 38.5 | 6.4 | 15.6 | 106 | 3.1 | 105.9 | | Do Not Drink - No Resample | |
| Buck Steam Station | 210 Dukeville Rd, Salisbury, NC 28146 | Private | B66 | Initial | Road Well #2 - high turbidity | <10 | <0.5 | <0.5 | 16.4 | <0.2 | <5 | <0.08 | 5770 | 1.6 | <0.5 | 0.0724 | 5330 | 0.81 | 3.8 | 2870 | 20.5 | <0.2 | <0.5 | 1.2 | 1400 | <0.5 | 5340 | 59.1 | <0.1 | 1.4 | 0.28 | 4.6 | <2 | 20.4 | 20.4 | <5 | 120 | 22.6 | 121 | 6 | 16.1 | 90.4 | 5 | 135.8 | | Do Not Drink - No Resample | |
| Buck Steam Station | 2440 Long Ferry Road Salisbury NC 28146 | Private | B67 | Initial | | <10 | <0.5 | <0.5 | 58.5 | <0.2 | <5 | <0.08 | 10400 | <0.5 | <0.5 | 0.0063 | <50 | 0.082 | 0.25 | 2310 | 1.4 | <0.2 | 0.6 | <0.5 | 2600 | <0.5 | 8520 | 94.9 | <0.1 | 3.4 | 0.032 | 3.2 | 2.5 | 29.7 | 29.7 | <5 | 90 | <2.5 | <1 | 6.2 | 16.2 | 119.3 | 6.4 | 205.8 | | Do Not Drink - No Resample | |
| Buck Steam Station | 485 Leonard Rd Salisbury, NC 28146 | Private | B69 | Initial | | <10 | <0.5 | <0.5 | 22.5 | <0.2 | <5 | <0.08 | 8520 | 16.3 | <0.5 | 0.0011 | <50 | 10.6 | <0.1 | 6900 | 1.6 | <0.2 | 0.5 | 3 | 681 | <0.5 | 4410 | 70 | <0.1 | 8.5 | 0.0161 | 8 | <2 | 31.6 | 31.6 | <5 | 74 | <2.5 | <1 | 6.6 | 16.9 | 119 | 5.6 | 197 | | Do Not Drink - No Resample | |
| Buck Steam Station | 295 Leonard Rd Salisbury, NC 28146 | Private | B71 | Initial | | <10 | <0.5 | <0.5 | 12.2 | <0.2 | <5 | <0.08 | 2860 | <0.5 | <0.5 | 0.0014 | <50 | <0.6 | 1.7 | 656 | <0.5 | <0.2 | 2.4 | <0.5 | 898 | <0.5 | 6140 | 44.4 | <0.1 | 1.2 | <0.005 | 1.5 | <2 | 17 | 17 | <5 | 74 | 76 | <2.5 | <1 | 6.3 | 17.5 | 45.5 | 7.7 | 193.8 | | Do Not Drink - Resample |
| Buck Steam Station | 1145 Leonard Rd Salisbury, NC 28146 | Private | B73 | Initial | | 13.4 | <0.5 | <0.5 | 12.4 | <0.2 | <5 | <0.08 | 13700 | 0.69 | <0.5 | 0.003 | <50 | <0.6 | 0.36 | 3690 | 11.2 | <0.2 | 0.96 | <0.5 | 2010 | <0.5 | 7220 | 66.9 | <0.1 | 8.4 | 1.54 | 2.2 | 5 | 47.7 | 47.7 | <5 | 103 | <2.5 | <1 | 7.2 | 19.2 | 140.2 | 4.1 | 210.8 | | Do Not Drink - Resample | |
| Buck Steam Station | 1250 Leonard Rd Salisbury, NC 28146 | Private | B74 | Initial | | <10 | <0.5 | <0.5 | 5.8 | <0.2 | <5 | <0.08 | 3120 | 1.1 | <0.5 | 0.0073 | <50 | 1.1 M6 | 0.14 | 1450 | 1.2 | <0.2 | <0.5 | <0.5 | 980 | <0.5 | 4120 | 29.5 | <0.1 | 5.5 | 0.0157 | 1.3 | <2 | 16.5 | 16.5 | <5 | 66 | <2.5 | <1 | 6.4 | 17 | 45.8 | 6.9 | 211.9 | | Do Not Drink - No Resample | |
| Buck Steam Station | 2520 Long Ferry Rd Salisbury, NC 28146 | Private | B75 | Initial | | <10 | <0.5 | <0.5 | 5 | <0.2 | <5 | <0.08 | 15500 | 22.1 | <0.5 | 0.0021 | <50 | 21.2 | <0.1 | 9590 | <0.5 | <0.2 | <0.5 | <0.5 | 751 | <0.5 | 4900 | 94.4 | <0.1 | 14.1 | 0.0025 | 3.5 | <2 | 74.9 MI | 74.9 | <5 | 113 | <2.5 | <1 | 7 | 18 | 169.6 | 5.2 | 249.5 | | Do Not Drink - No Resample | |
| Buck Steam Station | 345 Leonard Rd Salisbury, NC 28146 | Private | B76 | Initial | | <10 | <0.5 | <0.5 | 12.5 | <0.2 | <5 | <0.08 | 8400 MI | 9.7 | <0.5 | <0.001 | <50 | 6.3 | <0.1 | 5620 | <0.5 | <0.2 | <0.5 | 0.97 | 1070 | <0.5 | 5150 | 50.6 | <0.1 | 13.3 | <0.0035 | 2.4 | 2.8 | 41.7 | 41.7 | <5 | 71 | <2.5 | <1 | 7.3 | 16 | 113.2 | 4.4 | 306.6 | | Do Not Drink - No Resample | |
| Buck Steam Station | 625 Leonard Rd Salisbury, NC 28146 | Private | B77 | Initial | Well 1 | <10 | <0.5 | <0.5 | 24.4 | <0.2 | <5 | <0.08 | 31500 | <0.5 | <0.5 | <0.001 | <50 | <0.6 | 0.15 | 5740 | 10.7 | <0.2 | 3.3 | <0.5 | 3180 | <0.5 | 8820 | 119 | <0.1 | <1 | 0.0476 | 2.2 | 6.7 | 106 | 106 | <5 | 132 | <2.5 | <1 | 7.9 | 17 | 231.5 | 0.04 | 14.8 | | Incomplete - Resample | |
| Buck Steam Station | 625 Leonard Rd Salisbury, NC 28146 | Private | B77 | Initial | Well 2 | <10 | <0.5 | <0.5 | 23.7 | <0.2 | <5 | <0.08 | 5620 | 1.2 | <0.5 | 0.0244 | <50 | 1.2 | 1.6 | 2140 | 0.65 | <0.2 | <0.5 | <0.5 | 929 | <0.5 | 6520 | 76.4 | <0.1 | 3.3 | 0.0284 | 2.2 | <2 | 24.9 | 24.9 | <5 | 62 | <2.5 | <1 | 6 | 17.6 | 74.5 | 6.8 | 233.5 | | Do Not Drink - No Resample | |
| Buck Steam Station | 329 Leonard Rd Salisbury, NC 28146 | Private | B78 | Initial | | <10 | <0.5 | <0.5 | 41.4 | <0.2 | <5 | <0.08 | 12900 | 1.1 | <0.5 | 0.0051 | <50 | 0.31 | 0.32 | 6400 | 2 | <0.2 | 0.51 | 1.3 | 1770 | <0.5 | 8080 | 108 | <0.1 | 3.2 | 0.633 | 16.9 | 2.2 | 39.3 | 39.3 | <5 | 171 | <2.5 | <1 | 6.1 | 16.4 | 167.5 | 3.2 | 253.8 | | Do Not Drink - No Resample | |
| Buck Steam Station | 245 Leonard Rd Salisbury, NC 28146 | Private | B79 | Initial | | 14.7 | <0.5 | <0.5 | 36.1 | <0.2 | <5 | <0.08 | 9500 | <0.5 | <0.5 | 0.0021 | <50 | <0.6 | 1.4 | 5040 | 5.9 | <0.2 | 0.78 | <0.5 | 1910 | <0.5 | 8550 | 111 | <0.1 | 4 | <0.005 | 3.1 | 2.5 | 26.9 | 26.9 | <5 | 123 | <2.5 | <1 | 6.5 | 16.8 | 137.9 | 5.7 | 199.6 | | Do Not Drink - Resample | |
| Buck Steam Station | 1270 Leonard Rd Salisbury, NC 28146 | Private | B81 | Initial | | <10 | <0.5 | <0.5 | 9.1 | <0.2 | <5 | <0.08 | 3030 | 1.5 | <0.5 | 0.0148 | <50 | 0.85 | 0.56 | 1400 | 0.77 | <0.2 | <0.5 | <0.5 | 757 | <0.5 | 3750 | 32.1 | <0.1 | 3.4 | <0.005 | 1.2 | 2.4 | 14.1 | 14.1 | <5 | 34 | <2.5 | <1 | 6.1 | 18 | 47.1 | 6.9 | 196.9 | | Do Not Drink - No Resample | |
| Buck Steam Station | 180 Dukeville Rd Salisbury, NC 28146 | Private | B83 | Initial | | <10 | <0.5 | <0.5 | 14.5 | <0.2 | <5 | 0.14 | 9310 MI | 0.94 | <0.5 | 0.024 | 112 | 0.65 | 0.6 | 4520 MI | 4 | <0.2 | <0.5 | <0.5 | 1440 | <0.5 | 6910 MI | 86.3 | <0.1 | 3.6 | 0.176 | 4.8 | 2.2 | 33.6 | 33.6 | <5 | 89 | <2.5 | <1 | 6.3 | 17.7 | 120.7 | 5.9 | 167.2 | | Do Not Drink - No Resample | |
| Buck Steam Station | 2560 Long Ferry Rd Salisbury, NC 28146 | Private | B85 | Initial | | <10 | <0.5 | <0.5 | 6.1 | <0.2 | <5 | <0.08 | 19900 | 9.2 | <0.5 | 0.0055 | <50 | 7.3 | 0.44 | 12600 | 2.6 | <0.2 | <0.5 | <0.5 | 656 | <0.5 | 5230 | 116 | <0.1 | 11.2 | 0.0271 | 12.7 | <2 | 64.4 | 64.4 | <5 | 148 | <5 | <1 | 6.5 | 18.8 | 213.6 | 1.6 | 250.9 | | Do Not Drink - No Resample | |
| Buck Steam Station | 1165 Leonard Rd Salisbury, NC 28146 | Private | B86 | Initial | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---------|------|---------|---|--------------|---------|---------|------|---------|-------|---------|-------|--------|---------|-----------|------|-------|--------|--------|-----------|------------|------------|--------|--------|---------|-------|------|---------|--------|-------------|---------|--------|---------|------|-----|-------|-------|--------|------|------|-------|------|-------------------------|----------------------------|
| Marshall Steam Station | 8238 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR11 | Initial | | <10 | <0.5 | <0.5 | 48.5 | <0.2 | <5 | <0.08 | 12900 | 0.87 | <0.5 | 0.0135 | <50 | 0.52 | 0.43 | 584 | 0.72 | <0.2 | <0.5 | <0.5 | 2430 | <0.5 | 3470 | 78.2 | <0.1 | 1 | 0.0069 | 1.3 | 2 | 35.8 | 35.8 | <5 | 71 | <2.5 | <1 | 6.5 | 17.6 | 86.9 | 7.7 | 402.5 | Do Not Drink - No Resample |
| Marshall Steam Station | 8220 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR12 | Initial | Sample apparently sampled at tap. Per lab, no tap @ well head. No treatment devices | <200 | <1 | 2.9 J | 34 | <2 | <130 | <0.1 | 6500 | <25 | <25 | 0.36 | 330 | <20 | 2.4 | 1500 B | 53 B | 0.042 B, J | 0.088 J | 10 J | 2200 B | <5 | 10000 | 99 | <0.5 | 12 J | 0.06 B | 2.3 | <1 | 34 | 34 | <10 | 93 B | 0.4 J | <1 | 6.75 | 12 | 83 | 9.81 | 130 | Do Not Drink - Resample |
| Marshall Steam Station | 3085 Steam Plant Road Sherrills Ford, NC 28673 | Private | MR13 | Initial | | <50 | <3 | <10 | 11.4 | <1 | <100 | <1 | 3460 | <10 | <5 | 0.00953 J | <50 | <20 | <5 | 1090 | <10 | <0.2 | <10 | <10 | 1520 | <10 | 3820 | 106 | <1 | 1.97 J | <0.01 | 1.9 | <10 | 19 | 19 | <1 | 56 | <5 | <1 | 7.36 | 10.7 | 63.6 | NA | Do Not Drink - Resample | |
| Marshall Steam Station | 8136 Island Point Road Sherrills Ford, NC 28673 | Private | MR14 | Initial | | 2.2 J | <1 | <1 | 49 | 0.078 J | <25 | <0.1 | 9100 | <5 | 0.16 J | 0.02 | 210 | <20 | 0.2 J | 2300 B | 1.4 B, J | 0.043 B, J | 0.067 J | 0.89 J | 1900 B | <1 | 6400 | 77 | <0.5 | <5 | 0.016 B | 2.3 | 0.49 J | 37 | 37 | <10 | 67 B | <1 | <1 | 6.7 | 10.3 | 88 | 8.35 | 110 | Incomplete - Resample |
| Marshall Steam Station | 8526 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR16 | Initial | | <10 J | <0.5 | <0.08 J | 86.8 | <0.11 J | <20 J | <0.06 J | 19900 | 1.9 J | <0.03 J | 0.00029 J | 969 | <5 | <0.5 | 4080 | 131 | <0.01 J | <0.11 J | 0.48 J | 2490 | <0.16 J | 4890 | 103 | <0.06 J | 0.36 | 0.00209 J | 7 | 16 | 53 ** | NA | NA | 125 | <2.5 | 4.9 | 7.12 | 15 | 196 | 4.77 | NA | Do Not Drink - Resample |
| Marshall Steam Station | 8486 Island Point Road Sherrills Ford, NC 28673 | Private | MR17 | Initial | | 15 J | <1 | <1 | 12 | <0.4 | <25 | <0.1 | 9600 | <5 | 0.23 J | 0.0055 | 240 | <20 | 0.27 J | 2500 B | 0.89 B, J | 0.041 B, J | 0.067 B, J | 1 J | 1900 B | <1 | 5000 | 160 | <0.5 | 2.6 J | 0.0039 B, J | 1.4 | 0.74 J | 38 | 38 | <10 | 45 B | <1 | <1 | 7.13 | 10 | 84 | 8.68 | 71 | Do Not Drink - Resample |
| Marshall Steam Station | 8628 Island Point Road Sherrills Ford, NC 28673 | Private | MR18 | Initial | | <200 | <5 | 3 J | 21 J | <2 | <130 | <0.5 | 12000 | <25 | 0.22 J | 0.084 | 500 | <20 | <5 | 3000 B | 15 B, J | 0.038 B, J | <50 | 2 J | 2700 B | 3.4 J | 13000 | 240 | <2.5 | 9.9 J | 0.015 B, J | 3.3 | 1.6 | 43 | 43 | <10 | 88 B | <1 | <1 | 7.18 | 11.2 | 116 | 7.77 | 76 | Do Not Drink - Resample |
| Marshall Steam Station | 8118 Island Point Road Sherrills Ford, NC 28673 | Private | MR20 | Initial | | <200 | 0.13 J | 3.2 | 14 | <2 | <130 | <0.1 | 28000 | <25 | 0.31 J | 0.13 | 1100 | <20 | 12 | 5400 B | 13 B, J | 0.04 B, J | 2 J | 3.4 J | 3000 B | 1.4 J | 14000 | 170 | <0.5 | 14 J | 0.036 B, J | 3.3 | 1.3 | 71 | 70 | <10 | 100 B | <1 | <1 | 7.81 | 11.1 | 177 | 8.27 | 29 | Do Not Drink - Resample |
| Marshall Steam Station | 8510 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR21 | Initial | | 24 J | <0.1 | 2.6 J | 82 | 0.23 J | 5 J | <0.5 | 2700 | <25 | 0.88 J | 0.013 | 190 | <20 | 0.28 J | 1500 B | 34 B | 0.036 B, J | 0.52 J | <25 | 1700 B | 1.7 J | 2500 | <50 | <0.5 | 9.8 J | 0.028 B, J | 4 | 0.55 J | 6 J | 6 J | <10 | 49 B | <1 | <1 | 6.11 | 14.5 | 44 | 8.92 | 130 | Do Not Drink - Resample |
| Marshall Steam Station | 8396 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR22 | Initial | | <10 | <0.5 | <0.5 | 79.3 | <0.2 | <5 | <0.08 | 3790 | 0.91 | <0.5 | 0.0336 | <50 | 0.56 | 2.4 | 1200 | 3.8 | <0.2 | <0.5 | 0.55 | 2430 | <0.5 | 4370 | 34.1 | <0.1 | <1 | 0.025 | 2.3 | <2 | 16.2 | 16.2 | <5 | 55 | <2.5 | <1 | 5.7 | 16.2 | 62.4 | 8.2 | 287.7 | Do Not Drink - No Resample |
| Marshall Steam Station | 8204 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR23 | Initial | no sample port at well head. Sample collected from spigot on back of house | <50 | <1 | <5 | 110 | <1 | <100 | <0.1 | 20000 | 1 | <1 | 0.022 | <50 | <10 | <2 | 5400 | <5 | <0.2 | <5 | <5 | 3000 | <5 | 16000 | 270 | <0.1 | 3 | 0.082 | 23.6 | <1 | 52.9 | 52.9 | <0 | 177 | <1 | <1 | 6.1 | 18 | 232 | 5.6 | 240 | Do Not Drink - Resample |
| Marshall Steam Station | 8172 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR25 | Initial | | <50 | 0.049 J | <1 | 47 | <1 | 62 J | <1 | 10000 | 0.44 J | <1 | 0.00096 J | <50 | <10 | 0.97 J | 3000 | 1 J | <0.2 | 0.12 J | 0.24 J | 2300 | <1 | 12000 | 110 | <1 | 1.8 J | 0.039 | 7.8 | 0.53 J | 53 | 53 | <5 | 150 | <3.3 | 0.21 J | 5.8 | 12.9 | 104 | 7.7 | 149 | Do Not Drink - Resample |
| Marshall Steam Station | 8566 Island Point Road Sherrills Ford, NC 28673 | Private | MR26 | Initial | | <50 | <1 | <5 | 56 | <1 | <100 | <0.1 | 7700 | 1 | <1 | 0.009 | <50 | <10 | <2 | 2700 | <5 | <0.2 | <5 | <5 | 2000 | <5 | 6800 | 170 | <0.1 | 3 | 0.007 | 2.68 | 1.12 | 36.3 | 36.3 | <0 | 80 | <1 | <1 | 6.2 | 17.2 | 92.6 | 5.9 | 236 | Do Not Drink - Resample |
| Marshall Steam Station | 8455 E NC 150 Highway Terrell, NC 28682 | Public | MR28 | Initial | | <10 | <0.5 | <0.5 | 44.5 | <0.2 | <5 | <0.08 | 12600 | 1 | <0.5 | 0.0363 | 114 | 0.064 | 1.2 | 2500 | 4.4 | <0.2 | <0.5 | 1.1 | 2260 | <0.5 | 8060 | 162 | <0.1 | 1.9 | 0.151 | 14.3 MI | 2.4 | 35.5 | 35.5 | <5 | 105 | <2.5 | <1 | 6.2 | 16.6 | 130.4 | 6.6 | 184.8 | Do Not Drink - No Resample |
| Marshall Steam Station | 8790 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR29 | Initial | | <10 | <0.5 | <0.5 | 37 | <0.2 | <5 | <0.08 | 3200 | 2.9 | <0.5 | 0.0119 | <50 | 1.5 | 0.28 | 915 | 3.2 | <0.2 | <0.5 | 0.69 | 1300 | <0.5 | 4080 | 106 | <0.1 | 2.9 | 0.0348 | 1.5 | <2 | 16.7 | 16.7 | <5 | 59 | <5 | <1 | 6.3 | 16.4 | 45.7 | 7.6 | 382.1 | Do Not Drink - No Resample |
| Marshall Steam Station | 8320 E NC 150 Highway Terrell, NC 28682 | Public | MR30 | Initial | | 25.9 J | <0.40 J | 0.39 J | 30.5 | <0.11 J | <20 J | <0.06 J | 13000 | 3.22 | <0.03 J | 0.0058 J | 27 | 2.74 | 0.41 J | 2230 | <2 | <0.01 J | 0.67 J | 0.61 | 1740 | 0.43 J | 9260 | 163 | <0.06 J | 2.24 | 0.0501 | 1 | 5 | 49 ** | NA | NA | 68 | <2.5 | <1 | 6.36 | 15.6 | 191 | 5.41 | NA | Do Not Drink - No Resample |
| Marshall Steam Station | 8457 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR32 | Initial | high turbidity | 0.0018 SI, Z | <1 | <5 | 130 | <1 | <100 | <0.1 | 15000 | 2 | 2 | 0.043 | 3100 | <10 | 8 | 1800 | 130 | <0.2 | <5 | <5 | 3500 | <5 | 5400 | 110 | 0.1 | 8 | 0.118 | 5.72 | <1 | 32.3 | 32.3 | <0 | 106 | 105 | 28 | 6 | 18.8 | 117 | 6.6 | 215 | Do Not Drink - Resample |
| Marshall Steam Station | 8104 Island Point Road Sherrills Ford, NC 28673 | Private | MR33 | Initial | | <10 | <0.5 | <0.5 | 26.7 | <0.2 | <5 | <0.08 | 4510 | 1 | <0.5 | 0.0113 | <50 | 0.9 | 0.44 | 831 | <0.5 | <0.2 | <0.5 | <0.5 | 1280 | <0.5 | 5080 | 46.7 | <0.1 | 1.7 | <0.005 | 2.9 | <2 | 16.7 | 16.7 | <5 | 57 D6 | <2.5 | <1 | 6.2 | 18.1 | 61.7 | 7.9 | 354.8 | Do Not Drink - No Resample |
| Marshall Steam Station | 8511 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR35 | Initial | | 21.1 | <0.5 | <0.5 | 18 | <0.2 | <5 | <0.08 | 14800 | <0.5 | <0.5 | 0.0064 | 65.4 | <0.03 | 1.4 | 3270 | 23.5 | <0.2 | 1.3 | <0.5 | 2020 | <0.5 | 7180 | 95 | <0.1 | 2 | <0.005 | 1.4 | 5 | 54.5 | 54.5 | <5 | 96 | <2.5 | <1 | 7.3 | 16.5 | 143.3 | 1.8 | 259.2 | Do Not Drink - No Resample |
| Marshall Steam Station | 8550 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR36 | Initial | MR 34 and MR36 share a well. | <10 | <0.5 | <0.5 | <0.3 | <0.2 | <5 | <0.08 | <40 | <0.5 | <0.5 | <0.001 | 105 | <0.03 | <0.1 | <10 | 0.54 | <0.2 | <0.5 | <0.5 | 155 | <0.5 | 33500 | <0.5 | <0.1 | <1 | <0.005 | 2.7 | 11.7 | 46.6 MI | 46.6 | <5 | 75 | <2.5 | 1.2 | 8.7 | 16.2 | 136.3 | 0.01 | -39 | Well is good - OK to drink |
| Marshall Steam Station | 8084 Island Point Road Sherrills Ford, NC 28673 | Private | MR37 | Initial | | <10 | <0.5 | <0.5 | 32.3 | <0.2 | <5 | <0.08 | 2760 | 2.8 | <0.5 | 0.0065 | <50 | 2.7 | 0.24 | 791 | 4.1 | <0.2 | <0.5 | <0.5 | 1320 | <0.5 | 3230 | 21.9 | <0.1 | <1 | 0.0179 | 5.3 | <2 | 8.3 | 8.3 | <5 | 2040 | <2.5 | <1 | 6.1 | 17.9 | 44.8 | 8.7 | 329.5 | Do Not Drink - No Resample |
| Marshall Steam Station | 8009 Island Point Road Sherrills Ford, NC 28673 | Private | MR38 | Initial | | <10 | <0.5 | <0.5 | 91.7 | 0.21 | <5 | <0.08 | 3090 | 1.7 | <0.5 | 0.0169 | <50 | 1.3 | 0.54 | 1060 | 5.3 | <0.2 | <0.5 | 0.51 | 2310 | <0.5 | 3970 | 36 | <0.1 | <1 | 0.0393 | 1.5 | <2 | 13.9 | 13.9 | <5 | 224 | <2.5 | <1 | 5.8 | 16.3 | 48.8 | 6.8 | 304.9 | Do Not Drink - No Resample |
| Marshall Steam Station | 8140 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR43 | Initial | | <10 | <0.5 | <0.5 | 43 | <0.2 | <5 | <0.08 | 5010 | 4.8 | <0.5 | 0.0149 | 190 | 2.4 | 1 | 2270 | 1.9 | <0.2 | <0.5 | 1.2 | 2500 | <0.5 | 5720 | 76.3 | <0.1 | 3.9 | 0.0055 | 1.6 | <2 | 29.2 | 29.2 | <5 | 90 | <2.5 | 1.2 | 6.1 | 16.9 | 79.1 | 7.3 | 428.9 | Do Not Drink - No Resample |
| Marshall Steam Station | 8833 Greenwood Road Terrell, North Carolina 28682 | Private | MR44 | Initial | | <10 | <0.5 | <0.5 | 33 | <0.2 | 5.1 | <0.08 | 9060 | 1.2 | <0.5 | 0.0085 | 327 | 0.54 | 0.33 | 2130 | 0.96 | <0.2 | <0.5 | <0.5 | 1780 | <0.5 | 8340 | 196 | <0.1 | 5.1 | 0.0159 | 1.6 | <2 | 39.4 | 39.4 | <5 | 93 | <2.6 | 3.2 | 6.2 | 16.9 | 103.4 | 6.6 | 182.5 | Do Not Drink - No Resample |
| Marshall Steam Station | 8704 Sherrills Ford Road Sherrills Ford, NC 28673 | Private | MR45 | Initial | | 21.5 | <0.5 | <0.5 | 127 | <0.2 | <5 | <0.08 | 3530 | 1 | <0.5 | 0.0337 | <50 | 0.73 | 0.44 | 1020 | 12 | <0.2 | <0.5 | 0.97 | 2360 | <0.5 | 4600 | 37.4 | <0.1 | <1 | 0.0422 | 6.2 | <2 | 9.2 | 9.2 | <5 | 65 | <2.5 | <1 | 5.6 | 17 | 61.3 | 7 | 282.9 | Do Not Drink - No Resample |
| Mayo Steam Station | 12015 Boston Road Roxboro, NC 27574 | Private | MY3 | Initial | | 3480 | <3 | <10 | 70.2 | <1 | <100 | <1 | 22500 | <10 | <5 | 0.051 | 1750 | <20 | 2950 | 20.9 | <0.2 | <10 | <10 | 1130 | <10 | 30700 | 436 | <1 | 3.03 J | 0.0124 | 37.5 | 60 | 28.5 | 28.5 | <1 | 293 | 13.4 | 29.7 | 5.71 | 15.5 | 399 | 9.24 | NA | Do Not Drink - Resample | |
| Mayo Steam Station | Roxboro Road DB446/309 Alton, VA 24520 | Private | MY5 | Initial | Health risk | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---------|-------|----------|--|------|------|------|------|------|-------|-------|----------|------|--------|--------|------|-------|------|------|------|------|------|------|------|------|-------|------|------|-------|--------|------|------|---------|-------|-------|--------|------|------|-----|-------|-------|-------|-------------------------|----------------------------|-----|
| Allen Steam Station | 305 Mitchell Street Belmont, NC 28012 | Private | AL26R | Resample | | 10.6 | <0.5 | <0.5 | 44.7 | <0.2 | <5 | <0.08 | 16000 | 0.79 | <0.5 | 0.0067 | <50 | 0.55 | 0.25 | 4890 | 0.68 | <0.2 | <0.5 | <0.5 | 2110 | <0.5 | 8470 | 187 | <0.1 | 7.6 | 0.0977 | 8.8 | 2.5 | 45.5 | 45.5 | <5 | 147 | <2.5 | <1 | 6.7 | 17.4 | 163.6 | 5.7 | 347.8 | Do Not Drink - No Resample | |
| Allen Steam Station | 111 South Point Drive Belmont, NC 28012 | Private | AL30R | Resample | | <10 | <0.5 | <0.5 | 54.7 | <0.2 | <5 | <0.08 | 14700 | 3.6 | <0.5 | 0.0206 | <50 | 3.5 | 0.16 | 3530 | <0.5 | <0.2 | <0.5 | <0.5 | 1840 | <0.5 | 8560 | 220 | <0.1 | 5.8 | 0.0142 | 13.2 | <2 | 43.1 | 43.1 | <5 | 122 | <2.5 | <1 | 6.5 | 18.5 | 135.2 | 6.8 | 301 | Do Not Drink - No Resample | |
| Allen Steam Station | 123 South Point Drive Belmont, NC 28012 | Private | AL33R | Resample | | <10 | <0.5 | <0.5 | 15.1 | <0.2 | <5 | <0.08 | 7450 | 4.2 | <0.5 | 0.0129 | <50 | 4.1 | 0.16 | 2010 | <0.5 | <0.2 | <0.5 | 0.53 | 1030 | <0.5 | 6360 | 127 | <0.1 | 6.4 | <0.005 | 1.9 | <2 | 34.4 | 34.4 | <5 | 116 | <2.5 | <1 | 6.5 | 18 | 77.7 | 5.8 | 302.5 | Do Not Drink - No Resample | |
| Allen Steam Station | 128 South Point Drive Belmont, NC 28012 | Private | AL34R | Resample | | <10 | <0.5 | <0.5 | 27.6 | <0.2 | <5 | <0.08 | 12200 | 2.6 | <0.5 | 0.0042 | <50 | 2.3 | 0.1 | 2710 | <0.5 | <0.2 | <0.5 | <0.5 | 1140 | <0.5 | 7400 | 146 | <0.1 | 10.1 | 0.0087 | 1.9 | 2.2 | 38 MI | 38 R1 | <5 R1 | 108 | <2.5 | <1 | 6.7 | 17.3 | 102.6 | 6.3 | 294.2 | Do Not Drink - No Resample | |
| Allen Steam Station | 2738 South Point Road Belmont, NC 28012 | Private | AL42R | Resample | | 11.7 | <0.5 | <0.5 | 19.5 | <0.2 | <5 | <0.08 | 6510 | 0.89 | <0.5 | 0.108 | <50 | 0.72 | 0.15 | 2500 | <0.5 | <0.2 | <0.5 | <0.5 | 1740 | <0.5 | 5030 | 80.3 | <0.1 | 3.6 | <0.005 | 1.8 | <2 | 30.8 | 30.8 | <5 | 62 | <2.5 | <1 | 6.5 | 18.1 | 81 | 7.8 | 218.1 | Do Not Drink - No Resample | |
| Allen Steam Station | 2649 South Point Road Belmont, NC 28012 | Private | AL45R | Resample | | <10 | <0.5 | <0.5 | 12.7 | <0.2 | <5 | <0.08 | 6700 | 0.89 | <0.5 | 0.0028 | <50 | 0.69 | 1.3 | 1520 | 0.6 | <0.2 | <0.5 | <0.5 | 1080 | <0.5 | 6010 | 77 | <0.1 | 5.3 | 0.0143 | 1.7 | <2 | 24.5 | 24.5 | <5 | 74 | <2.5 | <1 | 6.7 | 18.3 | 75.9 | 6.6 | 201.2 | Do Not Drink - No Resample | |
| | 101 Dana Michelle Court Belmont, NC 28012 | Private | AL50R | Resample | Well C - Resample was initiated by well owner, not DWR. The owner installed a filtration system. This sample is post-filtration. | <10 | <0.5 | <0.5 | NA | <0.2 | 18.6 | <0.08 | <40 | <0.5 | <0.5 | <0.001 | <50 | <0.03 | 0.37 | <10 | <0.5 | NA | <0.5 | <0.5 | 158 | <0.5 | 81000 | <0.5 | <0.1 | <1 | <0.005 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | N/A |
| Allen Steam Station | 106 Wildlife Road Belmont, NC 28012 | Private | AL51R | Resample | | <10 | <0.5 | <0.5 | 35.3 | <0.2 | <5 | <0.08 | 29300 | 0.76 | <0.5 | 0.0107 | <50 | 0.43 | 0.13 | 4110 | 0.58 | <0.2 | <0.5 | <0.5 | 1470 | <0.5 | 11000 | 346 | <0.1 | 2.4 | 0.0066 | 14.2 | 2 | 43.9 | 43.9 | <5 | 178 D6 | <2.5 | <1 | 6.3 | 18.1 | 225.8 | 5.7 | 266.1 | Do Not Drink - No Resample | |
| Allen Steam Station | 109 Wildlife Road Belmont, NC 28012 | Private | AL54R | Resample | | <10 | <0.5 | <0.5 | 22.8 | <0.2 | <5 | <0.08 | 17100 | 3.2 | <0.5 | 0.0195 | <50 | 2.9 | 0.14 | 4600 | 1.3 | <0.2 | <0.5 | <0.5 | 1290 | <0.5 | 9910 | 251 | <0.1 | 4.4 | 0.0058 | 15.7 | 3.8 | 49.4 MI | 49.4 | <5 | 145 | <2.5 | <1 | 6.2 | 17.1 | 157.1 | 4.7 | 267.4 | Do Not Drink - No Resample | |
| Allen Steam Station | 113 Wildlife Road Belmont, NC 28012 | Private | AL58R | Resample | | 10.7 | <0.5 | 0.82 | 29.2 | <0.2 | 6.6 | <0.08 | 21100 | 0.63 | <0.5 | <0.001 | <50 | 0.24 | 0.27 | 6380 | 4.4 | <0.2 | <0.5 | <0.5 | 3230 | <0.5 | 9510 | 203 | <0.1 | 12.2 | 0.0062 | 7.4 | 4.3 | 69.3 | 69.3 | <5 | 137 | <2.5 | <1 | 6.7 | 17.1 | 205.5 | 0.8 | 108.4 | Do Not Drink - No Resample | |
| Allen Steam Station | 135 Midwood Lane Belmont, NC 28012 | Private | AL59R | Resample | | <10 | <0.5 | <0.5 | 32.8 | <0.2 | <5 | <0.08 | 12800 M1 | 3 | <0.5 | 0.0013 | <50 | 2.4 | <0.1 | 5060 | 1.9 | <0.2 | <0.5 | <0.5 | 1860 | <0.5 | 8730 | 183 | <0.1 | 17.1 | 0.274 | 3.3 | <2 | 53.6 MI | 53.6 | <5 | 99 | <5 | <1 | 6.6 | 17.6 | 137 | 5.2 | 198 | Do Not Drink - No Resample | |
| Allen Steam Station | 128 Midwood Lane Belmont, NC 28012 | Private | AL70R | Resample | | <10 | <0.5 | <0.5 | 48.3 | <0.2 | <5 | <0.08 | 22000 | 1.8 | <0.5 | 0.0075 | <50 | 1.6 | 0.28 | 8050 | <0.5 | <0.2 | <0.5 | 0.57 | 2280 | <0.5 | 9700 | 265 | <0.1 | 9.4 | <0.005 | 8.9 | 2.7 | 75.3 | 75.3 | <5 | 162 | <2.5 | <1 | 6.5 | 18.6 | 180 | 3.7 | 262.3 | Do Not Drink - No Resample | |
| Buck Steam Station | 750 Dukeville Road Salisbury, NC 28146 | Private | B2R | Resample | | <10 | <0.5 | <0.5 | 14 | <0.2 | <5 | <0.08 | 13400 | 0.75 | <0.5 | 0.0022 | 201 | <0.6 | 0.52 | 4620 | 5.8 | <0.2 | <0.5 | <0.5 | 1920 | <0.5 | 6380 | 80.2 | <0.1 | 2.4 | 0.596 | 4.7 | 2.2 | 48 | 48 | <5 | 136 | <2.5 | 2 | 6.3 | 16.2 | 148 | 4.7 | 268.4 | Do Not Drink - Resample | |
| Buck Steam Station | 2550 James Street Salisbury, NC 28146 | Private | B11R | Resample | high turbidity | <10 | <0.5 | <0.5 | 8.5 | <0.2 | <5 | <0.08 | 6720 | <0.5 | <0.5 | 0.007 | 4600 | <0.6 | 0.7 | 3430 | 28.9 | <0.2 | <0.5 | <0.5 | 951 | <0.5 | 5850 | 71.8 | <0.1 | 1.8 | 0.0662 | 2.4 | <2 | 35.2 | 35.2 | <5 | 102 D6 | 8.3 | 28.1 | 6.4 | 20.3 | 98.6 | 4.5 | 44.2 | Do Not Drink - Resample | |
| Buck Steam Station | 880 Leonard Road Salisbury, NC 28146 | Private | B17R | Resample | | <10 | <0.5 | <0.5 | 73.5 | <0.2 | <5 | 1.4 | 11100 | 0.55 | <0.5 | 0.0205 | <50 | 0.27 | 0.42 | 3130 | 11.7 | <0.2 | 1.2 | 2 | 1650 | <0.5 | 12500 | 99.9 | <0.1 | 1 | 0.62 | 13.5 | <2 | 26.3 | 26.3 | <5 | 113 D6 | <5 | <1 | 6.1 | 19.3 | 151.2 | 6 | 235.1 | Do Not Drink - No Resample | |
| Buck Steam Station | 710 Dukeville Road Salisbury, NC 28146 | Private | B19R | Resample | 24.6 MI, R1 | <0.5 | <0.5 | 15.8 | <0.2 | <5 | <0.08 | 11400 | 0.66 | <0.5 | 0.0077 | <50 | <0.6 | 0.92 | 5130 | 1.1 | <0.2 | <0.5 | <0.5 | 1270 | <0.5 | 7440 | 101 | <0.1 | 4.7 | 0.293 | 9.3 | 2.1 | 35.8 | 35.8 | <5 | 143 | <2.5 | <1 | 6.4 | 18 | 152.5 | 4.5 | 255.7 | Do Not Drink - Resample | | |
| Buck Steam Station | 2625 James Street Salisbury, NC 28146 | Private | B26R | Resample | | <10 | <0.5 | <0.5 | 76.9 | <0.2 | <5 | <0.08 | 12200 | 2.7 | <0.5 | 0.0927 | <50 | 0.99 | 3.3 | 3050 | 2.4 | <0.2 | <0.5 | 1.2 | 2680 | <0.5 | 10500 | 145 | <0.1 | 2.4 | 0.0565 | 8.8 | <2 | 32.2 | 32.2 | <5 | 138 | <2.5 | <1 | 6 | 17.8 | 153.9 | 7.4 | 194.8 | Do Not Drink - No Resample | |
| Buck Steam Station | 1060 Leonard Road Salisbury, NC 28146 | Private | B40R | Resample | | <10 | <0.5 | <0.5 | 25.7 | <0.2 | <5 | <0.08 | 6720 | 1.5 | <0.5 | 0.0095 | <50 | 1.2 | 0.19 | 2010 | 0.71 | <0.2 | <0.5 | <0.5 | 1550 | <0.5 | 7410 | 79.2 | <0.1 | 4.3 | 0.0208 | 3.1 | <2 | 25.1 | 25.1 | <5 | 118 | <2.5 | <1 | 6.3 | 17.4 | 81 | 7 | NA | Do Not Drink - No Resample | |
| Buck Steam Station | 310 Dukeville Road Salisbury, NC 28146 | Private | B55R | Resample | | 23 | <0.5 | <0.5 | 18 | <0.2 | <5 | <0.08 | 23000 | 2.2 | <0.5 | 0.0082 | <50 | 2.2 | 0.71 | 4200 | 3.2 | <0.2 | 2.7 | 1.1 | 2070 | <0.5 | 6420 | 96 | <0.1 | 3.2 | 0.0089 | 6 | 3.2 | 62.9 | 62.9 | <5 | 95 | <2.5 | <1 | 6.6 | 17.6 | 178.4 | 2 | 198.9 | Do Not Drink - No Resample | |
| Buck Steam Station | 225 Grant Road Salisbury, NC 28146 | Private | B57R | Resample | | <10 | <0.5 | <0.5 | 7.1 | <0.2 | <5 | <0.08 | 7210 | 0.82 | <0.5 | 0.0253 | <50 | 0.64 | 0.42 | 2030 | 2 | <0.2 | <0.5 | <0.5 | 1150 | <0.5 | 7100 | 89.3 | <0.1 | 2.8 | 0.0264 | 5.3 | <2 | 23.7 | 23.7 | <5 | 78 | <2.5 | <1 | 6.2 | 19 | 93.8 | 6 | 161.1 | Do Not Drink - No Resample | |
| Buck Steam Station | 315 Leonard Road Salisbury, NC 28146 | Private | B60R | Resample | | 12.7 | <0.5 | <0.5 | 37.8 | <0.2 | <5 | 0.12 | 8130 | 1.3 | <0.5 | 0.0086 | 56 | 0.75 | 1.5 | 4160 | 1 | <0.2 | 0.73 | <0.5 | 1370 | <0.5 | 6440 | 53.2 | <0.1 | 6.1 | 0.0246 | 2.1 | 2.3 | 38.1 | 38.1 | <5 | 93 | <2.5 | <1 | 6.6 | 20.7 | 99.7 | 4.9 | 195.1 | Do Not Drink - No Resample | |
| | 2948 Fox Place Mooresboro, NC 28114 | Private | C1R | Resample | Well A (Corresponds to Well 2) | <10 | <0.5 | <0.5 | 15.3 | <0.2 | <5 | <0.08 | 5730 | 3.2 | <0.5 | 0.0129 | 218 | <0.6 | 0.74 | 1670 | 13.1 | <0.2 | <0.5 | 2.9 | 2490 | <0.5 | 4470 | 50.1 | <0.1 | <1 | 0.0182 | 2.1 | 9 | 17.9 | 17.9 | <5 | 53 | <2.5 | 1.4 | 6.2 | 17.2 | 78.9 | 1 | 217.8 | Incomplete - Resample | |
| Cliffside Steam Station | 2942 Fox Place Mooresboro, NC 28114 | Private | C3R | Resample | | 12.8 | <0.5 | <0.5 | 19 | <0.2 | 5 | <0.08 | 8890 | 0.56 | 1.2 | 0.0063 | <50 | <0.6 | 1.2 | 1340 | 25.5 | <0.2 | <0.5 | 2.7 | 1250 | <0.5 | 7250 | 44 | <0.1 | <1 | 0.0067 | 3.6 | 4.4 | 31.3 | 31.3 | <5 | 36 | <2.5 | <1 | 6.5 | 17.8 | 98.3 | 4.2 | 196.1 | Incomplete - Resample | |
| Cliffside Steam Station | 2801 Riverfront Drive Mooresboro, NC 28114 | Private | C10R | Resample | | <10 | <0.5 | 1.3 | 4.3 | <0.2 | <5 | <0.08 | 16700 | 2.3 | <0.5 | 0.002 | 220 | <0.6 | <0.1 | 1750 | 49.6 | <0.2 | <0.5 | 1.6 | 2100 | <0.5 | 4720 | 38.2 | <0.1 | <1 | 0.0101 | 2.3 | 7.6 | 46.9 | 46.9 | <5 | 79 | <2.5 | 2.2 | 7 | 17.1 | 132.1 | 1.7 | 36.7 | Incomplete - Resample | |
| Marshall Steam Station | 2971 Steam Plant Road Sherrills Ford, NC 28673 | Private | MR9R | Resample | | <10 | <0.5 | <0.5 | 17.6 | <0.2 | <5 | <0.08 | 6440 | 0.92 | <0.5 | 0.0025 | <50 | 0.68 | 0.12 | 1190 | <0.5 | <0.2 | <0.5 | <0.5 | 802 | <0.5 | 6950 | 83.5 | <0.1 | 6.4 | <0.005 | 1 | <2 | 25.9 | 25.9 | <5 | 83 | <2.5 | <1 | NA | NA | NA | NA | NA | Do Not Drink - No Resample | |
| Marshall Steam Station | 8136 Island Point Road Sherrills Ford, NC 28673 | Private | MR14R | Resample | | <10 | <0.5 | <0.5 | 49.5 | <0.2 | <5 | <0.08 | 9680 M1 | 0.82 | <0.5 | 0.001 | <50 | 0.65 | 0.13 | 1830 | 1.5 | <0.2 | <0.5 | <0.5 | 1940 | <0.5 | 5850 | 85.3 | <0.1 | 1.1 | <0.005 | 2.3 | <2 | 33 | 33 | <5 | 38 | <2.5 | <1 | 6 | 17.5 | 89.6 | 5.7 | 300.1 | Do Not Drink - No Resample | |
| Marshall Steam Station | 8486 Island Point Road Sherrills Ford, NC 28673 | Private | MR17R | Resample | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |