Behavioral Health and Intellectual/Developmental Disability Tailored Plan Eligibility and Enrollment

APPENDIX B — BH I/DD TAILORED PLAN CRITERIA

UPDATED: August 2, 2019

Pursuant to Session Law 2015-245, as amended by Session Law 2018-48¹, populations meeting eligibility requirements for the BH I/DD Tailored Plan shall be exempt from Medicaid Managed Care until such point that BH I/DD Tailored Plans are available. Prior to implementation of the BH I/DD Tailored Plan, beneficiaries meeting BH I/DD Tailored Plan eligibility criteria and not otherwise excluded from Standard Plans will continue to receive coverage through their current delivery system (fee-for-service [FFS] and the Local Management Entity/Managed Care Organizations [LME/MCOs] for most beneficiaries).

Per Session Law 2018-48, beneficiaries eligible for the BH I/DD Tailored Plan include those with a serious mental illness (SMI), a serious emotional disturbance (SED), a severe substance use disorder (SUD), an I/DD, or who have survived a traumatic brain injury (TBI) and who are receiving TBI services, who are on the waiting list for the TBI waiver, or whose TBI otherwise is a knowable fact. DHHS identified specific data criteria, as outlined in this document, for populations described in Session Law 2018-48 that will be used to identify beneficiaries eligible for the BH I/DD Tailored Plan. Additionally, new Medicaid beneficiaries and Standard Plan beneficiaries who are not identified as eligible for BH I/DD Tailored Plans based on data reviews will be able to request a review to be exempt from mandatory enrollment in Standard Plans.

Along with meeting one of the BH I/DD Tailored Plan eligibility criteria, beneficiaries must also be eligible for Medicaid Managed Care. The following populations will be eligible to enroll and receive services through the BH I/DD Tailored Plan once they launch in July 2021, if they also meet one of the BH I/DD Tailored Plan eligibility criteria.

- Populations otherwise eligible for the Standard Plan, as outlined in RFP 30-190029-DHB Section V.B.1(d).2
- Beneficiaries enrolled in both Medicare and Medicaid (dual eligible) for whom Medicaid coverage is not limited to the coverage of Medicare premiums and cost sharing. These dual eligibles will only be eligible to receive <u>BH, I/DD and TBI services</u> through the BH I/DD Tailored Plan. Note that dual eligible beneficiaries otherwise excluded from managed care, such as beneficiaries served through the CAP/DA waiver, would not be eligible for the BH I/DD Tailored Plan.
- Non-dual eligible beneficiaries enrolled in the foster care system, formerly enrolled in foster care system up to age 26, or receiving Title IV-E adoption assistance, will have a choice between a Specialized Foster Care Plan and the BH I/DD Tailored Plan.

BH I/DD Tailored Plan Criteria

This section outlines the criteria used prior to Standard Plan implementation to identify beneficiaries eligible for the BH I/DD Tailored Plan. The BH I/DD Tailored Plan criteria below will be used to determine BH I/DD Tailored Plan eligibility based on application to the FFS claims, LME/MCO encounters, State eligibility system, and/or other sources. DHHS will evaluate data based on dates of service from January 2018 forward to determine the population meeting the BH I/DD Tailored Plan criteria. Beneficiaries who

¹ <u>https://www.ncleg.net/Sessions/2017/Bills/House/PDF/H403v6.pdf</u>

² https://files.nc.gov/ncdhhs/30-19029-DHB-1.pdf

Behavioral Health and Intellectual/Developmental Disability Tailored Plan Eligibility and Enrollment

are not identified based on one of the criteria below but need the services or level of care available only through the BH I/DD Tailored Plans can request a review for BH I/DD Tailored Plan eligibility.

- Innovations Waiver Beneficiaries with a Special Coverage Code of "IN" or "CM." Although the "IN" Special Coverage Code is the predominant indicator of Innovations Waiver enrollment, since this exercise evaluates a historical study period, the data logic also leverages the historical "CM" Special Coverage Code to identify Innovations Waiver participants. Innovations Waiver beneficiaries are excluded from Standard Plan enrollment.
- 2. TBI Waiver Beneficiaries with a Special Coverage Code of "BH" or "BN." DHHS maintains a list of these beneficiaries as reported by Alliance. TBI Waiver beneficiaries are excluded from Standard Plan enrollment.
- Transition to Community Living Initiative (TCLI) DHHS maintains a list of all beneficiaries targeted per the TCLI as reported by the LME-MCOs. Certain beneficiaries on the TCLI list have an applicant status indicating that they were "removed" from TCLI, and thus these beneficiaries will not be considered eligible for the BH I/DD Tailored Plan per the TCLI criteria.
- 4. Innovations Waiver Waitlist DHHS maintains a list of beneficiaries on the Innovations Waiver Waitlist as reported by the LME-MCOs.
- 5. TBI Waiver Waitlist This is not currently applicable as there are no individuals on the TBI Waiver Waitlist.
- 6. Utilization of Medicaid service only available in BH I/DD Tailored Plan Utilization within the historical FFS claims and/or LME/MCO encounters of a service listed in Table 1.
- 7. Utilization of BH, I/DD or TBI Services Funded with State, Local, Federal or Other Non-Medicaid Funds Identification logic leveraged State-funded claims experience based on data available through NCTracks.
- 8. Children with Complex Needs (CWCN) DHHS maintains a list of all beneficiaries identified as CWCN as reported by the LME-MCOs.
- 9. I/DD Diagnosis FFS claim or LME/MCO encounter with a qualifying I/DD diagnosis code(s) (all diagnosis positions) as listed in Table 2.
- 10. SMI/SED— The following logic was utilized to identify beneficiaries with an SMI or SED:
 - a. FFS claim or LME/MCO encounter with a qualifying SMI/SED diagnosis code(s) as listed in Table 3 (SED) or Table 4 (SMI).
 - i. SMI diagnosis list is applied to the primary diagnosis position only for beneficiaries ages 18 and older. Beneficiaries must also have utilization within the FFS and LME/MCO encounter information of an enhanced BH service as listed in Table 6. The diagnosis and enhanced BH utilization qualifying event do not need to occur on the same claim.
 - ii. SED diagnosis list is applied to beneficiaries under age 18. Diagnoses denoted with an asterisk in Table 3 *do not* require the beneficiary to have also accessed an enhanced BH service (schizophrenia and schizophrenia spectrum diagnoses, in any diagnosis position). Beneficiaries with remaining diagnoses on the list in Table 3 must have a claim with a qualifying diagnosis in the primary diagnosis position only and also have utilization of an enhanced BH service in Table 6. The diagnosis and enhanced BH utilization qualifying event do not need to occur on the same claim.
 - b. Electroconvulsive Therapy Identified in both the FFS claims or LME/MCO encounters based on utilization of CPT code 90870 or revenue code 0901.
 - c. Use of clozapine or long-acting injectable antipsychotics Identified in the FFS claims based on utilization of one of the products listed in Table 7.

Behavioral Health and Intellectual/Developmental Disability Tailored Plan Eligibility and Enrollment

- 11. SUD Diagnosis + Enhanced BH Service FFS claim or LME/MCO encounter with a qualifying SUD diagnosis code(s) (primary diagnosis position only) as listed in Table 5 along with utilization within the FFS and LME/MCO encounter information of an enhanced BH service as listed in Table 6. The diagnosis and enhanced BH utilization qualifying event do not need to occur on the same claim.
- 12. Two or More Psychiatric Hospitalizations or Readmissions Identified in the FFS claims based on DRGs 876, 880-887, 894–897, and in the LME/MCO encounters based on Revenue Codes 101–182,184–219.
- Admission to State Psychiatric Hospitals or Alcohol and Drug Abuse Treatment Centers (ADATCs) — This includes, but is not limited to, individuals known to DHHS to have had one or more involuntary treatment episode in a State-owned facility.
- 14. Two or More Visits to the Emergency Department for a Psychiatric Problem Identified in the FFS claims based on Revenue Code 450 and a qualifying diagnosis in the primary position per Tables 3–5 (on the same claim), and in the LME/MCO encounters based on Revenue Code 450 alone.
- 15. Two or More Episodes using BH Crisis Services Identified in both the FFS claims and LME/MCO encounters based on utilization of the procedure codes listed below.
 - 90839 and 90840 (psychotherapy for crisis)
 - H0010 (non-hospital medical detox)
 - H2011 (mobile crisis management)
 - H2036 (medically supervised detox crisis stabilization)
 - S9484 (facility based crisis service)

Table 1: Services Only Available in the BH I/DD Tailored Plan

| Description | Code ³ | Applicable Dataset ⁴ |
|--|-------------------|---------------------------------|
| Medicaid State Plan Services | | |
| Substance Abuse (SA) Non-Medical Community Residential | H0012 | FFS Claims and/or |
| Treatment | | LME/MCO Encounters |
| SA Medically Monitored Community Residential Treatment | H0013 | |
| SA Intensive Outpatient Program | H0015 | |
| High Risk Intervention (HRI) Residential | H0019 | |
| Assertive Community Treatment Team | H0040 | |
| HRI Residential | H0046 | |
| Child/Adolescent Day Treatment | H2012 | |
| Community Support | H2015 | |
| Psychosocial Rehabilitation | H2017 | |
| HRI Residential | H2020 | |
| Intensive In-Home Services | H2022 | |
| Multi-Systemic Therapy | H2033 | |
| SA Comprehensive Outpatient Treatment Program | H2035 | |
| HRI Residential | S5145 | |

³ Unless otherwise noted, identification logic does not leverage the modifier field.

⁴ In some instances, the BH I/DD Tailored Plan service criteria was only run against the LME/MCO encounters (and not the FFS claims) as certain services are only offered through the LME/MCOs and procedure code detail may double as another State Plan/1915(c) waiver service in the FFS claims.

| Description | Code ³ | Applicable Dataset ⁴ |
|---|--|---------------------------------|
| ICF/IID | State Category of Service (SCOS) ⁵ 0021 OR 0047 | FFS Claims |
| | Revenue Code 100 OR 183 | LME/MCO Encounters |
| PRTF | SCOS 0017 OR 0041 | FFS Claims |
| | | |
| 1015/41/21 Comuises | Revenue Code 911 | LME/MCO Encounters |
| 1915(b)(3) Services ⁶ | | |
| Transitional Living Skills (Cardinal Only) | H2022 U4 | _ LME/MCO Encounters |
| Intensive Recovery Supports | T1012 | - |
| Personal Care/Individual Support | T1019 | - |
| Respite | H0045 | - |
| One Time Transitional Cost | H0043 | - |
| Supported Employment | H2023 | - |
| Supported Employment Maintenance | H2026 | - |
| Innovations Waiver Services | See List Below | |
| Innovations Waiver Services | | |
| Crisis Intervention & Stabilization Supports | H2011 | _ LME/MCO Encounters |
| Community Networking | H2015 | _ |
| Residential Supports (modifier differentiates Levels 1 and 4) | H2016 | _ |
| Supported Employment | H2025 | _ |
| Natural Supports Education | S5110 | _ |
| Natural Supports Education — Conference | S5111 | _ |
| Personal Care | S5125 | _ |
| Respite Care | S5150 | - |
| Home Modifications | S5165 | _ |
| Respite Care Nursing | T1005 | _ |
| In-Home Intensive Supports | T1015 | _ |
| Individual Goods and Services | T1999 | _ |
| Community Living and Supports | T2013 | _ |
| Residential Support Level 2 | T2014 | _ |
| Residential Support Level 3 | T2020 | - |
| Day Supports | T2021 | = |
| Specialized Consultative Services | T2025 | _ |
| Day Supports — Developmental Day | T2027 | = |
| Assistive Technology — Equipment and Supplies | T2029 | - |
| Supported Living | T2033 | - |
| Crisis Services — Out of Home | T2034 | - |
| Community Transition Supports | T2038 | - |
| Vehicle Adaptations | T2039 | - |
| Community Navigator | T2041 | - |

⁵ The State-defined SCOS field is based on provider taxonomy.

⁶ Note that DHHS will submit a State Plan Amendment to add Peer Supports (currently a 1915(b)(3) service) to the State Plan. Once approved, this service will be offered via the Standard and BH I/DD Tailored Plans. As such, this service was not used to qualify beneficiaries as eligible for the BH I/DD Tailored Plan.

Behavioral Health and Intellectual/Developmental Disability Tailored Plan Eligibility and Enrollment

| Description | Code ³ | Applicable Dataset ⁴ |
|--|---|---------------------------------|
| In-Lieu-Of Services (ILOS) ⁷ | | |
| ILOS utilization was included in the eligibility criter ILOS that were <u>not</u> included in the BH I/DD Tailore pre-approved these ILOS to be offered through the Behavioral Health Urgent Care | d Plan eligibility criteria as DHHS has | LME/MCO Encounters |
| Outpatient Plus | | |
| Rapid Care Services | | |

- Behavioral Health Crisis Assessment and Intervention
- Child First Outpatient

Table 2: I/DD Diagnosis Code List

The following diagnosis code list was applied to both the FFS claims and LME/MCO encounters.

| Code | Description | Code | Description |
|--------|-------------------------------------|--------|---|
| D82.1 | Di George's syndrome | F84.0 | Autistic Disorder |
| E70.0 | Classical phenylketonuria | F84.2 | Rett's Syndrome |
| E75.02 | Tay-Sachs disease | F84.3 | Other childhood disintegrative disorder |
| E75.19 | Other Gangliosidosis | G31.81 | Alpers disease |
| E75.23 | Krabbe disease | G31.82 | Leigh's Disease |
| E75.25 | Metachromatic Leukodystrophy | Q05.4 | Unspecified Spina Bifida With |
| | | | Hydrocephalus |
| E75.29 | Other Sphingolipidosis | Q05.8 | Sacral spina bifida without hydrocephalus |
| E75.4 | Neuronal ceroid lipofuscinosis | Q07.02 | Arnold-Chiari Syndrome with |
| | | | Hydrocephalus |
| E76.01 | Hurler's syndrome | Q07.03 | Arnold-Chiari Syndrome With Spina Bifida |
| | | | And Hydrocephalus |
| E76.1 | Mucopolysaccharidosis, type II | Q85.1 | Tuberous sclerosis |
| E76.22 | Sanfilippo Mucopolysaccharidoses | Q86.0 | Fetal Alcohol Syndrome |
| E76.29 | Other Mucopolysaccharidoses | Q87.1 | Congenital malformation syndromes |
| | | | predominantly associated with short |
| | | | stature (includes Prader-Willi) |
| E76.3 | Mucopolysaccharidosis, unspecified | Q90.9 | Down Syndrome, Unspecified |
| E77.1 | Defects In Glycoprotein Degradation | Q91.3 | Trisomy 18, unspecified |
| E78.71 | Barth syndrome | Q91.7 | Trisomy 13, unspecified |
| E78.72 | Smith-Lemli-Opitz Syndrome | Q93.4 | Deletion of short arm of chromosome 5 |
| F70 | Mild intellectual disabilities | Q93.82 | Williams syndrome |
| | | | (code as of 1/1/2019, previously Q89.8) |
| F71 | Moderate intellectual disabilities | Q93.51 | Angelman syndrome |
| | | | (code as of 1/1/2019, previously Q93.5) |
| F72 | Severe intellectual disabilities | Q98.4 | Klinefelter syndrome, unspecified |
| F73 | Profound intellectual disabilities | Q99.2 | Fragile X Chromosome |

⁷ Please refer to the various LME/MCO rate schedules for a list of ILOS and corresponding procedure codes as this varies by LME/MCO.

Behavioral Health and Intellectual/Developmental Disability Tailored Plan Eligibility and Enrollment

Table 3: SED Diagnosis Code List

The following diagnosis code list was applied to both the FFS claims and LME/MCO encounters. Codes denoted with an asterisk do not require enhanced BH service utilization, and meet the criteria when the diagnosis is found in any diagnosis position. All other codes apply to primary diagnosis code position only.

| Code | Description | Code | Description |
|---------|--|--------|--|
| F06.30 | Mood disorder due to known physiological | F32.3 | Major depressive disorder, single episode, |
| | condition, unspecified | | severe with psychotic features |
| F06.31 | Mood disorder due to known physiological | F32.4 | Major depressive disorder, single episode, |
| | condition with depressive features | | in partial remission |
| F06.32 | Mood disorder due to physiological | F32.5 | Major depressive disorder, single episode, |
| | condition with major depressive-like | | in full remission |
| | episode | | |
| F06.8 | Other mental disorders due to known | F32.8 | Other depressive episodes |
| | physiological condition | | |
| F09 | Unspecified mental disorder due to known | F32.9 | Major depressive disorder, single episode, |
| | physiological condition | | unspecified |
| F20.0* | Paranoid schizophrenia | F33.0 | Major depressive disorder, recurrent, mild |
| F20.1* | Disorganized schizophrenia | F33.1 | Major depressive disorder, recurrent, |
| - | | | moderate |
| F20.2* | Catatonic schizophrenia | F33.2 | Major depressive disorder, recurrent severe |
| - | | | without psychotic features |
| F20.3* | Undifferentiated schizophrenia | F33.3 | Major depressive disorder, recurrent, |
| 0.0 | ······································ | | severe with psychotic symptoms |
| F20.5* | Residual schizophrenia | F33.40 | Major depressive disorder, recurrent, in |
| 0.0 | Kesidddi senizophrenid | 133.40 | remission, unspecified |
| F20.81* | Schizophreniform disorder | F33.41 | Major depressive disorder, recurrent, in |
| 120.01 | | 133.41 | partial remission |
| F20.89* | Other schizophrenia | F33.42 | Major depressive disorder, recurrent, in ful |
| 120.05 | | 133.42 | remission |
| F20.9* | Schizophrenia, unspecified | F33.8 | Other recurrent depressive disorders |
| F22* | Delusional disorders | F33.9 | Major depressive disorder, recurrent, |
| 122 | | 133.5 | unspecified |
| F23* | Brief psychotic disorder | F34.1 | Dysthymic disorder |
| F24* | Shared psychotic disorder | F34.8 | Other persistent mood [affective] disorders |
| F25.0* | Schizoaffective disorder, bipolar type | F34.9 | Persistent mood [affective] disorder, |
| 125.0 | | 134.5 | unspecified |
| F25.1* | Schizoaffective disorder, depressive type | F39 | Unspecified mood [affective] disorder |
| F25.8* | Other schizoaffective disorders | F40.00 | Agoraphobia, unspecified |
| F25.9* | Schizoaffective disorder, unspecified | F40.01 | Agoraphobia with panic disorder |
| | Other psychotic disorder not due to a | F40.01 | Agoraphobia without panic disorder |
| F28 | substance or known physiological condition | F40.0Z | Agoraphobia without partic disorder |
| F29 | Unspecified psychosis not due to a | F40.10 | Social phobia, unspecified |
| FZ9 | substance or known physiological condition | F40.10 | Social phobla, unspecified |
| 520.10 | | F40 11 | Casial shakin severalized |
| F30.10 | Manic episode without psychotic | F40.11 | Social phobia, generalized |
| 520.44 | symptoms, unspecified | 540.0 | Other shaking and the line line |
| F30.11 | Manic episode without psychotic | F40.8 | Other phobic anxiety disorders |
| | symptoms, mild | | |
| F30.12 | Manic episode without psychotic | F41.0 | Panic disorder without agoraphobia |
| | symptoms, moderate | | |
| F30.13 | Manic episode, severe, without psychotic | F41.1 | Generalized anxiety disorder |
| | symptoms | | |

| Code | Description | Code | Description |
|--------|---|--------|---|
| F30.2 | Manic episode, severe with psychotic | F41.3 | Other mixed anxiety disorders |
| | symptoms | | |
| F30.3 | Manic episode in partial remission | F41.8 | Other specified anxiety disorders |
| F30.4 | Manic episode in full remission | F41.9 | Anxiety disorder, unspecified |
| F30.8 | Other manic episodes | F42 | Obsessive-compulsive disorder |
| F30.9 | Manic episode, unspecified | F43.10 | Post-traumatic stress disorder, unspecified |
| F31.0 | Bipolar disorder, current episode | F43.12 | Post-traumatic stress disorder, chronic |
| 524.40 | hypomanic Disclored in a supervisional and a s | 544.00 | |
| F31.10 | Bipolar disorder, current episode manic without psychotic features, unspecified | F44.89 | Other dissociative and conversion disorders |
| F31.11 | Bipolar disorder, current episode manic | F50.00 | Anorexia nervosa, unspecified |
| | without psychotic features, mild | | |
| F31.12 | Bipolar disorder, current episode manic | F50.01 | Anorexia nervosa, restricting type |
| | without psychotic features, mod | | |
| F31.13 | Bipolar disorder, current episode manic | F50.02 | Anorexia nervosa, binge eating/purging |
| | without psychotic features, severe | | type |
| F31.2 | Bipolar disorder, current episode manic | F50.2 | Bulimia nervosa |
| - | severe with psychotic features | | |
| F31.30 | Bipolar disorder, current episode | F50.8 | Other eating disorders |
| | depressed, mild or mod severity, | | |
| | unspecified | | |
| F31.31 | Bipolar disorder, current episode | F50.82 | Avoidant/restrictive food intake disorder |
| | depressed, mild | | - · · · · · · · · · · · · · · · · · · · |
| F31.32 | Bipolar disorder, current episode | F50.9 | Eating disorder, unspecified |
| | depressed, moderate | | |
| F31.4 | Bipolar disorder, current episode | F63.1 | Pyromania |
| | depressed, severe, without psychotic | | , |
| | features | | |
| F31.5 | Bipolar disorder, current episode | F63.3 | Trichotillomania |
| | depressed, severe, with psychotic features | | |
| F31.60 | Bipolar disorder, current episode mixed, | F63.81 | Intermittent explosive disorder |
| | unspecified | | |
| F31.61 | Bipolar disorder, current episode mixed, | F63.89 | Other impulse disorders |
| | mild | | |
| F31.62 | Bipolar disorder, current episode mixed, | F84.0 | Autistic disorder |
| | moderate | | |
| F31.63 | Bipolar disorder, current episode mixed, | F84.5 | Asperger's syndrome |
| | severe, without psychotic features | | |
| F31.64 | Bipolar disorder, current episode mixed, | F90.0 | Attention-deficit hyperactivity disorder, |
| | severe, with psychotic features | | predominantly inattentive type |
| F31.70 | Bipolar disorder, currently in remission, | F90.1 | Attention-deficit hyperactivity disorder, |
| | most recent episode unspecified | | predominantly hyperactive type |
| F31.71 | Bipolar disorder, in partial remission, most | F90.2 | Attention-deficit hyperactivity disorder, |
| | recent episode hypomanic | | combined type |
| F31.72 | Bipolar disorder, in full remission, most | F90.8 | Attention-deficit hyperactivity disorder, |
| | recent episode hypomanic | | other type |
| F31.73 | Bipolar disorder, in partial remission, most | F90.9 | Attention-deficit hyperactivity disorder, |
| | recent episode manic | | unspecified type |
| | · · · · · · · · · · · · · · · · · · · | F91.0 | Conduct disorder confined to family contex |
| F31.74 | Bipolar disorder, in full remission, most | F910 | |

Behavioral Health and Intellectual/Developmental Disability Tailored Plan Eligibility and Enrollment

| Code | Description | Code | Description |
|--------|---|-------|--|
| F31.75 | Bipolar disorder, in partial remission, most | F91.1 | Conduct disorder, childhood-onset type |
| F31.76 | recent episode depressed Bipolar disorder, in full remission, most recent episode depressed | F91.2 | Conduct disorder, adolescent-onset type |
| F31.77 | Bipolar disorder, in partial remission, most recent episode mixed | F91.3 | Oppositional defiant disorder |
| F31.78 | Bipolar disorder, in full remission, most recent episode mixed | F91.8 | Other conduct disorders |
| F31.81 | Bipolar II disorder | F91.9 | Conduct disorder, unspecified |
| F31.89 | Other bipolar disorder | F94.1 | Reactive attachment disorder of childhood |
| F31.9 | Bipolar disorder, unspecified | F94.2 | Disinhibited attachment disorder of childhood |
| F32.0 | Major depressive disorder, single episode, mild | F98.8 | Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence |
| F32.1 | Major depressive disorder, single episode, moderate | F99 | Mental disorder, not otherwise specified |
| F32.2 | Major depressive disorder, single episode, severe without psychotic features | | |

Table 4: SMI Diagnosis Code List

The following diagnosis code list was applied to both the FFS claims and LME/MCO encounters.

| Code | Description | Code | Description |
|--------|---|--------|--|
| F20.0 | Paranoid schizophrenia | F31.74 | Bipolar disorder, in full remission, most recent episode manic |
| F20.1 | Disorganized schizophrenia | F31.75 | Bipolar disorder, in partial remission, most recent episode depressed |
| F20.2 | Catatonic schizophrenia | F31.76 | Bipolar disorder, in full remission, most recent episode depressed |
| F20.3 | Undifferentiated schizophrenia | F31.77 | Bipolar disorder, in partial remission, most recent episode mixed |
| F20.5 | Residual schizophrenia | F31.78 | Bipolar disorder, in full remission, most recent episode mixed |
| F20.8 | Other schizophrenia | F31.81 | Bipolar II disorder |
| F20.81 | Schizophreniform disorder | F31.89 | Other bipolar disorder |
| F20.89 | Other schizophrenia | F31.9 | Bipolar disorder, unspecified |
| F20.9 | Schizophrenia, unspecified | F32.0 | Major depressive disorder, single episode, mild |
| F21 | Schizotypal disorder | F32.1 | Major depressive disorder, single episode, moderate |
| F22 | Delusional Disorder Unspecified | F32.2 | Major depressive disorder, single episode, severe without psychotic features |
| F25.0 | Schizoaffective disorder, bipolar type | F32.3 | Major depressive disorder, single episode, severe with psychotic features |
| F25.1 | Schizoaffective disorder, depressive type | F32.4 | Major depressive disorder, single episode, in partial remission |
| F25.8 | Other schizoaffective disorders | F32.9 | Major depressive disorder, single episode, unspecified |
| F25.9 | Schizoaffective disorder, unspecified | F33.0 | Major depressive disorder, recurrent, mild |

| Code | Description | Code | Description |
|--------|--|--------|---|
| F29 | Unspecified psychosis not due to a | F33.1 | Major depressive disorder, recurrent, |
| | substance or known physiological condition | | moderate |
| F30.13 | Manic episode, severe, without psychotic | F33.2 | Major depressive disorder, recurrent severe |
| | symptoms | | without psychotic features |
| F30.2 | Manic episode, severe with psychotic | F33.3 | Major depressive disorder, recurrent, |
| | symptoms | | severe with psychotic symptoms |
| F31.0 | Bipolar disorder, current episode | F33.41 | Major depressive disorder, recurrent, in |
| | hypomanic | | partial remission |
| F31.10 | Bipolar disorder, current episode manic | F33.9 | Major depressive disorder, recurrent, |
| | without psychotic features, unspecified | | unspecified |
| F31.11 | Bipolar disorder, current episode manic | F40.00 | Agoraphobia, unspecified |
| | without psychotic features, mild | | |
| F31.12 | Bipolar disorder, current episode manic | F40.01 | Agoraphobia with panic disorder |
| | without psychotic features, moderate | | |
| F31.13 | Bipolar disorder, current episode manic | F41.0 | Panic disorder without agoraphobia |
| | without psychotic features, severe | | |
| F31.2 | Bipolar disorder, current episode manic | F41.1 | Generalized anxiety disorder |
| | severe with psychotic features | | |
| F31.30 | Bipolar disorder, current episode | F42 | Obsessive-compulsive disorder |
| | depressed, mild or mod severity, | | |
| | unspecified | | |
| F31.31 | Bipolar disorder, current episode | F42.3 | Hoarding disorder |
| | depressed, mild | | |
| F31.32 | Bipolar disorder, current episode | F43.10 | Post-traumatic stress disorder, unspecified |
| | depressed, moderate | | |
| F31.4 | Bipolar disorder, current episode | F43.11 | Post-traumatic stress disorder, acute |
| | depressed, severe, without psychotic | | |
| | features | | |
| F31.5 | Bipolar disorder, current episode | F43.12 | Post-traumatic stress disorder, chronic |
| | depressed, severe, with psychotic features | | |
| F31.60 | Bipolar disorder, current episode mixed, | F44.2 | Dissociative stupor |
| | unspecified | | |
| F31.61 | Bipolar disorder, current episode mixed, | F44.81 | Dissociative identity disorder |
| | mild | | |
| F31.62 | Bipolar disorder, current episode mixed, | F44.9 | Dissociative and conversion disorder, |
| | moderate | | unspecified |
| F31.63 | Bipolar disorder, current episode mixed, | F50.00 | Anorexia nervosa, unspecified |
| | severe, without psychotic features | | |
| F31.64 | Bipolar disorder, current episode mixed, | F50.01 | Anorexia nervosa, restricting type |
| | severe, with psychotic features | | |
| F31.70 | Bipolar disorder, currently in remission, | F50.02 | Anorexia nervosa, binge eating/purging |
| | most recent episode unspecified | | type |
| F31.71 | Bipolar disorder, in partial remission, most | F50.2 | Bulimia nervosa |
| | recent episode hypomanic | | |
| F31.72 | Bipolar disorder, in full remission, most | F53 | Puerperal psychosis |
| | recent episode hypomanic | | |
| F31.73 | Bipolar disorder, in partial remission, most | F60.3 | Borderline Personality Disorder |
| | recent episode manic | | |

| Code | Description | Code | Description |
|---------|---|---------|--|
| F10.10 | Alcohol abuse, uncomplicated | F14.220 | Cocaine dependence with intoxication, uncomplicated |
| F10.121 | Alcohol abuse with intoxication delirium | F14.23 | Cocaine dependence with withdrawal |
| F10.20 | Alcohol dependence, uncomplicated | F14.250 | Cocaine dependence with cocaine-induced psychotic disorder with delusions |
| F10.22 | Alcohol dependence with intoxication, uncomplicated | F14.251 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations |
| F10.221 | Alcohol dependence with intoxication delirium | F14.29 | Cocaine dependence with unspecified cocaine-induced disorder |
| F10.23 | Alcohol dependence with withdrawal, uncomplicated | F15.10 | Other stimulant abuse, uncomplicated |
| F10.231 | Alcohol dependence with withdrawal delirium | F15.20 | Other stimulant dependence, uncomplicated |
| F10.232 | Alcohol dependence with withdrawal with perceptual disturbance | F15.220 | Other stimulant dependence with intoxication, uncomplicated |
| F10.239 | Alcohol dependence with withdrawal, unspecified | F15.23 | Other stimulant dependence with withdrawal |
| F10.25 | Alcohol dependence with alcohol-induced psychotic disorder with delusions | F15.250 | Other stimulant dependence with stimulant-induced psychotic disorder with delusions |
| F10.251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations | F15.251 | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations |
| F10.29 | Alcohol dependence with unspecified alcohol-induced disorder | F15.29 | Other stimulant dependence with unspecified stimulant-induced disorder |
| F10.921 | Alcohol use, unspecified with intoxication delirium | F15.929 | Other stimulant use, unspecified with intoxication, unspecified |
| F11.10 | Opioid abuse, uncomplicated | F15.93 | Other stimulant use, unspecified with withdrawal |
| F11.120 | Opioid abuse with intoxication, uncomplicated | F16.10 | Hallucinogen abuse, uncomplicated |
| F11.129 | Opioid abuse with intoxication, unspecified | F16.20 | Hallucinogen dependence, uncomplicated |
| F11.20 | Opioid dependence, uncomplicated | F16.220 | Hallucinogen dependence with intoxicatior uncomplicated |
| F11.22 | Opioid dependence with intoxication, uncomplicated | F16.250 | |
| F11.23 | Opioid dependence with withdrawal | F16.251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations |
| F11.25 | Opioid dependence with opioid-induced psychotic disorder with delusions | F16.283 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks) |
| F11.251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations | F16.288 | Hallucinogen dependence with other hallucinogen-induced disorder |
| F11.259 | Opioid dependence with opioid-induced psychotic disorder, unspecified | F16.29 | Hallucinogen dependence with unspecified hallucinogen-induced disorder |
| | psycholic disorder, dispectited | | |
| F11.29 | Opioid dependence with unspecified opioid-induced disorder | F18.10 | Inhalant abuse, uncomplicated |

The following diagnosis code list was applied to both the FFS claims and LME/MCO encounters.

| Code | Description | Code | Description |
|---------|--|----------|---|
| F11.93 | Opioid use, unspecified with withdrawal | F18.220 | Inhalant dependence with intoxication, |
| | | | uncomplicated |
| F12.10 | Cannabis abuse, uncomplicated | F18.250 | Inhalant dependence with inhalant-induced |
| | | | psychotic disorder with delusions |
| F12.20 | Cannabis dependence, uncomplicated | F18.251 | Inhalant dependence with inhalant-induced |
| | | | psychotic disorder with hallucinations |
| F12.220 | Cannabis dependence with intoxication, | F18.29 | Inhalant dependence with unspecified |
| | uncomplicated | | inhalant-induced disorder |
| F12.250 | Cannabis dependence with psychotic | F19.10 | Other psychoactive substance abuse, |
| | disorder with delusions | | uncomplicated |
| F12.251 | Cannabis dependence with psychotic | F19.20 | Other psychoactive substance dependence, |
| | disorder with hallucinations | | uncomplicated |
| F12.288 | Cannabis dependence with other cannabis- | F19.220 | Other psychoactive substance dependence |
| | induced disorder | | with intoxication, uncomplicated |
| F12.29 | Cannabis dependence with unspecified | F19.222 | Other psychoactive substance dependence |
| - | cannabis-induced disorder | - | with intoxication with perceptual |
| | | | disturbance |
| F12.90 | Cannabis use, unspecified, uncomplicated | F19.230 | Other psychoactive substance dependence |
| | | | with withdrawal, uncomplicated |
| F13.10 | Sedative, hypnotic or anxiolytic abuse, | F19.231 | Other psychoactive substance dependence |
| 1 10.10 | uncomplicated | 1 13.231 | with withdrawal delirium |
| F13.20 | Sedative, hypnotic or anxiolytic | F19.232 | Other psychoactive substance dependence |
| F15.20 | dependence, uncomplicated | 115.252 | with withdrawal with perceptual |
| | dependence, uncomplicated | | disturbance |
| F13.220 | Sedative, hypnotic or anxiolytic | F19.239 | Other psychoactive substance dependence |
| 115.220 | dependence with intoxication, | 119.239 | with withdrawal, unspecified |
| | uncomplicated | | with withdrawal, anspecifica |
| F13.230 | Sedative, hypnotic or anxiolytic | F19.24 | Other psychoactive substance dependence |
| 115.250 | dependence with withdrawal, | 113.24 | with mood disorder |
| | uncomplicated | | with mood disorder |
| F13.231 | Sedative, hypnotic or anxiolytic | F19.250 | Other psychoactive substance dependence |
| 113.231 | dependence with withdrawal delirium | 119.250 | with psychoactive substance-induced |
| | dependence with withdrawar definition | | psychotic disorder with delusions |
| F13.232 | Sedative, hypnotic or anxiolytic | F19.251 | Other psychoactive substance dependence |
| F13.232 | dependence with withdrawal with | F19.231 | with psychoactive substance-induced |
| | perceptual disturb | | psychotic disorder with hallucinations |
| F12 220 | Sedative, hypnotic or anxiolytic | F10 2F0 | |
| F13.239 | | F19.259 | Other psychoactive substance dependence |
| 512 250 | dependence with withdrawal, unspecified | F10.2C | with psychotic disorder, unspecified |
| F13.250 | Sedative, hypnotic or anxiolytic | F19.26 | Other psychoactive substance dependence |
| | dependence with sedative, hypnotic or | | with persist amnestic disorder |
| | anxiolytic-induced psychotic disorder with | | |
| | delusions | 540.000 | |
| F13.251 | Sedative, hypnotic or anxiolytic | F19.280 | Other psychoactive substance dependence |
| | dependence with sedative, hypnotic or | | with anxiety disorder |
| | anxiolytic-induced psychotic disorder with | | |
| F10 5 - | hallucinations | | <u></u> |
| F13.26 | Sedative, hypnotic or anxiolytic | F19.281 | Other psychoactive substance dependence |
| | dependence with sedative, hypnotic or | | with sexual dysfunction |
| | anxiolytic-induced persisting amnestic | | |
| | disorder | | |

Behavioral Health and Intellectual/Developmental Disability Tailored Plan Eligibility and Enrollment

| Code | Description | Code | Description |
|--------|--|---------|--|
| F13.29 | Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder | F19.282 | Other psychoactive substance dependence with sleep disorder |
| F14.10 | Cocaine abuse, uncomplicated | F19.288 | Other psychoactive substance dependence with other disorder |
| F14.20 | Cocaine dependence, uncomplicated | F19.29 | Other psychoactive substance dependence with unspecified disorder |

Table 6: Enhanced BH Services

The following service code list was applied to both the FFS claims and LME/MCO encounters.

| Description | Code ⁸ |
|--|-------------------|
| Non-Hospital Medical Detoxification | H0010 |
| SA Non-Medical Community Residential Treatment | H0012 |
| SA Medically Monitored Community Residential Treatment | H0013 |
| Ambulatory Detoxification | H0014 |
| SA Intensive Outpatient Program | H0015 |
| HRI Residential | H0019 |
| Opioid Treatment | H0020 |
| Partial Hospital | H0035 |
| Assertive Community Treatment Team | H0040 |
| HRI Residential | H0046 |
| Mobile Crisis Management | H2011 |
| Child/Adolescent Day Treatment | H2012 |
| Community Support | H2015 |
| Psychosocial Rehabilitation | H2017 |
| HRI Residential | H2020 |
| Intensive In-Home Services | H2022 |
| Multi-Systemic Therapy | H2033 |
| SA Comprehensive Outpatient Treatment Program | H2035 |
| Medically Monitored or ADATC Detoxification/Crisis Stabilization | H2036 |
| HRI Residential | S5145 |
| Facility-Based Crisis | S9484 |

Table 7: Clozapine and Long-Acting Injectable Antipsychotics

The following products were used in the identification of clozapine and long-acting injectable antipsychotics.

| Description | Description |
|--------------------------------|--------------------------------|
| ABILIFY MAINTENA ER 300 MG SYR | HALOPERIDOL DEC 100 MG/ML AMP |
| ABILIFY MAINTENA ER 300 MG VL | HALOPERIDOL DEC 100 MG/ML VIAL |
| ABILIFY MAINTENA ER 400 MG SYR | HALOPERIDOL DEC 50 MG/ML VIAL |
| ABILIFY MAINTENA ER 400 MG VL | HALOPERIDOL DEC 500 MG/5 ML VL |
| ARISTADA ER 1064 MG/3.9 ML SYR | HALOPERIDOL DECAN 50 MG/ML AMP |
| ARISTADA ER 441 MG/1.6 ML SYRN | INVEGA SUSTENNA 117 MG/0.75 ML |
| ARISTADA ER 662 MG/2.4 ML SYRN | INVEGA SUSTENNA 156 MG/ML SYRG |
| ARISTADA ER 882 MG/3.2 ML SYRN | INVEGA SUSTENNA 234 MG/1.5 ML |
| ARISTADA INITIO ER 675 MG/2.4 | INVEGA SUSTENNA 39 MG/0.25 ML |

⁸ BH I/DD Tailored Plan data logic did not rely on the modifier field.

| Description | Description |
|-------------------------------|----------------------------------|
| CLOZAPINE 100 MG TABLET | INVEGA SUSTENNA 78 MG/0.5 ML |
| CLOZAPINE 25 MG TABLET | INVEGA TRINZA 273 MG/0.875 ML |
| CLOZAPINE 50 MG TABLET | INVEGA TRINZA 410 MG/1.315 ML |
| CLOZAPINE ODT 100 MG TABLET | INVEGA TRINZA 546 MG/1.75 ML |
| CLOZAPINE ODT 12.5 MG TABLET | INVEGA TRINZA 819 MG/2.625 ML |
| CLOZAPINE ODT 150 MG TABLET | PERSERIS ER 120 MG SYRINGE KIT |
| CLOZAPINE ODT 200 MG TABLET | PERSERIS ER 90 MG SYRINGE KIT |
| CLOZAPINE ODT 25 MG TABLET | RISPERDAL CONSTA 12.5 MG SYR |
| CLOZARIL 100 MG TABLET | RISPERDAL CONSTA 25 MG SYR |
| CLOZARIL 25 MG TABLET | RISPERDAL CONSTA 37.5 MG SYR |
| FAZACLO 100 MG ODT | RISPERDAL CONSTA 50 MG SYR |
| FAZACLO 12.5 MG ODT | VERSACLOZ 50 MG/ML SUSPENSION |
| FAZACLO 150 MG ODT | ZYPREXA RELPREVV 210 MG VIAL |
| FAZACLO 200 MG ODT | ZYPREXA RELPREVV 210 MG VL KIT |
| FAZACLO 25 MG ODT | ZYPREXA RELPREVV 300 MG VIAL |
| FLUPHENAZINE DECANOATE LIQUID | ZYPREXA RELPREVV 300 MG VL KIT |
| FLUPHENAZINE DECANOATE OIL | ZYPREXA RELPREVV 405 MG VIAL |
| HALDOL DECANOATE 100 AMPUL | ZYPREXA RELPREVV 405 MG VIAL KIT |
| HALDOL DECANOATE 50 AMPUL | |