

1 15A NCAC 18C .1305 is Amended as published in 33:11 NCR 958 with changes as follows:

2
3 **15A NCAC 18C .1305 SOURCE WATER PROTECTION PLANNING**

4
5 (a) ~~In compliance with G.S. 130A-320, every supplier of water operating a public water system treating and furnishing~~
6 ~~water from a surface water source shall create and implement a Source Water Protection Plan (SWPP) based upon the~~
7 ~~following schedule:~~

8 (1) ~~Water systems that have a single source of supply and a source susceptibility rating of higher or~~
9 ~~moderate, as determined by the Department, shall create and implement a SWPP by January 1, 2021.~~

10 (2) ~~Water systems that have multiple sources of supply and any source susceptibility rating of higher,~~
11 ~~as determined by the Department, shall create and implement a SWPP by January 1, 2022.~~

12 (3) ~~All other water systems treating and furnishing water from surface water sources shall create and~~
13 ~~implement an SWPP by January 1, 2023.~~

14 (4) ~~Any public water system that begins treating and furnishing water from a surface water source on~~
15 ~~or after January 1, 2021 shall create and implement a SWPP that satisfies the requirements of this~~
16 ~~Rule prior to the commencement of its operations.~~

17 (b) ~~Any public water system required to create and implement a SWPP in accordance with this Rule shall review and~~
18 ~~update their SWPP at three year intervals from the creation deadline specified in Paragraph (a) of this Rule. Updated~~
19 ~~information in the SWPP must address the plan elements listed in Paragraph (c) of this Rule.~~

20 (c) ~~Each SWPP shall contain the following elements:~~

21 (1) ~~A list of potential contaminant sources (PCSs), both provided by the Department and identified by~~
22 ~~the water system, located in the following areas as defined in Classifications and Water Quality~~
23 ~~Standards Applicable to Surface Waters and Wetlands of North Carolina, 15A NCAC 02B .0200,~~
24 ~~which is hereby incorporated by reference, including subsequent amendments and editions and can~~
25 ~~be found at no charge at [http://portal.ncdenr.org/c/document_library/get_file?uuid=f12e8078-b128-](http://portal.ncdenr.org/c/document_library/get_file?uuid=f12e8078-b128-44ce-b55b-fc5e7d876f3c&groupId=38364)~~
26 ~~44ce-b55b-fc5e7d876f3c&groupId=38364;~~

27 (A) ~~within the entire watershed for waters classified as WS I;~~

28 (B) ~~within the critical area and 1,000 feet from perennial streambanks within the protected area~~
29 ~~for waters classified as WS II and WS III;~~

30 (C) ~~within the critical area and 1,000 feet from perennial streambanks, within the protected~~
31 ~~area for waters classified as WS IV;~~

32 (D) ~~within ½ mile from the normal pool elevation in which the intake is located, or to the ridge~~
33 ~~line of the watershed, whichever comes first, for a reservoir within waters classified as WS-~~
34 ~~V; and~~

35 (E) ~~within ½ mile, measured as a straight line, upstream from and draining to the intake located~~
36 ~~directly in the stream or river, or to the ridge line of the watershed, whichever comes first,~~
37 ~~for a direct stream intake within waters classified as WS V.~~

- 1 ~~(2) For community water systems, a contingency strategy that documents the system's planned response~~
2 ~~to an emergency event or contamination of its water source(s) that includes the following:~~
- 3 ~~(A) identification and contact information of personnel responsible for emergency~~
4 ~~management, including water system, local, State, and federal emergency response~~
5 ~~personnel;~~
 - 6 ~~(B) identification of foreseeable natural and human caused emergency events including water~~
7 ~~shortages and outages;~~
 - 8 ~~(C) description of the emergency response strategies for each identified shortage or outage~~
9 ~~event and each potential contamination event associated with PCSs identified and listed in~~
10 ~~Subparagraph (c)(1) of this Rule;~~
 - 11 ~~(D) standard operating procedures to close intakes and switch to an alternate intake during a~~
12 ~~contamination event, including procedures that outline exercises designed to practice~~
13 ~~closure and switching of the intake(s);~~
 - 14 ~~(E) description of public notification procedures; and~~
 - 15 ~~(F) identification and evaluation of all facilities and equipment that upon failure would result~~
16 ~~in a water outage or violations of the Rules Governing Public Water Systems, 15A NCAC~~
17 ~~18C.~~
- 18 ~~(3) For non-transient, non-community water systems, the contingency strategy shall contain the~~
19 ~~positions and phone numbers of responsible persons to contact in the event of an emergency,~~
20 ~~including water system, local, State, and federal emergency contacts.~~
- 21 ~~(4) An evaluation of a water system's ability to take the following actions:~~
- 22 ~~(A) close its water intake(s) in the event of contamination, including a determination of the~~
23 ~~duration of time the water intake(s) can remain closed while maintaining positive water~~
24 ~~pressure within the distribution system;~~
 - 25 ~~(B) isolate or divert contaminated water from its surface water intake(s);~~
 - 26 ~~(C) reduce demand by implementing conservation measures during a contamination event.~~
27 ~~Water Shortage Response Plans can be referenced to fulfill this requirement for water~~
28 ~~systems required to prepare a Water Shortage Response Plan under 15A NCAC 02E .0607,~~
29 ~~which is hereby incorporated by reference, including subsequent amendments and editions~~
30 ~~and can be found at no charge at~~
31 ~~<http://reports.oah.state.nc.us/ncac/title%2015a%20-%20environmental%20quality/chapter%2002%20-%20environmental%20management/subchapter%20e/15a%20ncac%2002e%20.0607.pdf>; and~~
32
33
 - 34 ~~(D) meet demand via alternate sources of supply in the event of contamination or loss of its~~
35 ~~primary water source.~~

1 ~~(5) Verification of outreach efforts provided to the owners of the PCSs identified in Subparagraph (e)(1)~~
2 ~~of this Rule to raise awareness of the proximity of the drinking water intake(s) and provide~~
3 ~~emergency contact information for use during a contamination event.~~

4 ~~(6) A description of proactive activities and management strategies designed to protect the source(s)~~
5 ~~from contamination, including documentation of any voluntary source water protection activities~~
6 ~~that have been implemented by the water system.~~

7 ~~(7) Description of public awareness communication efforts that include the following:~~

8 ~~(A) publication of the emergency and source water protection planning status, the next revision~~
9 ~~date, and a reference to this Rule in the community water system's annual Consumer~~
10 ~~Confidence Report, as required by 15A NCAC 18C .1538; and~~

11 ~~(B) notification to any other public water system to which the system is directly interconnected~~
12 ~~of the contingency strategy set forth in Subparagraph (e)(2) of this Rule. A description of~~
13 ~~this communication shall be maintained in the SWPP.~~

14 ~~(d) The supplier of water shall maintain a copy of the current SWPP onsite at each water treatment facility and make~~
15 ~~the SWPP available to personnel responsible for emergency management and operator(s) on duty at all times. The~~
16 ~~SWPP and any associated documentation used in its creation and implementation shall be available for review by~~
17 ~~Section staff upon request.~~

18 ~~(e) The supplier of water shall certify that a SWPP has been created and implemented, and that the water system's~~
19 ~~governing body has been advised of the SWPP creation and implementation. The certification shall be submitted to~~
20 ~~the Department by the deadline specified in Paragraph (a) of this Rule.~~

21 ~~(f) The supplier of water shall certify that a SWPP has been revised and that the water system's governing body has~~
22 ~~been advised of the revision. The certification shall be submitted to the Department by the revision deadline specified~~
23 ~~in Paragraph (b) of this Rule.~~

24 (a) In compliance with G.S. 130A-320, every supplier of water operating a public water system treating and furnishing
25 water from a surface water source shall create and implement a Source Water Protection Plan. For purposes of this
26 Rule, the Source Water Protection Plan required by G.S. 130A-320 shall be referred to as a Source Water Resiliency
27 and Response Plan (SWRRP).

28 (b) The SWRRP shall include a list of potential contaminant sources (PCSs) [PCSs), with the] that have potential to
29 reach surface waters, [waters upon release,] both provided by the Department and supplemented by the water system
30 if additional PCSs are known to exist by the [water system,] supplier of water. The listed PCSs will be located in the
31 following areas as defined in Classifications and Water Quality Standards Applicable to Surface Waters and Wetlands
32 of North Carolina, 15A NCAC 02B .0200, which is hereby incorporated by reference, including subsequent
33 amendments and editions: [editions and can be found at no charge at
34 [http://portal.ncdenr.org/e/document_library/get_file?uuid=f12e8078-b128-44ce-b55b-](http://portal.ncdenr.org/e/document_library/get_file?uuid=f12e8078-b128-44ce-b55b-fe5e7d876f3e&groupId=38364;)
35 [http://reports.oah.state.nc.us/ncac.asp?folderName=\Title%2015A%20-](http://reports.oah.state.nc.us/ncac.asp?folderName=\Title%2015A%20-%20Environmental%20Quality\Chapter%2002%20-%20Environmental%20Management;)
36 [%20Environmental%20Quality\Chapter%2002%20-%20Environmental%20Management;](http://reports.oah.state.nc.us/ncac.asp?folderName=\Title%2015A%20-%20Environmental%20Quality\Chapter%2002%20-%20Environmental%20Management;)

37 (1) within the entire watershed for waters classified as WS-I;

- 1 (2) within the critical area and 1,000 feet from perennial streambanks within the protected area for
2 waters classified as WS-II and WS-III;
- 3 (3) within the critical area and 1,000 feet from perennial [streambanks,] streambanks within the
4 protected area for waters classified as WS-IV;
- 5 (4) within ½ mile from the normal pool elevation in which the intake is located, or to the ridge line of
6 the watershed, whichever comes first, for a reservoir within waters classified as WS-V; and
- 7 (5) within ½ mile, measured as a straight line, upstream from and draining to the intake located directly
8 in the stream or river, or to the ridge line of the watershed, whichever comes first, for a direct-stream
9 intake within waters classified as WS-V.

10 (c) Any community water system subject to this Rule shall certify completion and implementation of a SWRRP by
11 December 31, 2022. The SWRRP shall contain the following elements:

- 12 (1) identification and contact information of personnel responsible for emergency management,
13 including water system, local, State, and federal emergency response personnel;
- 14 (2) an evaluation of a water system's ability to take the following actions:
 - 15 (A) close its water intake(s) in the event of contamination, including a determination
16 of the duration of time the water intake(s) can remain closed while maintaining
17 positive water pressure within the distribution system;
 - 18 (B) isolate or divert contaminated water from its surface water intake(s);
 - 19 (C) reduce demand by implementing conservation measures during a contamination
20 event. Water Shortage Response Plans [ean] may be referenced to fulfill this
21 requirement for water systems required to prepare a Water Shortage Response
22 Plan under 15A NCAC 02E .0607, which is hereby incorporated by reference,
23 including subsequent amendments and [editions] editions; and [can be found at
24 no _____ charge _____ at
25 <http://reports.oah.state.nc.us/ncac/title%2015a%20-%20environmental%20quali>
26 [ty/chapter%202%20-%20environmental%20management/subchapter%20e/15a](http://reports.oah.state.nc.us/ncac/title%2015a%20-%20environmental%20management/subchapter%20e/15a)
27 [%20ncac%2002e%20.0607.pdf](http://reports.oah.state.nc.us/ncac/title%2015a%20-%20environmental%20management/subchapter%20e/15a); and]
 - 28 (D) meet demand via alternate sources of supply in the event of contamination or loss
29 of its primary water source.
- 30 (3) identification of foreseeable natural and human-caused emergency [events] events, including water
31 shortages and outages;
- 32 (4) a description of the emergency response strategies for each identified shortage or outage event and
33 each potential contamination event associated with PCSs identified and listed in Paragraph (b) of
34 this Rule;
- 35 (5) standard operating procedures to close intakes and switch to an alternate intake during a
36 contamination event, including procedures that outline exercises designed to practice closure and
37 switching of the intake(s);

1 (6) a description of public notification procedures; and

2 (7) identification and evaluation of all facilities and equipment that upon failure would result in a water
3 outage or violations of ~~[the Rules Governing Public Water Systems, 15A NCAC 18C.]~~ this
4 Subchapter.

5 (d) For community water systems that are subject to this ~~[rule]~~ Rule and also required to complete a Risk and
6 Resilience Assessment and an Emergency Response Plan under Section 2013 of America's Water Infrastructure Act
7 of 2018 (AWIA), ~~[which amends Section 1433 of TITLE XIV of the Public Health Service Act (The Safe Drinking~~
8 ~~Water Act);]~~ the system's Risk and Resilience Assessment and Emergency Response Plan created to comply with
9 AWIA may be referred to as a SWRRP and used to satisfy the requirements of this Rule, if the PCS list was compiled
10 in accordance with ~~[areas specified in]~~ Paragraph (b) of this Rule. The schedule for certifying completion and
11 implementation of the SWRRP ~~[is]~~ pursuant to this Paragraph shall be as follows:

12 (1) by September 30, 2020 for community water systems serving more than 100,000 people;

13 (2) by June 30, 2021 for community water systems serving 50,000 to 99,999 people; and

14 (3) by December 30, 2021 for community water systems serving 3,301 to 49,999 people.

15 (e) Non-transient, non-community water systems subject to this Rule shall certify completion and implementation of
16 a SWRRP by December 31, 2022. The SWRRP shall contain the following elements:

17 (1) identification and contact information of personnel responsible for emergency management,
18 including water system, local, State, and federal emergency response personnel; and

19 (2) an evaluation of a water system's ability to take the following actions:

20 (A) close its water intake(s) in the event of contamination, including a determination
21 of the duration of time the water intake(s) can remain closed while maintaining
22 positive water pressure within the distribution system;

23 (B) isolate or divert contaminated water from its surface water intake(s);

24 (C) reduce demand by implementing conservation measures during a contamination
25 ~~[event,]~~ event; and

26 (D) meet demand via alternate sources of supply in the event of contamination or loss
27 of its primary water source.

28 (f) Any public water system that begins treating and furnishing water from a surface water source on or after December
29 31, 2022 shall create and implement a SWRRP that satisfies the requirements of this Rule prior to the commencement
30 of its operations.

31 (g) Any public water system required to create and implement a SWRRP in accordance with this Rule shall review
32 and update its SWRRP at five-year intervals from its creation deadline, as specified in Paragraph (c), ~~(d)~~ (d), ~~(e)~~
33 (e), or (f) of this Rule.

34 (h) The SWRRP and any associated documentation used in its creation and implementation shall be available for
35 review by Department staff upon request.

1 ~~(h)~~ (i) The supplier of water shall certify that a SWRRP has been created and implemented, and that the water
2 system's governing body has been advised of the SWRRP creation and implementation. The certification shall be
3 submitted to the Department by the deadline specified in Paragraphs (c), ~~(d)~~ (d), ~~or (e)~~ (e), or (f) of this Rule.

4 ~~(h)~~ (i) The supplier of water shall certify that a SWRRP has been revised and that the water system's governing body
5 has been advised of the revision. The certification shall be submitted to the Department by the revision deadline
6 specified in Paragraph (g) of this Rule.

7

8 *History Note: Authority G.S. 130A-315; 130A-320(c);*

9 *Eff. January 1, 2019.*

10 *Amended Eff. April 1, 2020*

11